

CRITICAL AREA STUDY & BUFFER MITIGATION PLAN

FOR

TIBBETTS CROSSING CITY OF ISSAQUAH, WA

Wetland Resources, Inc. Project #17173

Prepared By

Wetland Resources, Inc. 9505 19th Avenue SE, Suite 106 Everett, WA 98208 (425) 337-3174

Prepared For

Steve Burnstead Construction, LLC Attn: Leo Suver 11980 NE 24th St, Suite 200 Bellevue, WA 98005

January 8, 2019 **Revision 1: July 11, 2019**

TABLE OF CONTENTS

1.0 INTRODUCTION	
2.0 REVIEW OF EXISTING INFORMATION	
3.0 WETLAND & STREAM DETERMINATION	
3.1 STREAM DETERMINATION METHODOLOGY	
3.2 WETLAND DETERMINATION METHODOLOGY	
3.2.1 Hydrophytic Vegetation Criteria	
3.2.2 Soils Criteria and Mapped Description	
3.2.3 Hydrology Criteria	4 5
3.3.1 Wetland A	
3.3.2 Wetland B	
3.3.3 Wetland C	
3.3.4 Wetland D	
3.3.5 Wetland E	6
3.3.6 Wetland F	7
3.3.7 Tibbetts Creek	
3.3.8 Stream A	
3.3.9 Stream B (Outside Investigation Area)	
3.3.10 Non-wetland Areas	8
4.0 Wildlife	9
5.0 Project Description	9
6.0 WETLAND & STREAM BUFFER AVERAGING	10
7.0 TIBBETTS CREEK BUFFER IMPACTS & MITIGATION	13
7.1 TIBBETTS CREEK CROSSING.	
7.2 TIBBETTS CREEK CROSSING BUFFER IMPACTS & MITIGATION	14
8.0 WETLAND BUFFER IMPACTS & MITIGATION	15
8.1 BUFFER ENHANCEMENT PLANTINGS (1,000 SQUARE FEET)	
9.0 Buffer Functions and Values Assessment	15
9.1 EXISTING CONDITIONS	
9.2 POST CONSTRUCTION BUFFER FUNCTIONS AND VALUES	
10.0 BUFFER ENHANCEMENT PLAN SUCCESS & COMPLIANCE	
10.1.1 Criteria for Success	
10.1.2 Mitigation Plan Objective	
10.1.3 Definition of Success	
10.2.1 Purpose for Monitoring	
10.2.2 Monitoring	
10.2.3 Vegetation Monitoring	
10.2.4 Photo points	
10.2.5 Monitoring Report Contents	
10.3 MAINTENANCE	
10.4 CONTINGENCY PLAN	
10.5 PROJECT NOTES	
10.6 PLANTING NOTES	20

11.0 FUTURE TRAIL	23
12.0 Performance Bond	23
13.0 Use of This Report	24
15.0 References	25

LIST OF APPENDICES

APPENDIXA: WETLAND DETERMINATION DATA FORMS

APPENDIX B: WETLAND RATING FORMS

APPENDIX C: KING COUNTY BOND QUANTITY WORKSHEET

APPENDIX D: CRITICAL AREAS STUDY MAPS (SHEET 1 & 2)

1.0 Introduction

Wetland Resources, Inc. (WRI) conducted multiple site investigations between November 2014 and June 2017 to locate jurisdictional wetlands and streams within, and in the vicinity of, the investigation area defined on King County tax parcel 2924069041 (See Figure 1). The 21.94-acre subject property is located at 7932 Renton-Issaquah Road SE in Issaquah, Washington; accessible east of Renton-Issaquah Road SE. It's located within the Cedar/Sammamish Watershed, Water Resources Inventory Area 8. The site is further located as a portion of Section 29, Township 24N, Range 06E, W.M.



Figure 1 Aerial of the subject property and investigation area defined by WRI (not to scale).

Six wetlands (Wetlands A through F) and three streams (Tibbetts Creek, Stream A, and Stream B) were identified within, and in the vicinity of, the investigation area. The boundaries and categories of Wetlands A, B, and C were previously approved and are vested to the old critical area regulations (prior to December 28, 2016). These features were reviewed during the 2017 site visit, and conditions remain the same as the approved delineation. The intent of this document is to characterize all identified critical areas and buffers in the vicinity of the within and in the vicinity of the investigation area, assess potential impacts associated with the applicant's development proposal, and provide mitigation adequate to compensate for all proposed impacts.

1.1 SITE DESCRIPTION

The subject property is partially developed, with a single-family residence, barn, several outbuildings, and a gravel driveway with parking area in the western region of the site. The east side of the property is composed of undeveloped forest, with a few pedestrian/bike trails. Renton-Issaquah Road SE borders the west side of the property. Surrounding land use is primarily single-family residential, with large lots to the north and south, with denser residential development to the east of the subject property.

The delineation focused on the northern portion of the subject property, as defined by the investigation area (See Sheet 1 in Appendix D). Tibbetts Creek bisects the investigation area, separating it into two distinct regions. The western side includes pasture area and the aforementioned development. The eastern portion is undeveloped and composed primarily of native forested vegetation. A mix of grasses (reed canary grass, bluegrass, and bent grass) and shrubs (cut-leaf blackberry and Himalayan blackberry) vegetate the pastured areas. Within the forested areas, vegetation is typical of Puget Sound lowland forest, consisting primarily of western red cedar, western hemlock, big-leaf maple, red alder, salmonberry, vine maple, Pacific willow, red elderberry, Himalayan blackberry, Osoberry, and sword fern.

Six wetlands (Wetland A through F) and three streams (Tibbetts Creek, Stream A, and Stream B) were identified within, and adjacent to, the investigation area. No other critical areas were identified within or adjacent to the investigation area.

2.0 REVIEW OF EXISTING INFORMATION

Prior to conducting the site investigation, public resource information was reviewed to gather background information on the subject property and the surrounding area in regards to wetlands, streams, and other critical areas. These sources included the USFWS National Wetlands Inventory (NWI), USDA/NRCS Web Soil Survey, Snohomish County PDS Map Portal, WDFW SalmonScape mapping tool, and WDFW Priority Habitat and Species (PHS).

- The <u>National Wetlands Inventory</u> depicts two wetland areas on the site, one in the center and one in the northwest area of the site.
- NRCS maps soils on the subject property as Everett very gravelly sandy loam (8 to 15 percent slopes), mixed alluvial land, Alderwood gravelly sandy loam (15 to 30 percent slopes), and Kitsap silt loam (2 to 8 percent slopes).
- <u>King County iMap</u> indicates the presence of one wetland and three streams on the west side of property.
- <u>WDFW SalmonScape</u> shows two streams on-site, with documented salmon presence in Tibbetts Creek.
- <u>WDFW Priority Habitat and Species (PHS)</u> shows a wetland area on-site along Tibbetts Creek and within the northwest corner of the site. Multiple species of salmonids are mapped within Tibbetts Creek. In addition, the township that the subject property is located in is mapped as containing a communal roost(s) for Townsend's Big-eared Bat and Yuma myotis.

3.0 WETLAND & STREAM DETERMINATION

3.1 STREAM DETERMINATION METHODOLOGY

Streams observed on the subject property were identified using the methodologies described in the Washington State Department of Ecology (DOE), Determining the Ordinary High Water Mark for Shoreline Management Act Compliance in Washington State (Anderson et al. 2016). The Washington State Shoreline Management Act (SMA) defines ordinary high water mark as,

"...that mark that will be found by examining the bed and banks and ascertaining where the presence and action of waters are so common and usual, and so long continued in all ordinary years, as to mark upon the soil a character distinct from that of the abutting upland, in respect to vegetation as that condition exists on June 1, 1971, as it may naturally change thereafter, or as it may change thereafter in accordance with permits issued by a local government or the department: PROVIDED, that in any area where the ordinary high water mark adjoining salt water shall be the line of mean higher high tide and the ordinary high water mark adjoining fresh water shall be the line of mean high water."

3.2 WETLAND DETERMINATION METHODOLOGY

A boundary determination was conducted for the on-site wetland. Wetland conditions were evaluated and delineated using routine methodology described in the *Corps of Engineers Wetlands Delineation Manual (Final Report*; January 1987), except where superseded by the *2010 Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Western Mountains, Valleys, and Coast Region (Version 2.0*, referred to as 2010 Regional Supplement). Our findings are consistent with these manuals. The following criteria descriptions were used in the boundary determination of on-site wetlands:

- 1.) Examination of the site for hydrophytic vegetation (species present and percent cover);
- 2.) Examination of the site for hydric soils;
- 3.) Determining the presence of wetland hydrology

3.2.1 Hydrophytic Vegetation Criteria

The manuals define hydrophytic vegetation as the sum total of macrophytic plant life that occurs in areas where the frequency and duration of inundation or soil saturation produce permanently or periodically saturated soils of sufficient duration to exert a controlling influence on the plant species present. One of the most common indicators for hydrophytic vegetation is when more than 50 percent of a plant community consists of species rated "Facultative" and wetter on lists of plant species that occur in wetlands.

3.2.2 Soils Criteria and Mapped Description

The manuals define hydric soils as those that formed under conditions of saturation, flooding, or ponding long enough during the growing season to develop anaerobic conditions in the upper part. Field indicators are used for determining whether a given soil meets the definition for hydric soils.

Four soil units are mapped on-site: Everett very gravelly sandy loam (8 to 15 percent slopes), mixed alluvial land, Alderwood gravelly sandy loam (15 to 30 percent slopes), and Kitsap silt loam (2 to 8 percent slopes).

Everett very gravelly sandy loam (8 to 15 percent slopes) is made up of somewhat excessively drained soils that are underlain by very gravelly sand. These soils formed in sandy and gravelly glacial outwash deposits, under conifers. The O-horizon is composed of slightly decomposed plant material. The A-horizon consists of very dark brown soil color. The B-horizon consists of dark brown soil color. The C-horizon consists of dark yellowish brown soil color. Available water capacity is low. Included within this soil unit are the Alderwood and Indianola soil series. Permeability is rapid.

Mixed alluvial land consists of nearly level areas of unconsolidated alluvium deposited by streams. The alluvium is generally stratified and ranges widely in texture. It is subject to frequent changes caused by stream overflow, but has been in place long enough for vegetation to become established.

Alderwood gravelly sandy loam (15 to 30 percent slopes) is described as a moderately well drained soil on till plains. It is moderately deep over a hardpan. This soil formed in glacial till. Typically, the surface layer is very dark grayish brown gravelly sandy loam about 7 inches thick. The upper part of the subsoil is dark yellowish brown and dark brown very gravelly sandy loam about 23 inches thick. Included in this unit are small areas of soils that have a stony or bouldery surface layer and areas of McKenna soils, Norma soils, and Terric Medisaprists in drainageways on plains. Also included are small areas of Everett, Indianola, and Ragnar soils on terraces and outwash plains. Included areas make up about 15 percent of the total acreage. Permeability of this soil is moderately rapid above the hardpan and very slow through it. Available water capacity is low.

Kitsap silt loam (2 to 8 percent slopes) is described as an undulating soil is on low terraces of the major valleys of the area. The A horizon ranges from very dark brown to dark brown. The B horizon ranges from dark yellowish brown to dark brown and from silt loam to silty clay loam. Some areas are up to 10 percent included Alderwood gravelly sandy loam; some are up to 5 percent the very deep, sandy Indianola soils, and some are up to 5 percent the poorly drained Bellingham, Tukwila, and Seattle soils. Water flows on top of the substratum in winter. Permeability is moderate above the substratum and very slow within it. Available water capacity is moderate to moderately high.

Soils found on-site are consistent with the above mapped soils.

3.2.3 Hydrology Criteria

The 2010 Regional Supplement defines wetland hydrology as "areas that are inundated (flooded or ponded) or the water table is less than or equal to 12 inches below the soil surface for 14 or more consecutive days during the growing season at a minimum frequency of 5 years in 10." During the early growing season, wetland hydrology determinations are made based on physical observation of surface water, a high water table, or saturation in the upper 12 inches. Outside of the early growing season, wetland hydrology determinations are made based on physical

evidence of recent inundation or saturation (i.e. water marks, surface soil cracks, water-stained leaves).

3.3 BOUNDARY DETERMINATION FINDINGS

3.3.1 Wetland A

2004 DOE Rating: Category IV

Cowardin Classification: Palustrine, Emergent, Persistent, Saturated.

City of Issaquah Standard Buffer: 40 feet

Wetland A is a small, slope wetland located along the west edge of the subject site adjacent to Renton-Issaquah Road Southeast. Vegetation within this wetland consists primarily of grasses, including: reed canary grass (*Phalaris arundinacea*; FACW), bluegrass (*Poa* sp.), and bent grass (*Agrostis*, sp.). Soils were saturated to the surface at the time of the delineation. Soils in the wetland area are typically a black (10YR 2/1) sandy loam with strong brown (7.5YR 4/6) redoximorphic features. These soils meet hydric soil indicator F6 Redox Dark Surface. Saturated soils were observed.

This wetland received an overall score of 29 points on the Wetland Rating Form, with a moderate habitat score of 9 points. In the City of Issaquah, Category IV wetlands with low habitat scores require standard 40-foot buffers.

3.3.2 Wetland B

2004 DOE Rating: Category III

Cowardin Classification: Palustrine, Forested, Broad-leaved Deciduous, Intermittently Flooded. City of Newcastle Standard Buffer: 50 feet

Wetland B is a depressional wetland located in the northeast corner of the subject property. It extends slightly off-site to the north and appears to terminate along an adjacent driveway. Observed plant species within this wetland include: red alder (*Alnus rubra*; FAC), Sitka willow (*Salix sitchensis*; FACW), salmonberry (*Rubus spectabilis*; FAC), hardhack (*Spiraea douglasii*; FACW), lady fern (*Athyrium filix-femina*; FAC), creeping buttercup (*Ranunculus repens*; FAC), skunk cabbage (*Lysichiton americanus*; OBL), bluegrass (*Poa sp.*), and bent grass (*Agrostis, sp.*). The soils within the wetland are typically very dark gray (10YR 3/1) silt loam in the upper layer. The sublayer is typically a dark grayish brown (2.5Y 4/2) silt loam with dark yellowish brown (10YR 4/6) redoximorphic features. These soils meet hydric soil indicator F3 Depleted Matrix. Saturated soils were observed.

This wetland received an overall score of 41 points on the Wetland Rating Form, with a low habitat score of 17 points. In the City of Issaquah, Category III wetlands with low habitat scores require standard 50-foot buffers.

3.3.3 Wetland C

2004 DOE Rating: Category III

Cowardin Classification: Palustrine, Forested, Broad-leaved Deciduous, Intermittently Flooded.

City of Issaquah Standard Buffer: 50 feet

Wetland C is a somewhat linear, depressional wetland associated with Tibbetts Creek, which appears to extend off-site to the north. Observed species within this wetland include: red alder (Alnus rubra; FAC), salmonberry (Rubus spectabilis; FAC), Himalayan blackberry (Rubus armeniacus; FAC), reed canary grass (Phalaris arundinacea; FACW), and giant horsetail (Equisetum telmateia; FACW), bluegrass (Poa sp.), and bent grass (Agrostis, sp.). The soils within the wetland are typically very dark brown (10YR 2/2) sandy loam in the upper layer. The sublayer is typically a very dark brown (10YR 2/2) sandy clay loam with dark yellowish brown (10YR 3/6) redoximorphic features. These soils meet hydric soil indicator F6 Redox Dark Surface. Saturated soils were observed.

This wetland received an overall score of 38 points on the Wetland Rating Form, with a low habitat score of 18 points. In the City of Issaquah, Category III wetlands with low habitat scores require standard 50-foot buffers.

3.3.4 Wetland D

2004 DOE Rating: Category III

Cowardin Classification: Palustrine, Scrub-Shrub, Broad-leaved Deciduous.

City of Issaquah Standard Buffer: 50 feet

Wetland D is a small, depressional wetland on the east side of Tibbetts Creek located near the northern boundary of the subject property, extending off-site to the north. Vegetation within this wetland includes Himalayan blackberry (*Rubus armeniacus*; FAC), Pacific willow (*Salix lasiandra*; FACW), and red elderberry (*Sambucus racemosa*; FACU). Soils within the wetland were generally very dark grayish brown (10YR 3/2) with brown (7.5YR 4/4) and a sandy clay loam texture in the upper layer. The sublayer was generally grayish brown (2.5Y 5/2) with strong brown (7.5YR 5/6) redoximorphic features and a sandy clay loam texture. These soils meet hydric soil indicator F3 Depleted Matrix. Soils were saturated at 12 inches below the soil surface at the time of the June 2017 site investigation. In addition, secondary indicators of hydrology, Geomorphic Position (D2) and Water-Stained Leaves (B9) were observed.

This wetland received an overall score of 38 points on the Wetland Rating Form, with a low habitat score of 16 points. In City of Issaquah, Category III wetlands with low habitat scores require standard 50-foot buffers.

3.3.5 Wetland E

2004 DOE Rating: Category III

Cowardin Classification: Palustrine, Forested, Needle-leaved Evergreen.

City of Issaquah Standard Buffer: 50 feet

This wetland is a linear slope wetland located in the southeast region of the investigation area. Vegetation within this wetland includes of western red cedar (*Thuja plicata*; FAC), red alder (*Alnus rubra*; FAC), salmonberry (*Rubus spectabilis*; FAC), piggy-back plant (*Tolmeia menziesii*; FAC), and sword fern (*Polystichum munitum*; FACU). Soils in the wetland area are typically a black (10YR 2/1)

sandy clay loam from 0 to 18 inches below the soil surface. At the time of the June 2017 site investigation, soils were saturated to the surface, associated with a high water table.

This wetland received an overall score of 32 points on the Wetland Rating Form, with a low habitat score of 16 points. In City of Issaquah, Category III wetlands with low habitat scores require standard 50-foot buffers.

3.3.6 Wetland F

2004 DOE Rating: Category II

Cowardin Classification: Palustrine, Forested, Broad-leaved Deciduous, Seasonally

Flooded/Saturated.

City of Issaquah Standard Buffer: 75 feet

This wetland is a depressional wetland located in the central region of the subject property, associated with Tibbetts Creek. Vegetation within this wetland includes red alder (*Alnus rubra*; FAC), salmonberry (*Rubus spectabilis*; FAC), piggy-back plant (*Tolmeia menziesii*; FAC), reed canarygrass (*Phalaris arundinacea*; FACW), and scouringrush horsetail (*Equisetum hyemale*; FACW). Soils within Wetland F were generally very dark gray (10YR 3/1) with dark brown (7.5YR 3/4) redoximorphic features from 0 to 16 inches below the soil surface. At the time of the June 2017 site investigation, soils were saturated to the surface, associated with a high water table.

This wetland received an overall score of 53 points on the Wetland Rating Form, with a low habitat score of 19 points. In the City of Issaquah, Category II wetlands with low habitat scores require standard 75-foot buffers.

3.3.7 Tibbetts Creek

City of Issaquah Rating: Class 2

Cowardin Classification: Riverine, Lower Perennial, Unconsolidated Bottom, Cobble-Gravel.

City of Issaquah Standard Buffer: 100 feet

Tibbetts Creek enters the site from the south and flows north through the center of the property, eventually flowing into Lake Sammamish. A tributary (Stream A) to Tibbetts Creek enters the site from the west and flows east along the southern border. Tibbetts Creek flows into Lake Sammamish. Tibbetts Creek has documented presence of Sockeye, Winter Steelhead, Resident Coastal Cutthroat, and Coho, as well as presumed presence (based on lack of gradient barrier) of Fall Chinook. The portion of Tibbetts Creek on-site ranged from 12 to 28 feet in width, with an average width of 17.4 feet across the subject property.

3.3.8 Stream A

City of Issaquah Rating: Class 2

Cowardin Classification: Riverine, Lower Perennial, Unconsolidated Bottom, Cobble-Gravel.

City of Issaquah Standard Buffer: 100 feet

Stream A is a tributary to Tibbetts Creek that enters the site from the west and flows east along the boundary of the subject property. Stream B is a tributary to Tibbetts Creek, with no observed blockage to fish passage at the confluence of the two streams. Therefore, it is presumed salmonids

use this stream. Stream A is classified as a Class 2 stream with salmonids and receives a standard buffer of 100 feet per IMC 18.10.785.

3.3.9 Stream B (Outside Investigation Area)

City of Issaquah Rating: Class 2

Cowardin Classification: Riverine, Lower Perennial, Unconsolidated Bottom.

City of Issaquah Standard Buffer: 100 feet

Stream B is located south of the investigation area and was not delineated. Its location is estimated on the attached Critical Areas Study Map (Appendix C). Stream B is a tributary to Tibbetts Creek that enters the site from the east and flows west until it meets Tibbetts Creek, approximately 60 feet north of where Tibbetts Creek and Stream A meet. Stream B is a tributary to Tibbetts Creek, with no observed blockage to fish passage at the confluence of the two streams. Therefore, it is presumed salmonids use this stream. Stream B is classified as a Class 2 stream with salmonids and receives a standard buffer of 100 feet per IMC 18.10.785.

3.3.10 Non-wetland Areas

Vegetation in the non-wetland area west of Tibbetts Creek is comprised primarily of maintained lawn/pasture, with trees and shrubs immediately adjacent to the creek. Vegetation within the non-wetland area of the subject site includes: big leaf maple (*Acer macrophyllum*; FACU), vine maple (*Acer circinatum*; FAC), Osoberry (*Oemleria cerasiformis*; FACU), Himalayan blackberry (*Rubus armeniacus*; FAC), western sword fern (*Polystichum munitum*; FACU), creeping buttercup (*Ranunculus repens*; FAC), bluegrass (*Poa* sp.), and bent grass (*Agrostis* sp.). Non-wetland soils on the west side of the property generally consist of very dark grayish brown (10YR 3/2) or dark olive brown (2.5Y 3/3) in the top layer with a sub layer of dark yellowish brown (10YR 3/6, 10YR 4/6). The soil textures ranged from a sandy loam to a sandy clay loam.

In non-wetland areas east of Tibbetts Creek, vegetation includes western red cedar (*Thuja plicata*; FAC), western hemlock (*Tsuga heterophylla*; FACU), Himalayan blackberry (*Rubus armeniacus*; FAC), red huckleberry (*Vaccinium parvifolium*; FACU), salmonberry (*Rubus spectabilis*; FAC), sword fern (*Polystichum munitum*; FACU), vanilla leaf (*Achlys triphylla*; UPL), and lady fern (*Athyrium filix-femina*; FAC). Soils in these areas are generally a very dark brown to very dark grayish brown (10YR 2/2, 10YR 3/2) with a silty loam texture in the upper layer. In the sublayer, soils are generally a dark brown to dark yellowish brown (10YR 3/3, 10YR 3/4) with a sandy loam texture in the sublayer. No saturation or high water table was observed in these areas.

Given that the dominant vegetative community in these areas is not hydrophytic, direct hydrologic indicators are lacking, and hydric soils are absent in these areas, it appears that areas mapped as non-wetland do not meet criteria for wetlands.

4.0 WILDLIFE

During June 2017, site visit, various songbirds were observed in the area and frog song was heard near the wetlands. As previously mentioned, WDFW Priority Habitat and Species (PHS) shows a wetland area on-site along Tibbetts Creek and within the northwest corner of the site. Additionally, multiple species of salmonids are mapped within Tibbetts Creek, and the township that the subject property is located in is mapped as containing communal roost(s) for Townsend's Big-eared Bat and Yuma myotis.

In addition, the following wildlife is expected to use the area. Avian species expected to use the subject site include: American crow (Corvus brachyrhynchos), American robin (Turdus migratorius), house finch (Carpodacus mexicanus), black-capped chickadee (Poecile atricapillus), dark-eyed junco (Junco hyemalis), various woodpecker species, Great blue heron (Ardea herodias), brown creeper (Certhia americana), and various waterfowl. Mammals expected to use this site include: Virginia opossum (Didelphis virginiana), shrews (Sorex spp.), eastern gray squirrel (Sciurus carolinensis), raccoon (Procyon lotor), and eastern cottontail rabbits (Sylvilagus floridanus), Columbian black-tailed deer (Odocoileus hemionus columbianus), and coyotes (Canis latrans). Other wildlife expected to use this site include: pacific tree frog (Hyla regilla), northwestern salamander (Ambystoma gracile), and rough-skinned newt (Taricha granulosa).

5.0 PROJECT DESCRIPTION

The applicant is proposing to construct a 20-lot subdivision and associated infrastructure on the subject site. An easement for a pedestrian trail will be dedicated as part of the proposed development. In order to accommodate the necessary point of entry to the site and a bridge crossing to reach the east side of the stream, buffer impacts will occur. Mitigation for buffer impacts will be provided through a combination of designating additional buffer area and buffer enhancement. Buffer averaging is proposed to modify the buffer along the lots 6 - 11 and 15 and 16. Details of the buffer impacts and buffer averaging are provided in Sections 6 and 7, Wetland & Buffer Averaging and Tibbetts Creek Buffer Impacts and Mitigation, of this report. In order to reduce the potential impacts of this development, the project is proposing the following minimization measures (see Table 1).

Potential Disturbance		Activities/Cause of	Proposed Measures to
		Disturbance	Minimize Impacts
Lights	•	Residential use	Lights that may reach on-site wetlands from
			residential lots are rear yard lights, which
			will typically be used for short-term
			duration and controlled manually.
			No lights will be located on the perimeter of
			the wetlands, just along the road.
Noise	•	Residential use	The project site is situated along a busy
			arterial. On-site traffic will be limited to
			residents and guests who will primarily use
			driveways and street parking.
Toxic runoff	•	Residential use	All runoff from this new development will
	•	Landscaping	be collected/treated in a manner consistent
			with stormwater treatment standards and
G			will meet state water quality standards.
Stormwater runoff	•	Residential use	Stormwater will be collected/treated in a
	•	Landscaping	manner consistent with the WA Dept. of
			Ecology 2005 Stormwater Management
			Manual for Western Washington and City of Issaquah standards.
Change in Water regime	-	Lawns	Stormwater will be routed to infiltration
Change in Water Teginie	•		and dispersion trenches along the outer
	•	Impermeable surfaces	edge of buffer for Tibbetts Creek. This will
			maintain the hydrology to the wetland and
			stream buffers.
Pets/Human disturbance	•	Residential use	Wetlands, streams, and buffers will be
		residential use	enclosed in separate tracts. Fencing and
			Critical Area signs will be installed along
			the edge of on-site buffers adjacent to
			development.

Table 1 - Disturbance Minimization

6.0 WETLAND & STREAM BUFFER AVERAGING

The applicant is proposing to average the buffers of Wetland B, Wetland F, Tibbetts Creek, and Stream A. The proposed buffer averaging plan complies with the criteria listed in IMC 18.10.650.D(5) and 18.10.790.D(6). All IMC citations relevant to wetland buffer and stream width averaging criteria are presented below in *italics*, followed by applicant responses in standard text.

1. The proposed site plan demonstrates efforts to avoid and minimize wetland/stream and wetland/stream buffer impacts;

The current proposal avoids all impacts to the on-site streams and wetlands and has minimized buffer averaging and buffer impacts to the greatest extent possible, given the constraints of the site (including access, as well as wetland and stream locations).

2. Buffer width averaging is consistent with the best available science and will not adversely impact functions or values;

The areas of buffer reduction and addition for Wetland B are both composed of maintained pasture, thus, the functions and values of Wetland B's buffer will be maintained. Similarly, the areas of buffer reduction and addition for Wetland F are both forested, thus, the functions and values of Wetland F's buffer will be maintained.

The areas of Tibbetts Creek's buffer proposed for reduction are primarily maintained lawn/pasture and non-native Himalayan blackberry, which do not provide a high level of protection. The area of buffer addition (west of Tibbetts Creek) is of similar vegetative structure to the areas of buffer reduction, while the remainder of proposed buffer addition east of Tibbetts Creek is mature, native forest. The areas of Stream A proposed for reduction are maintained pasture, associated with the existing residence on site. The areas of buffer addition are of similar vegetative composition and forested area. Replacing maintained, homogenic buffer area with natively vegetated, forested area will provide a lift to the functions and values of Tibbetts Creek's and Stream A's buffers by better moderating stormwater runoff, reducing soil erosion potential, and providing quality habitat for wildlife to perch, find refuge, and native food sources.

Overall, the proposed buffer width averaging plan is expected to deliver a lift in terms of buffer functions on-site, as it results in increased vegetative/structural diversity and an increase in total buffer area to be protected in perpetuity.

3. The total area within the wetland/stream buffer after averaging is not less than the area within the standard buffer prior to averaging. The location of the replacement buffer area shall be contiguous to the standard buffer to be averaged;

All areas of buffer averaging addition are contiguous to the standard buffer. The amount of proposed buffer averaging reduction and addition were calculated for Wetland B, Wetland F, Tibbetts Creek, and Stream A separately. Because the reduction to the buffer of Stream A is so minimal (reducing the buffer by 3 feet maximum) and it is infeasible to locate the entire additional buffer between Stream A and the proposed development, the applicant will locate the remaining 120 square feet of additional buffer to the east of Tibbetts Creek. Since Stream A is a tributary of Tibbetts Creek and both provide habitat for fish, modifying the buffer maintains the functions of this critical area buffer per IMC 18.10.390, which is to "protect critical areas from degradation in various ways including the following: stabilizing...protecting plant and animal species and biotic communities associated with the critical area; and reducing disturbances to the resources to the critical area typically caused by the activities of humans and domestic animals." As the reduction area is small and a permanent protective fence will be installed along the final buffer line, thus reducing disturbance to the buffer of Stream A, this reduction and area of addition contiguous with Stream A's distributary, Tibbetts Creek.

The buffer averaging reductions and additions are listed in the table below.

Critical Area	Buffer Averaging	Buffer Averaging	Net Gain in Total
	Reduction	Addition	Buffer Area
Wetland B	977 square feet	1,770 square feet	+793 square feet
Wetland F	45 square feet	45 square feet	0 square feet
Tibbetts Creek	5,615 square feet	5,615 square feet	0 square feet
Stream A	190 square feet	190 square feet	0 square feet

Table 2 - Buffer Averaging Reduction and Addition Areas

4. The buffer width shall not be reduced by more than twenty-five (25) percent of the standard buffer width at any location, unless a variance is approved in accordance with IMC 18.10.430;

The buffer widths of Wetland B, Wetland F, Tibbetts Creek, and Stream A are not reduced by more than 25 percent by buffer averaging. See Table 3, below.

Critical Area	Standard Buffer	Narrowest Point in Proposed Buffer Averaging	Percent Standard Buffer Width Reduced
Wetland B	50 feet	37.5 feet	25 percent
Wetland F	75 feet	73 feet	93 percent
Tibbetts Creek	100 feet	76 feet	24 percent
Stream A	100 feet	97 feet	3 percent

Table 3 - Standard and Proposed Reduced Buffer Widths

5. A maximum of fifty (50) percent of the buffer perimeter on a site may be reduced by buffer averaging;

The buffer perimeters of Wetland B, Wetland F, Tibbetts Creek, and Stream A are not reduced by more than 50 percent through buffer averaging.

Critical Area	Buffer Perimeter	Length of Buffer	Percent of
	(on-site)	Perimeter Averaged	Perimeter Averaged
Wetland B	697 feet	251 feet	38 percent
Wetland F	112,144 feet	50 feet	Less than 1 percent
Tibbetts Creek	1,701 feet	201 feet	12 percent
Stream A	157 feet	357 feet	44 percent

Table 4 - Percent of On-site Buffer Perimeter Averaged

6. Buffer averaging shall consider physical characteristics on a site, including but not limited to existing wetland and buffer vegetation, slopes, floodplain, hydrology, surface drainage, and association with nearby wetlands and/or streams. Buffer averaging shall not be allowed within the designated floodway of streams;

The proposed buffer averaging plan will maintain a greater level of functions and values than what is currently provided by on the site. There will be a net gain of buffer area on the site and an increase the area of forested buffer on the site. The proposed areas of buffer addition are located

between the development and affected features and composed of similar or higher quality vegetation than that of the buffer reduction areas. Please see Section 9, Buffers Functions & Values Assessment, for a detailed buffer functions and values analysis.

7. Buffer averaging credit shall not be allowed in areas already protected by the critical area regulations.

All proposed buffer addition areas are not currently protected by critical area regulations.

7.0 TIBBETTS CREEK BUFFER IMPACTS & MITIGATION

The applicant is proposing to construct a bridge spanning Tibbetts Creek in order to access Lots 17 through 20, on the western side of the stream. Impacts to the buffer of Tibbetts Creek and subsequent mitigation are discussed in Section 8, Tibbetts Creek Crossing Buffer Impacts & Mitigation.

7.1 TIBBETTS CREEK CROSSING

Per IMC 18.10.775, no structures shall be permitted within streams or stream buffer except as outlined in subsection A, which states that stream crossings may be allowed only if they meet the requirements below. All IMC citations relevant to stream crossing criteria are presented below in *italics*, followed by applicant responses in standard text.

1. All road and utility crossings shall use bridges or other construction techniques which do not disturb the stream bed or bank; however, in the case of Class 2, 3 or 4 streams, appropriate methods demonstrated to provide fisheries protection may be used if the applicant demonstrates that such methods and their implementation will pose no harm to the stream and will not inhibit migration of fish and will accommodate one hundred (100) year flood flows as established by the City. This shall be accomplished through bridge crossing design and/or appropriate flood control facilities constructed as part of the project design. Any structure spanning a stream shall be designed so the supporting foundation is outside the ordinary high water mark;

The applicant is proposing to construct a bridge across Tibbetts Creek (Class 2 stream). Construction will not disturb the stream bed or bank. The foundation/abutments for the bridge will be located outside the ordinary high water mark and outside of the floodplain of Tibbets Creek.

2. All crossings shall be constructed during summer low flow and be timed to avoid stream disturbance during periods when use is critical to salmonids;

The crossing will be constructed during summer low flow and will avoid stream disturbance during periods when use is critical to salmonids.

3. Crossings shall not occur over salmonid spawning areas unless no other possible crossing site exists on the subject property;

As WDFW (PHS Map & SalmonScape) indicates that the on-site portion of Tibbetts Creek serves as breeding/rearing habitat for Winter Steelhead and Coho, thus salmonid spawning areas may be present on the site. There is no way to access the east side of the site without crossing Tibbetts

Creek. The applicant will acquire all necessary permits for this component of the project (including Hydraulic Permit Approval) and incorporate WDFW's design recommendations.

4. Crossings shall not diminish the flood carrying capacity of the stream;

The proposed stream crossing has been designed so that no infrastructure will be constructed within the floodplain. The crossing will not diminish the flood carrying capacity of the stream.

5. Underground utility crossings shall be located at a preferred depth of four (4) feet below the maximum depth of scour for the base flood predicted by a Washington State licensed civil engineer and be constructed in a manner approved by the Washington State Department of Fisheries; and

The applicant is proposing to locate all utility lines on the bridge crossing the stream. No underground utilities are proposed under the stream channel.

6. Crossings shall be minimized and serve multiple purposes and properties whenever possible.

There is one proposed crossing that will serve multiple properties (4) on the western side of Tibbetts Creek. All utilities for these lots will be located on the bridge as well.

7.2 TIBBETTS CREEK CROSSING BUFFER IMPACTS & MITIGATION

As a result of the proposed stream crossing, permissible by IMC 18.10.775 (discussed in detail above), 6,915 square feet of permanent impacts to the buffer of Tibbetts Creek are proposed. Per IMC 18.10.795(B)(2), "Replacement or enhancement is required when the City permits or approves the alteration of a stream buffer. There will be no net loss of stream functions on a development proposal site and no impact on stream functions above or below the site due to the approved alterations." As such, to compensate for the 6,915 square feet of stream buffer impacts associated with the crossing, the applicant proposes to replace the lost buffer area by designating 7,625 square feet of additional stream buffer between Tibbetts Creek and the development in the east.

Approximately 15 percent of the portion Tibbetts Creek buffer to be permanently impacted is composed of maintained lawn/pasture and non-native Himalayan blackberry, while the remainder of the impacted area is forested. The entirety of the proposed replacement buffer is forested and greater in area than the area impacted. The proposed mitigation via buffer replacement will result in a greater amount of forested buffer located between Tibbetts Creek and the proposed development, thus acting as additional screening for the stream. As such, the proposed stream buffer impacts and replacement will not result in a net loss or stream function and will not impact stream functions up or downstream, thus meeting the requirements of IMC 18.10.795(B)(2).

8.0 WETLAND BUFFER IMPACTS & MITIGATION

Access to the property is currently just south of Wetland A. In order to avoid wetland impacts that would be associated with constructing access off of the bridge that is adjacent to Wetland A, the applicant is proposing to continue to access the property south of Wetland A. This location will avoid all wetland impacts, but will result in permanent impacts to the wetland buffer. A total of 615 square feet of buffer will be impacted. Mitigation for the permanent buffer impact will be provided through designating 520 square feet of additional buffer and 1,000 square feet of enhancement plantings, resulting in a 2.47:1 mitigation to impact ratio, exceeding the mitigation to impact ratio required by IMC 18.10.720(B)(2). The enhancement plantings will provide additional protective screening to Wetland A.

8.1 BUFFER ENHANCEMENT PLANTINGS (1,000 SQUARE FEET)

Common Name	Latin Name	Size	Spacing	Quantity
Douglas fir	Pseudotsuga menziesii	1 gallon	10,	2
Big leaf maple	Acer macrophyllum	1 gallon	10'	2
Cascara	Rhamnus purshiana	1 gallon	10'	2
Serviceberry	Amelanchier alnifolia	l gallon	5'	7
Nootka rose	Rosa nutkana	1 gallon	5'	7
Red elderberry	Sambucus racemosa	1 gallon	5'	7
Salmonberry	Rubus spectabilis	1 gallon	5'	7
Snowberry	Symphoricarpos albus	l gallon	5'	7

Trees will be planted along the north edge of the enhancement planting area to avoid any future maintenance issues along the roadway.

9.0 BUFFER FUNCTIONS AND VALUES ASSESSMENT

The methodology for this functions and values assessment is based on professional opinion developed through past field analyses and interpretation. This assessment pertains specifically to the wetlands and buffer on site, but is characteristic of similar wetland systems found throughout western Washington.

9.1 EXISTING CONDITIONS

Water Quality

Vegetated wetland buffers obstruct water flow, thereby decreasing water velocity, allowing infiltration into the soil, and reducing soil erosion potential. The majority of the buffer area on-site is pasture area used for grazing cows. The two stream buffers contain shrub and forested areas. This vegetation allows for infiltration and absorption of precipitation. The forested areas provide a moderate level for this function. The pasture areas provide a low level for this function.

Hydrologic functions

Wetland buffers help to moderate water level fluctuations. Buffer vegetation impedes the flow of runoff, increases the humus content of soil (greater adsorption capacity), and preserves soil composition as intense rainfall hits the ground. Buffer within the forested areas perform this

function at a moderate level in the forested areas, while the pasture areas provide a low level for this function.

Wildlife Habitat

Many birds, mammals, and amphibians use wetland and stream buffers for some part of their life needs. Their use of these sites is dependent on the valuable edge habitat found at the wetland/upland border. Buffer vegetation on the site consists of both forested and pasture areas. The on-site forested buffer contains multiple vegetation strata in the understory. The opportunity for perching, refuge, and availability of native food sources provides wildlife habitat. These areas provide a moderate to high level of functions. However, the lack of vegetative diversity and native species in the pasture area limits the food sources available, and those areas provide limited refuge opportunities. The pasture areas provide a low level of wildlife habitat functions.

9.2 POST CONSTRUCTION BUFFER FUNCTIONS AND VALUES

The forested buffer areas will remain intact, and will continue to provide the same level of functions as they do in their existing condition. The buffer reduction areas are composed of lawn/pasture grass and Himalayan blackberry and will be replaced with area of similar composition, thus, there will be no loss of high level of stormwater moderation as well as native food sources, refuge, and other quality habitat features. A portion of Tibbetts Creeks' buffer addition and the entirety of the additional buffer designated as mitigation for the proposed stream impacts, is composed of mature forested vegetation. (see Section 6, Wetland Buffer & Stream Buffer Width Averaging).

Overall, the on-site wetlands and streams will benefit from a gain in forested buffer area. The proposed mitigation plan will increase the total amount of buffer on the site by 8,418 square feet, while increasing the amount of forested buffer area. Increasing the quantity and quality of buffer throughout the project site and designating additional buffer area that contains forest with multistrata understory will improve wildlife habitat, water quality, and hydrologic functions. This will result in a greater amount of higher quality buffer area to be protected in perpetuity.

10.0 BUFFER ENHANCEMENT PLAN SUCCESS & COMPLIANCE

10.1.1 Criteria for Success

Upon completion of the proposed mitigation project, an inspection by a qualified biologist will be made to determine plan compliance. A compliance report will be supplied to the City of Issaquah within 30 days after the completion of planting. A landscape professional or wetland professional will perform condition monitoring of the plantings annually in the fall. A written report describing the monitoring results will be submitted to the City after each site inspection of each monitored year. Final inspection will occur five years after completion of this project. The contracted consultant will prepare a report as to the success of the project.

10.1.2 Mitigation Plan Objective

The objective of this buffer enhancement plan is to compensate for buffer impact through installation of native plants adjacent to the impact area. This objective will be accomplished if the project meets the definition of success below.

10.1.3 Definition of Success

The planting areas shall meet the following performance standards:

- a) End of Year 1: 100 percent survival of newly planted species and less than 10 percent cover of weedy/invasive species,
- b) End of Year 3: 80 percent survival of newly planted species and less than 10 percent cover of weedy/invasive species,
- c) End of Year 5: at least 70 percent aerial cover of native woody plant species, mitigation plantings must contain at least 6 native tree/shrub species, and less than 15 percent cover of weedy/invasive species. Volunteering native species will be included in the aerial cover calculation.

The species mix should resemble that proposed in the planting plans, but strict adherence to obtaining all of the species shall not be a criterion for success.

10.2 PROJECT MONITORING PROGRAM

Requirements for monitoring project:

- 1. Initial compliance/as-built report
- 2. Site inspection (twice per year) for five years
- 3. Annual reports (one report submitted during each monitored year)

10.2.1 Purpose for Monitoring

The purpose for monitoring this mitigation project shall be to evaluate its success. Success will be determined if monitoring shows at the end of five years that the definitions of success stated below are met. The property owner shall grant access to the mitigation area for inspection and maintenance to the contracted landscape and/or wetland specialist and City of Issaquah during the monitoring period or until the project is evaluated as successful.

10.2.2 Monitoring

Monitoring shall be conducted twice annually for five years in accordance with the approved Mitigation Plan. The monitoring period will begin once the City receives written notification confirming the mitigation plan has been implemented and City staff inspects the site and issues approval of the installation.

10.2.3 Vegetation Monitoring

Sampling points or transects will be established for vegetation monitoring and photo points will be established from which photos will be taken throughout the monitoring period. Permanent sampling points must be identified on the mitigation site plans in the first monitoring report (they may be drawn on approved plans by hand). Each sampling point shall detail herbaceous, shrub, and tree coverage. Monitoring of vegetation sampling points shall occur once per monitored year.

10.2.4 Photo points

No less than three permanent photo points will be established within the mitigation areas. Photographs will be taken from these points to visually record condition of the enhancement area.

Photos shall be taken annually between May 15 and September 30 (prior to leaf drop), unless otherwise specified.

10.2.5 Monitoring Report Contents

Monitoring reports shall be submitted by December 31 of each year during the monitoring period. As applicable, monitoring reports must include descriptions / data for:

- 1. Site plan and vicinity map
- 2. Historic description of project, including date of installation, current year of monitoring, restatement of mitigation / restoration goals, and performance standards
- 3. Plant survival, vigor, and areal coverage for every plant community (transect or sampling point data), and explanation of monitoring methodology in the context of assessing performance standards
- 4. Slope condition, site stability, any structures or special features
- 5. Wetland and buffer conditions, e.g., surrounding land use, use by humans, and/or wild and domestic creatures
- 6. Observed wildlife, including amphibians, avians, and others
- 7. Assessment of nuisance / exotic biota and recommendations for management
- 8. Color photographs taken from permanent photo-points that shall be depicted on the monitoring report map

10.3 MAINTENANCE

The mitigation areas will require periodic maintenance to remove undesirable species and replace vegetation mortality. Maintenance shall occur in accordance with the approved plans. Chemical control, only if approved by City staff, shall be applied by a licensed applicator following all label instructions.

Duration and Extent

In order to achieve performance standards, the permittee shall have the mitigation area maintained for the duration of the five-year monitoring period. Maintenance will include: watering, weeding around the base of installed plants, pruning, replacement, re-staking, removal of all classes of noxious weeds (see Washington State Noxious Weeds List, WAC 16-750-005) as well as Himalayan blackberry, and any other measures needed to ensure plant survival. The landscape designer and/or wetland professional shall direct all maintenance.

Survival

The permittee shall be responsible for the health of 100% of all newly installed plants for *one growing season* after installation has been accepted by the City of Issaquah. A growing season for these purposes is defined as occurring from spring to spring (March 15 to March 15 of the following year). For fall installation (often required), the growing season will begin the following spring. The permittee shall replace any plants that are: failing, weak, defective in manner of growth, or dead during this growing season, as directed by the landscape designer, wetland professional, and/or City of Issaquah staff.

Installation Timing for Replacement Plants

Replacement plants shall be installed between September 15 and January 15, unless otherwise determined by the landscape designer, wetland professional, and/or City of Issaquah staff.

Standards for Replacement Plants

Replacement plants shall meet the same standards for size and type as those specified for the original installation, unless otherwise directed by the landscape designer, wetland professional, and/or City of Issaquah staff.

Replanting

Plants that have settled in their planting pits too deep, too shallow, loose, or crooked shall be replanted as directed by the landscape designer, wetland professional, and/or City of Issaquah staff.

Herbicides/Pesticides

Chemical controls shall not be used in the mitigation area, sensitive areas, or their buffers. However, limited use of herbicides may be approved depending on site-specific conditions, only if approved by City of Issaquah staff.

Irrigation/Watering

Water should be provided during the dry season (July 1 through October 15) for the first two years after installation to ensure plant survival and establishment. A temporary above ground irrigation system should be installed to provide water. Water should be applied at a rate of 1" of water twice per week for year one and 1" per week during year two. If the mitigation plantings meet 80 percent survival at the end of year two, the system may be removed.

General

The permittee shall include in general maintenance activities the replacement of any vandalized or damaged signs, habitat features, fences, or other structural components of this mitigation site.

10.4 CONTINGENCY PLAN

If 20% of the plants are severely stressed during any of the inspections, or it appears 20% may not survive, additional plantings of the same species may be added to the planting area. Elements of a contingency plan may include, but will not be limited to: more aggressive weed control, pest control, mulching, replanting with larger plant material, species substitution, fertilization, soil amendments, and/or irrigation.

10.5 Project Notes

Pre-Construction Meeting

Mitigation projects are typically more complex to install than to describe in plans. Careful monitoring by a wetland professional for all portions of this project is strongly recommended. Construction timing and sequencing is important to the success of this type of project. There will be a pre-construction meeting on this site between the Permittee, the consulting wetland professional, and laborers. The objective will be to verify the location of erosion control facilities, verify the location of mitigation areas, and to discuss project sequencing.

Inspections

A wetland professional shall be contracted to periodically inspect the mitigation installation described in this plan. Minor adjustments to the original design may be necessary prior to and

during construction due to unusual or hidden site conditions. A City of Issaquah representative and/or the consulting professional will make these decisions during construction.

10.6 PLANTING NOTES

Plant in the early spring or late fall and obtain all plants from a reputable nursery. Care and handling of all plant materials is extremely important to the overall success of the project. The origin of all plant materials specified in this plan shall be native plants, nursery grown in the Puget Sound region of Washington. Some limited species substitution may be allowed, only with the agreement of the landscape designer, wetland professional, and/or City staff.

Pre-Planting Meeting

Prior to control of invasive species or installation of mitigation plantings, a site meeting between the contracted landscaper and the consulting wetland professional shall occur to resolve any questions that may arise. During this meeting a discussion regarding plant spacing and locations of plant species including wetland verses buffer species shall occur between the landscape contractor and the consulting wetland professional.

Handling

Plants shall be handled so as to avoid all damage, including: breaking, bruising, root damage, sunburn, drying, freezing or other injury. Plants must be covered during transport. Plants shall not be bound with wire or rope in a manner that could damage branches. Protect plant roots with shade and wet soil in the time period between delivery and installation. Do not lift container stock by trunks, stems, or tops. Do not remove from containers until ready to plant. Water all plants as necessary to keep moisture levels appropriate to the species horticultural requirements. Plants shall not be allowed to dry out. All plants shall be watered thoroughly immediately upon installation. Soak all containerized plants thoroughly prior to installation. Bare root plants are subject to the following special requirements, and shall not be used unless planted between November 1 and March 1, and only with the permission of the landscape designer, wetland professional, and City staff. Bare root plants must have enough fibrous root to ensure plant survival. Roots must be covered at all times with: mud and/or wet straw, moss, or other suitable packing material until time of installation. Plants whose roots have dried out from exposure will not be accepted at installation inspection.

Storage

Plants stored by the Permittee for longer than one month prior to planting shall be planted in nursery rows and treated in a manner suitable to those species' horticultural requirements. Plants must be re-inspected by the wetland professional and/or landscape designer prior to installation.

Damaged plants

Damaged, dried out, or otherwise mishandled plants will be rejected at installation inspection. All rejected plants shall be immediately removed from the site.

Plant Names

Plant names shall comply with those generally accepted in the native plant nursery trade. Any question regarding plant species or variety shall be referred to the landscape designer, wetland professional, or City staff. All plant materials shall be true to species and variety and legibly tagged.

Quality and condition

Plants shall be normal in pattern of growth, healthy, well-branched, vigorous, with well-developed root systems, and free of pests and diseases. Damaged, diseased, pest-infested, scraped, bruised, dried out, burned, broken, or defective plants will be rejected. Plants with pruning wounds over 1-inch in diameter will be rejected.

Roots

All plants shall be balled and burlapped (B &B) or containerized, unless explicitly authorized by the landscape designer and/or wetland professional. Rootbound plants or B&B plants with damaged, cracked, or loose rootballs (major damage) will be rejected. Immediately before installation, plants with minor root damage (some broken and/or twisted roots) must be rootpruned. Matted or circling roots of containerized plantings must be pruned or straightened and the sides of the root ball must be roughened from top to bottom to a depth of approximately half an inch in two to four places. Bare root plantings of woody material are allowed only with permission from the landscape designer, wetland professional and/or City staff.

Sizes

Plant sizes shall be the size indicated in the plant schedule in approved plans. Larger stock may be acceptable provided that it has not been cut back to the size specified, and that the root ball is proportionate to the size of the plant. Smaller stock may be acceptable, and preferable under some circumstances, based on site-specific conditions. Measurements, caliper, branching, and balling and burlapping shall conform to the American Standard of Nursery Stock by the American Association of Nurserymen (latest edition).

Form

Evergreen trees shall have single trunks and symmetrical, well-developed form. Deciduous trees shall be single trunked unless specified as multi-stem in the plant schedule. Shrubs shall have multiple stems and be well-branched.

Timing of Planting

Unless otherwise approved by City staff, all planting shall occur between November 1 and March 1. Overall, the earlier plants go into the ground during the dormant period, the more time they have to adapt to the site and extend their root systems before the water demands of spring and summer.

Weeding

Existing and exotic vegetation in the mitigation areas will be hand-weeded from around all newly installed plants at the time of installation and on a routine basis throughout the monitoring period. No chemical control of vegetation on any portion of the site is recommended.

Site conditions

The contractor shall immediately notify the landscape designer and/or wetland professional of drainage or soil conditions likely to be detrimental to the growth or survival of plants. Planting operations shall not be conducted under the following conditions: freezing weather, when the ground is frozen, excessively wet weather, excessively windy weather, or in excessive heat.

21

Planting Pits

Planting pits shall be circular or square with vertical sides, and shall be 6" deeper and 12" larger in diameter than the root ball of the plant. Break up the sides of the pit in compacted soils. Set plants upright in pits. Burlap shall be removed from the planting pit. Backfill shall be worked back into holes such that air pockets are removed without adversely compacting down soils.

Fertilizer

Slow release fertilizer may be used if pre-approved by the City of Issaquah staff. Fertilizers shall be applied only at the base of plantings underneath the required covering of mulch (that does not contact stems of the plants). No soil amendment or fertilizers will be placed in planting holes.

Staking

Most shrubs and many trees DO NOT require any staking. If the plant can stand alone without staking in a moderate wind, do not use a stake. If the plant needs support, then strapping or webbing should be used as low as possible on the trunk to loosely brace the tree with two stakes. Do not brace the tree tightly or too high on the trunk. If the tree is unable to sway, it will further lose the ability to support itself. Do not use wire in a rubber hose for strapping as it exerts too much pressure on the bark. As soon as supporting the plant becomes unnecessary, remove the stakes. All stakes must be removed within two (2) years of installation.

Plant Location

Colored surveyors' ribbon or other appropriate marking shall be attached to the installed plants to assist in locating the plants while removing the competing non-native vegetation and during the monitoring period.

Arrangement and Spacing

The plants shall be arranged in a pattern with the appropriate numbers, sizes, species, and distribution that are required in accordance with the approved plans. The actual placement of individual plants shall mimic natural, asymmetric vegetation patterns found on similar undisturbed sites in the area. Spacing of the plantings may be adjusted to maintain existing vegetation with the agreement of the landscape designer, wetland professional, and/or City staff.

Inspection(s)

A wetland professional shall be present on site to inspect the plants prior to planting. Minor adjustments to the original design may be required prior to and during construction.

Woodchip Mulch

After buffer enhancement plant installation, a 36" circle of no less than 2 to 4 inches of organic/untreated woodchips shall be placed around the base of each plant. Woodchips shall be kept well away (at least 2 inches) from the trunks and stems of woody plants.

22

11.0 FUTURE TRAIL

Per the original Silverado Development Agreement, an easement for a pedestrian trail will be dedicated as part of the proposed development, to potentially provide future trail connections to the larger Squak Mountain trail system.

Many potential trail locations would be located within wetland and stream buffer, which is permissible by IMC 18.10.610(B)(5) and 18.10.775(C), so long as, "a critical areas study per IMC 18.10.410 documents no loss of buffer functions and values. Additional buffer width equal to the width of the trail tread and the cleared trail shoulders shall be required, except where existing development prevents adding buffer width. In this case, other mitigating measures shall be required to ensure no loss of buffer functions and values."

WRI concludes that designation of additional buffer east of Tibbetts Creek would be appropriate mitigation for a future trail within the buffers of on-site critical areas. When considering trail design, WRI recommends that the trail should be located to avoid impacts to trees.

12.0 Performance Bond

According to IMC 18.10.810(A), "... The applicant may post a performance bond equal to one hundred fifty (150) percent of the total cost of the mitigation project to complete, or other security instrument which guarantees that all required mitigation measures will be completed no later than the time established by the City in accordance with this chapter."

In addition, according to IMC 18.10.810(B), "The City shall require the applicant whose development proposal is subject to a mitigation plan to post a maintenance/monitoring bond equal to fifty (50) percent of the estimated maintenance and monitoring cost, or other security instrument in an amount determined sufficient to guarantee satisfactory workmanship, materials, and performance of structures and improvements allowed or required by this chapter for a period of five (5) years."

A King County Bond Quantity Worksheet has been completed for the proposed project, and is included in Appendix D. A summary of this worksheet is included below (this does not represent a bid to install):

\$471.50
\$386.00
\$3,923.70
\$29,121.68
\$13,561.15
\$1,031.40
\$4,536.00
\$53,031.43

Total x 150% \$79,547.145

13.0 USE OF THIS REPORT

This Critical Area Study is supplied to Steve Burnstead Construction, LLC as a means of determining on-site wetland and stream conditions, as required by Snohomish County during the permitting process. This report is based largely on readily observable conditions and, to a lesser extent, on readily ascertainable conditions. No attempt has been made to determine hidden or concealed conditions. The laws applicable to wetlands are subject to varying interpretations and may be changed at any time by the courts or legislative bodies. This report is intended to provide information deemed relevant in the applicant's attempt to comply with the laws now in effect.

The work for this report has conformed to the standard of care employed by wetland ecologists. No other representation or warranty is made concerning the work or this report, and any implied representation or warranty is disclaimed.

Wetland Resources, Inc.

Tess Amen


Associate Ecologist

Meryl Kamowski Senior Ecologist

Mengl A. Kamonzui

15.0 REFERENCES

- Cowardin, et al., 1979. Classification of Wetlands and Deepwater Habitats of the United States. U.S. Department of the Interior. FWS/OBS-79/31. December 1979.
- Hruby, T. 2014. Washington State wetland rating system for western Washington Revised. Washington State Department of Ecology Publication # 04-06-025.
- Issaquah, City of. 2014. Issaquah Municipal Code: Critical Areas. Chapter 18.10. Issaquah, Washington.
- King County, 2018. King County iMap. King County, WA. December 31, 2018. https://gismaps.kingcounty.gov/iMap/
- Lichvar, R.W., M. Butterwick, N.C. Melvin, and W.N. Kirchner. 2014. *The National Wetland Plant List: 2014 Update of Wetland Ratings*. Phytoneuron 2014-41: 1-42.
- Munsell Color. 2012. Munsell Soil Color Book. Munsell Color, Grand Rapids, MI.
- Natural Resources Conservation Service (NRCS). 2018. Web Soil Survey.
 United States Department of Agriculture.
 http://websoilsurvey.sc.egov.usda.gov/App/WebSoilSurvey.aspx.
- U.S. Army Corps of Engineers. 2010. Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Western Mountains, Valleys, and Coast Region (Version 2.0). Vicksburg, MS
- U.S. Fish & Wildlife Service. 2019. *National Wetlands Inventory (NWI) Online Mapper*. http://www.fws.gov/wetlands/Data/Mapper.html.
- WA Department of Fish & Wildlife. 2019a. *Priority Habitat and Species (PHS) Interactive Map.* http://apps.wdfw.wa.gov/phsontheweb/
- WA Department of Fish & Wildlife. 2019b. SalmonScape Online Mapping Application. http://apps.wdfw.wa.gov/salmonscape/map.html



THIS PAGE IS INTENTIONALLY LEFT BLANK

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: 7932 Renton-Issaquah Road		City/Cou	_{nty:} Issaqual	n/King	Sampling Date: 11/19)/2014
Applicant/Owner: Silverado Care				State: WA	Sampling Point: S4	
Investigator(s): MK and SB			_ Section, To	ownship, Range: S29, T24	4, R06E	
Landform (hillslope, terrace, etc.): slope		Local re	elief (concave	, convex, none):	Slope (%)): <u>~1</u>
Subregion (LRR): LRR-A	Lat:			_ Long:	Datum:	
Soil Map Unit Name: Everett Gravelly Sandy Loam 5-15	percent slo	pes		NWI classifica	ition: none	
Are climatic / hydrologic conditions on the site typical for this	s time of yea	ar? Yes	✓ No (I	f no, explain in Remarks.)		
Are Vegetation, Soil, or Hydrology signif	icantly distu	rbed?	Are "Nor	mal Circumstances" prese	nt? Yes 🗸 No	
Are Vegetation, Soil, or Hydrology natura	ally problema	atic?	(If needed	d, explain any answers in F	Remarks.)	
SUMMARY OF FINDINGS - Attach site map	showing	sampl	ing point l	ocations, transects,	, important feature	es, etc.
Hydrophytic Vegetation Present? Yes No						
Hydric Soil Present? Yes V No			the Sampled			
Wetland Hydrology Present? Yes V No		WI	thin a Wetlar	nu? Yes N	<u> </u>	
Remarks:						
VEGETATION – Use scientific names of plan	te.					
VEGETATION – Ose scientific flumes of plan		Domina	nt Indicator	Dominance Test works	sheet:	
Tree Stratum (Plot size: 15x15	% Cover	Species	s? Status	Number of Dominant Sp	pecies	
1				That Are OBL, FACW, o	or FAC:	(A)
2				Total Number of Domina		
3				Species Across All Strat	ia:	(B)
7-		= Total	Cover	Percent of Dominant Sp		(A/D)
Sapling/Shrub Stratum (Plot size: 15x15			0010.	That Are OBL, FACW, o		(A/B)
1				Prevalence Index work		
2				OBL species		
3				FACW species		
5				FAC species		
	15	= Total	Cover	FACU species	x 4 = <u>0</u>	
Herb Stratum (Plot size: 15x15 1. Agrostis sp.	85	Y		UPL species		
Phallaris arundinacea	25	<u>'</u>	FAC	Column Totals: 0	(A) <u>0</u>	(B)
3. Ranunclus repens		Υ	FAC	Prevalence Index	= B/A =	
4.				Hydrophytic Vegetatio	n Indicators:	
5				Rapid Test for Hydro		
6				Dominance Test is		
7				Prevalence Index is	≤3.0° tations¹ (Provide suppor	rtina
8				data in Remarks	s or on a separate sheet))
9 10				Wetland Non-Vascu		
11.				1 	hytic Vegetation ¹ (Expla	
	115	= Total		¹ Indicators of hydric soil be present, unless distu	and wetland hydrology arbed or problematic.	must
Woody Vine Stratum (Plot size:				, ,		
1 2				Hydrophytic		
		= Total	Cover	Vegetation Present? Yes	s No	
% Bare Ground in Herb Stratum			-		_ 	
Remarks:				is material and an		
Sample point is in pasture/lawn area. There w	ere no infl	oresce	nce for a d	etinite identification.		

Depth	Matrix			lox Featur		. ,		
(inches)	Color (moist)	<u>%</u>	Color (moist)	%		Loc ²	Texture	Remarks
0-16	10YR 2/1	95	7.5YR 4/6	5	<u>C</u>	M	sa lo	-
	-		-				-	
	-							
	-		-				-	
•	oncentration, D=De	•				ed Sand G		cation: PL=Pore Lining, M=Matrix.
_	Indicators: (Appl	icable to all			oted.)			ors for Problematic Hydric Soils ³ :
Histosol	, ,		Sandy Redox				_	n Muck (A10)
	oipedon (A2) stic (A3)		Stripped Matri: Loamy Mucky	. ,	1) (excen	t MI RA 1)		l Parent Material (TF2) y Shallow Dark Surface (TF12)
_	n Sulfide (A4)		Loamy Gleyed			t in Live i,		er (Explain in Remarks)
	d Below Dark Surfa	ce (A11)	Depleted Matr		,			- ()
Thick Da	ark Surface (A12)		Redox Dark S	urface (F6)		³ Indicat	ors of hydrophytic vegetation and
=	lucky Mineral (S1)		Depleted Dark	,	•			and hydrology must be present,
	Gleyed Matrix (S4)		Redox Depres	sions (F8))		unle	ss disturbed or problematic.
Type:	Layer (if present):							
· · ·	ches):						11	1 B 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
							Hydric Soi	I Present? Yes ✓ No
Remarks:								
ninor amo	ount of redoximo	orpnic rea	tures at 15" in d	eptn				
YDROLO	GY							
-	drology Indicators							
Primary Indi	cators (minimum of	one require						ndary Indicators (2 or more required)
	Water (A1)				, , ,	except MLF	RA U	Vater-Stained Leaves (B9) (MLRA 1, 2,
	iter Table (A2)			4A, and 4I	В)			4A, and 4B)
Saturation	` '		☐ Salt Crus				=	Orainage Patterns (B10)
_	larks (B1)			nvertebrat	, ,		_	Ory-Season Water Table (C2)
=	nt Deposits (B2)			n Sulfide C	` '	=		saturation Visible on Aerial Imagery (C9)
=	posits (B3)				-	Living Roo		Geomorphic Position (D2)
_	at or Crust (B4)		_		ed Iron (C	,		Shallow Aquitard (D3)
= '	oosits (B5)		_			d Soils (C6	_	AC-Neutral Test (D5)
=	Soil Cracks (B6) on Visible on Aerial	Imagony (P	_	on Stressed oplain in R		01) (LRR A)		Raised Ant Mounds (D6) (LRR A) Frost-Heave Hummocks (D7)
=	/ Vegetated Conca			(piaiii iii K	emarks)		ш'	Tost-Heave Hummocks (DT)
ield Obser		ve odnace (50)					
	ter Present?	Yes No	Depth (inch	56).				
Vater Table			Depth (inch					
Saturation P		=	Depth (inche			10/041	and Hydrolog	gy Present? Yes ✓ No
	pillary fringe)	1 C 3 L 1/1	Debut (mone	ت <u></u>		well	ana nyarotog	gy i lesent: Tes[v] NO[]
	corded Data (strea	m gauge, m	onitoring well, aeria	l photos, p	revious in	spections),	if available:	
Remarks:								

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: 7932 Renton-Issaquah Road		City/Co	ounty:	Issaquah/	/King	Sampling Date: 11/19	9/2014
Applicant/Owner: Silverado Care					State: WA		
Investigator(s): MK and SB			S	ection, Tov	wnship, Range: S29, T24	4, R06E	
Landform (hillslope, terrace, etc.): slope		Local	l relief	(concave,	convex, none):	Slope (%): <u>~1</u>
Subregion (LRR): LRR-A	Lat:				Long:	Datum:	
Soil Map Unit Name: Everett Gravelly Sandy Loam 5-15							
Are climatic / hydrologic conditions on the site typical for this	s time of yea	ar? Ye	es 🗸	No (If	no, explain in Remarks.)		
Are Vegetation, Soil, or Hydrology signif	icantly distu	rbed?		Are "Norm	nal Circumstances" preser	nt? Yes 🗸 No	
Are Vegetation, Soil, or Hydrology natura			((If needed,	explain any answers in F	Remarks.)	
SUMMARY OF FINDINGS - Attach site map	showing	sam	pling	point lo	cations, transects,	important feature	es, etc.
Hydrophytic Vegetation Present?							
Hydric Soil Present? Yes No				Sampled .			
Wetland Hydrology Present? Yes No			within	a Wetlan	d? Yes N	0	
Remarks:							
VECTATION II : :::							
VEGETATION – Use scientific names of plan					Danila and Tark and I	-14	
Tree Stratum (Plot size:	Absolute % Cover				Dominance Test works		
1					Number of Dominant Sp That Are OBL, FACW, o		(A)
2					Total Number of Domina		
3					Species Across All Strat		(B)
4					Percent of Dominant Sp	ecies	
Sapling/Shrub Stratum (Plot size:		= To	tal Cov	ver er	That Are OBL, FACW, o		(A/B)
1				-	Prevalence Index work	sheet:	
2.					Total % Cover of:	Multiply by:	
3.					OBL species		
4					FACW species	x 2 = <u>0</u>	
5					FAC species		
Harb Stratum (Plat aire)		= To	tal Cov	ver er	FACU species		
Herb Stratum (Plot size: 1. Agrostis sp.	90	Υ			UPL species		
2. Ranunculus repens	4.0	N		FAC	Column Totals: 0	(A) <u>0</u>	(B)
3.		-		_	Prevalence Index	= B/A =	
4.					Hydrophytic Vegetatio	n Indicators:	
5					Rapid Test for Hydro	ophytic Vegetation	
6					Dominance Test is >		
7					Prevalence Index is		
8					Morphological Adapt	tations ¹ (Provide suppo or on a separate sheet	rting '\
9					Wetland Non-Vascu		.,
10.						hytic Vegetation ¹ (Expla	ain)
11	100				¹ Indicators of hydric soil	and wetland hydrology	
Woody Vine Stratum (Plot size:	100	= 10	tal Cov	er	be present, unless distu	rbed or problematic.	
1							
2					Hydrophytic Vegetation	_	
0/ Data Casuad in Harb Obstance			tal Cov	ver er	Present? Yes	No 🗌	
% Bare Ground in Herb Stratum							
Sample point is in a pasture/lawn area							
Cample point is in a pasture/lawn area							

Depth	Matrix		oth needed to docu Red	ox Features	i			•
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture	Remarks
0-12	10YR 2/2	100					sa lo	
12-18	2.5Y 4/3	95	7.5YR 4/6					
	-							
							-	
							-	
							-	
¹ Type: C=C	oncentration, D=De	pletion, RM	I=Reduced Matrix, C	S=Covered	or Coate	ed Sand G	rains. ² Lo	ocation: PL=Pore Lining, M=Matrix.
Hydric Soil	Indicators: (Appli	cable to al	LRRs, unless other	erwise note	ed.)		Indicat	ors for Problematic Hydric Soils ³ :
Histosol	, ,		Sandy Redox (_	m Muck (A10)
_	oipedon (A2)		Stripped Matrix	. ,		M DA 4)		I Parent Material (TF2)
	stic (A3) n Sulfide (A4)		Loamy Mucky I Loamy Gleyed			MLRA 1)		y Shallow Dark Surface (TF12) er (Explain in Remarks)
_ ` `	d Below Dark Surfac	re (A11)	Depleted Matrix					ei (Expiaiii iii Remarks)
	ark Surface (A12))C (/ (Redox Dark Su				³ Indicat	ors of hydrophytic vegetation and
	lucky Mineral (S1)		Depleted Dark	Surface (F7	')			and hydrology must be present,
	Gleyed Matrix (S4)		Redox Depress	sions (F8)			unle	ss disturbed or problematic.
	Layer (if present):							
Type:								
Depth (In	ches):						Hydric Soi	I Present? Yes No ✔
Remarks:								
	· CV							
IYDROLC								
-	drology Indicators		. d d d d. 4b . 4	1			0	and any landing to a constraint (O and a constraint (O
_		one require	ed; check all that app		- (DO) (4 841 5		andary Indicators (2 or more required)
=	Water (A1)			ined Leave		xcept MLF	ка	Vater-Stained Leaves (B9) (MLRA 1, 2,
Saturation	ater Table (A2)		Salt Crust	A, and 4B)			Пг	4A , and 4B) Prainage Patterns (B10)
_	larks (B1)			vertebrates	(B13)			Ory-Season Water Table (C2)
	nt Deposits (B2)			Sulfide Odd	` '			Saturation Visible on Aerial Imagery (C9)
_	oosits (B3)			Suilide Odd Rhizosphere	` '	l ivina Roo		Geomorphic Position (D2)
=	at or Crust (B4)			of Reduced	_	•		Shallow Aquitard (D3)
_	oosits (B5)		_	n Reduction	,	'		FAC-Neutral Test (D5)
= '	Soil Cracks (B6)		=	r Stressed F		`	´ =	Raised Ant Mounds (D6) (LRR A)
=	on Visible on Aerial	Imagery (B		plain in Ren		, ()		rost-Heave Hummocks (D7)
Sparsely	Vegetated Concav	e Surface (B8)		,			
Field Obser	vations:		•					
Surface Wa	ter Present?	Yes N	o Depth (inche	s):				
Water Table			o 🗹 Depth (inche					
Saturation F			o Depth (inche			Wetl	and Hydrolog	gy Present? Yes No 🗸
(includes ca	pillary fringe)							,, · · · · · · · · · · · · · · · · ·
Describe Re	ecorded Data (strear	m gauge, m	onitoring well, aerial	photos, pre	evious ins	spections),	if available:	
Remarks:								

WETLAND DETERMINATION DATA FORM – Western Mountains, Valleys, and Coast Region

Project/Site: 7932 Renton-Issaquah Road		City/Count	_{ty:} Issaqual	h/King	Sampling Date: 11/19/2014	
Applicant/Owner: Silverado Care				State: WA	Sampling Point: S3	
Investigator(s): MK and SV			Section, To	ownship, Range: S29, T24	4, R06E	
Landform (hillslope, terrace, etc.): slope		Local reli	ef (concave	, convex, none):	Slope (%): <u>~1</u>	
Subregion (LRR): LRR-A	_ Lat:			Long:	Datum:	
Soil Map Unit Name: Everett Gravelly Sandy Loam 5-15	percent slo	pes		NWI classifica	ition: PFOC	
Are climatic / hydrologic conditions on the site typical for this	s time of yea	ar? Yes	No (I	If no, explain in Remarks.)		
Are Vegetation, Soil, or Hydrology signif	icantly distu	rbed?	Are "Nor	mal Circumstances" prese	nt? Yes 🗸 No	
Are Vegetation, Soil, or Hydrology natura			(If needed	d, explain any answers in F	Remarks.)	
SUMMARY OF FINDINGS – Attach site map	showing	samplir	ng point l	ocations, transects,	, important features, etc.	
Hydrophytic Vegetation Present? Yes ✔ No						
Hydric Soil Present? Yes V No	Is the Sampled Area within a Wetland? Yes 🗸 No					
Wetland Hydrology Present? Yes V No		Witi	hin a Wetlaı	na? Yes V	0	
Remarks:		<u>'</u>				
VEGETATION – Use scientific names of plan	ts.					
Tree Stratum (Plot size: 15x15	Absolute % Cover		t Indicator	Dominance Test works		
1. Alnus rubra	20	Y		Number of Dominant Sp That Are OBL, FACW, of		
2.		•			(**,	
3				Total Number of Domina Species Across All Strat		
4.						
	15	= Total (Cover	Percent of Dominant Sp That Are OBL, FACW, of		
Sapling/Shrub Stratum (Plot size: 15x15	45	V	E40			
1. Rubus spectabilis	15	<u>Y</u>	FAC	Prevalence Index work		
2					Multiply by:	
3				OBL species	x = 0 x = 0	
4. 5.	-			FAC species		
J	15	= Total (Cover		x 4 = 0	
Herb Stratum (Plot size: 15x15		rotare	30101		x 5 = 0	
1. Agrostis sp.	50	Y			(A) 0 (B)	
2. Athyrium felix-femina	15	<u>Y</u>	FAC			
3. Ranunclus repens	15	<u>Y</u>	FAC		= B/A =	
4. Lotus corniculatus	10		FAC	Hydrophytic Vegetatio		
5				Rapid Test for Hydro		
6				Prevalence Index is		
7				1=	tations ¹ (Provide supporting	
8					or on a separate sheet)	
9 10				Wetland Non-Vascu	lar Plants ¹	
11.				Problematic Hydrop	hytic Vegetation ¹ (Explain)	
	90	= Total (Cover	¹ Indicators of hydric soil be present, unless distu	and wetland hydrology must	
Woody Vine Stratum (Plot size:				be present, unless distu	Tiped of problematic.	
1				Hydrophytic		
2				Vegetation		
% Rare Ground in Horb Stratum		= Total 0	Cover	Present? Yes	No No	
% Bare Ground in Herb Stratum						
	awn area	and the	area with	native trace/ehrube	There were no	
Sample point vegetation plot includes pasture/l inflorescence for a definite identification.	awıı alta	and the	aica Will	i nauve liees/SiliubS.	I HOIC WOIC HU	

Depth	Matrix		pth needed to docu Red	ox Features				-
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture	Remarks
0-12	10YR 2/2	100					sa lo	
12-18	2.5Y 4/3	95	7.5YR 4/6					
							-	
							-	
								·
•		•	1=Reduced Matrix, C			ed Sand G		cation: PL=Pore Lining, M=Matrix.
		cable to al	I LRRs, unless othe		d.)		Indicate	ors for Problematic Hydric Soils ³ :
Histosol	. ,		Sandy Redox (_	m Muck (A10)
	oipedon (A2)		Stripped Matrix		/	MI DA 4)		Parent Material (TF2)
_	stic (A3) n Sulfide (A4)		Loamy Mucky I Loamy Gleyed		(except	WILKA 1)		y Shallow Dark Surface (TF12) er (Explain in Remarks)
	d Below Dark Surfac	ce (A11)	Depleted Matrix					er (Explain in Nemarks)
	ark Surface (A12)	()	Redox Dark Su				3Indicat	ors of hydrophytic vegetation and
Sandy N	lucky Mineral (S1)		Depleted Dark	Surface (F7))		wetla	and hydrology must be present,
	Sleyed Matrix (S4)		Redox Depress	sions (F8)			unle	ss disturbed or problematic.
	Layer (if present):							
Type:	ches):							
Deptii (iii	cries)						Hydric Soi	I Present? Yes ✓ No
Remarks:								
YDROLO	GY							
	drology Indicators							
-			ed; check all that app	nlv)			Seco	endary Indicators (2 or more required)
	Water (A1)	one require		ined Leaves	(RQ) (a	vcent MI F		Vater-Stained Leaves (B9) (MLRA 1, 2,
	iter Table (A2)			A, and 4B)	(D3) (G	ACEPT MILI	м Ц,	4A, and 4B)
Saturation			Salt Crust					Prainage Patterns (B10)
=	arks (B1)		_	vertebrates	(B13)		=	Ory-Season Water Table (C2)
	nt Deposits (B2)			Sulfide Odo	` ,		_	saturation Visible on Aerial Imagery (C9)
=	posits (B3)			Rhizosphere	` '	Living Roo		Geomorphic Position (D2)
=	at or Crust (B4)			of Reduced	_	_		Shallow Aquitard (D3)
=	osits (B5)		Recent Iro	n Reduction	in Tille	d Soils (C6		AC-Neutral Test (D5)
Surface	Soil Cracks (B6)		Stunted o	r Stressed P	lants (D	1) (LRR A))	Raised Ant Mounds (D6) (LRR A)
Inundati	on Visible on Aerial	Imagery (B	7)	plain in Rem	arks)		F	rost-Heave Hummocks (D7)
Sparsely	Vegetated Concav	e Surface ([B8)					
ield Obse	vations:							
Surface Wa	er Present?	Yes N	o 🔽 Depth (inche	s):				
Water Table	Present?	Yes N	o Depth (inche	s):				
Saturation F	resent?	Yes 🗸 N	o Depth (inche	s): <u>5</u>		Wetl	and Hydrolog	y Present? Yes ✓ No 🗌
	pillary fringe)		onitoring	nhotes	dans!:			
Describe Re	corded Data (strear	n gauge, m	ionitoring well, aerial	pnotos, prev	vious ins	spections),	ıı avallable:	
D a ma!								
Remarks:								

Project/Site: 7932 Renton-Issaquah Road		City/C	ounty: I	ssaquah/	/King	Sampling Date: 11/19	9/2014
Applicant/Owner: Silverado Care					State: WA	Sampling Point: S4	
Investigator(s): MK and SB			Se	ection, Tov	wnship, Range: S29, T24	ł, R06E	
Landform (hillslope, terrace, etc.): slope		Loca	l relief (d	concave,	convex, none):	Slope (%): <u>~1</u>
Subregion (LRR): LRR-A	Lat:				Long:	Datum:	
Soil Map Unit Name: Everett Gravelly Sandy Loam 5-15							
Are climatic / hydrologic conditions on the site typical for this	s time of yea	ar? Ye	es 🗸 I	No (If	no, explain in Remarks.)		
Are Vegetation, Soil, or Hydrology signif	icantly distu	rbed?	A	Are "Norm	nal Circumstances" preser	nt? Yes ✓ No	
Are Vegetation, Soil, or Hydrology natura				If needed,	, explain any answers in F	emarks.)	
SUMMARY OF FINDINGS - Attach site map	showing	sam	pling	point lo	ocations, transects,	important feature	es, etc.
Hydrophytic Vegetation Present? Yes No							
Hydric Soil Present? Yes No				Sampled			
Wetland Hydrology Present? Yes No			within	a Wetlan	d? Yes N) V	
Remarks:							
VECETATION . He a cientific names of plan	40						
VEGETATION – Use scientific names of plan		Domi	inant In	dicator	Dominance Test works	-hoot:	
Tree Stratum (Plot size: 15x15	Absolute <u>% Cover</u>				Number of Dominant Sp		
1					That Are OBL, FACW, o		(A)
2					Total Number of Domina	ant	
3					Species Across All Strat		(B)
4					Percent of Dominant Sp	ecies	
Sapling/Shrub Stratum (Plot size: 15x15		= To	tal Cove	er	That Are OBL, FACW, o		(A/B)
1				-	Prevalence Index work	sheet:	
2.					Total % Cover of:	Multiply by:	
3					OBL species	x 1 = 0	
4					FACW species	x 2 = <u>0</u>	
5					FAC species		
Herb Stratum (Plot size: 15x15	15	= To	tal Cove	er	FACU species		
4 Agrostic en	90	Υ			UPL species		
2. Ranunclus repens	40	Y		AC	Column Totals: 0	(A) <u>0</u>	(B)
3		-			Prevalence Index	= B/A =	
4.					Hydrophytic Vegetatio		
5					Rapid Test for Hydro	phytic Vegetation	
6					Dominance Test is >	50%	
7					Prevalence Index is		
8					Morphological Adapt	tations ¹ (Provide suppo or on a separate sheet	orting
9					Wetland Non-Vascul		ι)
10						nytic Vegetation¹ (Expla	ain)
11					¹ Indicators of hydric soil		
Woody Vine Stratum (Plot size:	90	= To	tal Cove	er	be present, unless distu	bed or problematic.	
1							
2.					Hydrophytic Vegetation		
		= To		er	Present? Yes	No No	
% Bare Ground in Herb Stratum							
Remarks:		ا		for - 1	efinise id-salfisses		
Sample point is in pasture/lawn area. There w	ere no infl	iores	cence	ior a de	ennite identification.		

Depth	Matrix			x Features		_		
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture	Remarks
0-16	10YR 3/3	100					sa lo	
	-						-	
	-		-	-			-	
		=		_	·			
	-			-				. ———
•		•	=Reduced Matrix, CS			ed Sand Gi		ocation: PL=Pore Lining, M=Matrix.
		icable to all	LRRs, unless other		ed.)			ors for Problematic Hydric Soils ³ :
Histosol			Sandy Redox (S				_	m Muck (A10)
	oipedon (A2)		Stripped Matrix	` '				d Parent Material (TF2)
_	stic (A3)		Loamy Mucky M			MLRA 1)		y Shallow Dark Surface (TF12)
	n Sulfide (A4) d Below Dark Surfa	00 (111)	Loamy Gleyed Matrix)			er (Explain in Remarks)
	ark Surface (A12)	ce (ATT)	Redox Dark Sur	. ,			³ Indicat	ors of hydrophytic vegetation and
_	fucky Mineral (S1)		Depleted Dark S	, ,	7)			and hydrology must be present,
_	Gleyed Matrix (S4)		Redox Depressi		. ,			ss disturbed or problematic.
	Layer (if present):		·					'
Type:								
Depth (in	ches):		·				Hvdric Soi	I Present? Yes No
Remarks:							1	
			at 4 FU in ala	41-				
minor amo	ount of redoximo	orpriic rea	tures at 15" in de	pın				
IYDROLO	GY							
Wetland Hy	drology Indicators	s:						
•	•		d; check all that appl	v)			Seco	ondary Indicators (2 or more required)
	Water (A1)	one require	Water-Stai		s (BQ) (a	vcont MI E		Vater-Stained Leaves (B9) (MLRA 1, 2,
	iter Table (A2)			A, and 4B)		ACEPT MILI	~ ш	4A, and 4B)
Saturation			Salt Crust		1			Orainage Patterns (B10)
	larks (B1)		Aquatic Inv		(D13)			, ,
	nt Deposits (B2)				` ,			Ory-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9)
=			Hydrogen : Oxidized R		` '	Livina Boo		
=	oosits (B3)		Presence of	•	-	-	· · · —	Geomorphic Position (D2)
_	at or Crust (B4) posits (B5)		Recent Iron		•	'		Shallow Aquitard (D3) FAC-Neutral Test (D5)
= '	(,		=			`	´ =	` '
_	Soil Cracks (B6) on Visible on Aerial	Imagory (D)	Stunted or Other (Exp			i) (LKK A)		Raised Ant Mounds (D6) (LRR A) Frost-Heave Hummocks (D7)
			· — · ·	nani in Kei	ilaiks)		ш,	Tost-neave nullillocks (D7)
	/ Vegetated Conca	re Surface (B0)			1		
Field Obser		,		,				
			Depth (inches					
Water Table			Depth (inches					
Saturation F		Yes No	Depth (inches	s):		Wetl	and Hydrolog	gy Present? Yes No ✔
	pillary fringe) corded Data (strea	m gauge m	onitoring well, aerial	photos pr	evious ind	spections)	if available.	
_ 5551100 100	Land Data (Stical	gaage, iii	SCinig Won, acrial	F.10100, ph	- 1.000 III	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	available.	
Domorto								
Remarks:								

Project/Site: 7932 Renton-Issaquah Road		City/County: Issaqua	ah/King	Sampling Date: 11/19	/2014
Applicant/Owner: Silverado Care			State: WA	Sampling Point: <u>S5</u>	
Investigator(s): MK and SB		Section, 7	Fownship, Range: S29, T24	I, R06E	
Landform (hillslope, terrace, etc.): slope		Local relief (concave	e, convex, none):	Slope (%)): <u>~1</u>
Subregion (LRR): LRR-A	Lat:		Long:	Datum:	
			NWI classifica		
Are climatic / hydrologic conditions on the site typical for this	s time of yea	r? Yes 🗸 No	(If no, explain in Remarks.)		
Are Vegetation, Soil, or Hydrology signifi	icantly distur	bed? Are "No	rmal Circumstances" preser	nt? Yes ✔ No	
Are Vegetation, Soil, or Hydrology natura	illy problema	itic? (If neede	ed, explain any answers in F	Remarks.)	
SUMMARY OF FINDINGS - Attach site map	showing	sampling point	locations, transects,	important feature	s, etc.
Hydrophytic Vegetation Present? Yes No					
Hydric Soil Present? Yes No		Is the Sample			
Wetland Hydrology Present? Yes No		within a Wetla	and? Yes N		
Remarks:					
VEGETATION – Use scientific names of plan	ts.				
		Dominant Indicator	Dominance Test works	heet:	
Tree Stratum (Plot size: 15x15		Species? Status	Number of Dominant Sp		
1			That Are OBL, FACW, o	r FAC:	(A)
2			Total Number of Domina		
3			Species Across All Strat	a:	(B)
4		= Total Cover	Percent of Dominant Spe		(4 (5)
Sapling/Shrub Stratum (Plot size: 15x15		- Total Cover	That Are OBL, FACW, o	r FAC:	(A/B)
1			Prevalence Index work		
2				Multiply by:	
3			OBL species		
4			FACW species FAC species		_
5	15	= Total Cover	FACU species		_
Herb Stratum (Plot size: 15x15	10	= Total Cover	UPL species		
1. Agrostis sp.	70	Y	Column Totals: 0		
2. Poa sp.	30	Y			_ ` '
3				= B/A =	
4			Hydrophytic Vegetation		
5			Rapid Test for Hydro Dominance Test is >		
6			Prevalence Index is		
7				tations ¹ (Provide suppor	rtina
8 9				or on a separate sheet)	
10			Wetland Non-Vascul		
11.			Problematic Hydroph	nytic Vegetation ¹ (Expla	in)
	100	= Total Cover	¹ Indicators of hydric soil be present, unless distu		must
Woody Vine Stratum (Plot size:			be present, unless distui	bed of problematic.	
1			Hydrophytic		
2			Vegetation	□ No□	
% Bare Ground in Herb Stratum		= Total Cover	Present? Yes	No No	
Remarks:			1		
Sample point is in pasture/lawn area. There we	ere no infl	orescence for a	definite identification.		

Depth	Matrix		Red	dox Featur				
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture	Remarks
0-12	10YR 3/3	100	<u></u>				sa lo	
12-16	10YR 5/2	97	10YR 4/6	3	С	M	sa lo	
			-					
¹Type: C=C	Concentration D=De	enletion RM	/=Reduced Matrix, (CS=Cover	ed or Coat	ed Sand Gi	rains ² I oca	tion: PL=Pore Lining, M=Matrix.
		•	I LRRs, unless oth			cu oanu oi		s for Problematic Hydric Soils ³ :
Histosol			Sandy Redox		,		_	Muck (A10)
	oipedon (A2)		Stripped Matri				_	arent Material (TF2)
Black H	stic (A3)		Loamy Mucky	Mineral (F	1) (excep	t MLRA 1)	Very S	Shallow Dark Surface (TF12)
_ ` `	en Sulfide (A4)		Loamy Gleyed		2)		Other	(Explain in Remarks)
_ :	d Below Dark Surfa	ce (A11)	Depleted Matr	. ,			3	
_	ark Surface (A12)		Redox Dark S	,	,			s of hydrophytic vegetation and
_	Mucky Mineral (S1) Gleyed Matrix (S4)		Depleted Dark Redox Depres	,	,			d hydrology must be present, disturbed or problematic.
	Layer (if present):		☐ Redox Deples	5510115 (F6)			unless	disturbed of problematic.
Type:								
Depth (ir	nches):						Hydric Soil P	resent? Yes No
Remarks:							Tiyano con t	TOSCIN: TOS NOT
	unt of radavima	rnhia faa	turos et 15" in d	lonth				
minor amo	ount of redoximo	orpriic rea	itures at 15" in d	epui				
HYDROLO	GY							
Wetland Hy	drology Indicators	s:						
Primary Indi	cators (minimum of	one require	ed; check all that ap	ply)			Second	lary Indicators (2 or more required)
Surface	Water (A1)		☐ Water-St	ained Leav	ves (B9) (e	xcept MLF	RA 🔲 Wat	ter-Stained Leaves (B9) (MLRA 1, 2,
High Wa	ater Table (A2)		1, 2,	4A, and 4E	3)			4A, and 4B)
Saturati	on (A3)		Salt Crus	t (B11)			Dra	inage Patterns (B10)
_	larks (B1)		Aquatic I	nvertebrate	es (B13)			-Season Water Table (C2)
Sedime	nt Deposits (B2)			n Sulfide O	` '			uration Visible on Aerial Imagery (C9)
Drift De	posits (B3)		U Oxidized	Rhizosphe	eres along	Living Roo	ts (C3) 📙 Geo	omorphic Position (D2)
_	at or Crust (B4)		_	of Reduc	,	,		ıllow Aquitard (D3)
= '	oosits (B5)		=			d Soils (C6	′ =	C-Neutral Test (D5)
=	Soil Cracks (B6)		_			1) (LRR A)		sed Ant Mounds (D6) (LRR A)
=	on Visible on Aerial	• • •	· —	kplain in Re	emarks)		☐ Fro	st-Heave Hummocks (D7)
	y Vegetated Concav	/e Surface ((B8)			T		
Field Obse		🗖	. 🗖					
		_	Depth (inch					
Water Table			Depth (inch					
Saturation F		Yes N	Depth (inch	es):		Wetl	and Hydrology	Present? Yes No
	pillary fringe) ecorded Data (strea	m gauge. m	nonitoring well, aeria	ıl photos, n	revious in	spections).	if available:	
		. 5.2.50, 11		F	2000 111	- , 55110),		
Remarks:								
. tomanto.								

Project/Site: 7932 Renton-Issaquah Road		City/Coun	_{ity:}	n/King	Sampling Date: 11/19/2014
Applicant/Owner: Silverado Care				State: WA	Sampling Point: S6
Investigator(s): MK and SB			Section, To	ownship, Range: S29, T24	ł, R06E
Landform (hillslope, terrace, etc.): depression		Local rel	lief (concave	, convex, none):	Slope (%):
Subregion (LRR): LRR-A	Lat:			Long:	Datum:
Soil Map Unit Name: Mixed Alluvial Land				NWI classifica	
Are climatic / hydrologic conditions on the site typical for this	s time of yea	r? Yes			
Are Vegetation, Soil, or Hydrology signif	•			mal Circumstances" prese	nt? Yes ✓ No
Are Vegetation , Soil , or Hydrology natura				d, explain any answers in F	
SUMMARY OF FINDINGS – Attach site map			•	•	•
			31111		
Hydrophytic Vegetation Present? Yes ✓ No Hydric Soil Present? Yes ✓ No		ls t	the Sampled		
Wetland Hydrology Present?		wit	hin a Wetlar	nd? Yes ✔ N	o
Remarks:	ı				
VEGETATION – Use scientific names of plan	ts.				
Total Objections (Distriction 15v15	Absolute		nt Indicator	Dominance Test works	heet:
Tree Stratum (Plot size: 15x15 1. Alnus rubra	<u>% Cover</u> 35	Species	FAC	Number of Dominant Sp	
				That Are OBL, FACW, o	r FAC: (A)
2. 3.				Total Number of Domina Species Across All Strat	_
4					(
	35	= Total	Cover	Percent of Dominant Sp That Are OBL, FACW, o	
Sapling/Shrub Stratum (Plot size: 15x15					
1. Rubus spectabilis	25	<u>Y</u>	FAC	Prevalence Index work	
2. Rubus armeniacus	10	N	FACU		Multiply by:
3				OBL species	x = 0 $x = 0$
4					x 3 = 0
0	35	= Total	Cover	FACU species	
Herb Stratum (Plot size: 15x15				UPL species	
1. Phallaris arundinacea	20	-	FACW	Column Totals: 0	(A) <u>0</u> (B)
2. Equisetum telmateia	15	<u>Y</u>	FACW	Dravalance Index	- D/A -
3				Hydrophytic Vegetatio	= B/A =
4				Rapid Test for Hydro	
5 6				Dominance Test is >	
7				Prevalence Index is	≤3.0 ¹
8.					tations ¹ (Provide supporting
9.				l —	or on a separate sheet)
10				Wetland Non-Vascu	
11					hytic Vegetation ¹ (Explain)
Woody Vine Stratum (Plot size:	35	= Total	Cover	be present, unless distu	and wetland hydrology must rbed or problematic.
1					
2				Hydrophytic	
		= Total	Cover	Vegetation Present? Yes	₩ No
% Bare Ground in Herb Stratum					
Remarks:					

Depth	Matrix			dox Featur		-		
(inches)	Color (moist)		Color (moist)	%	Type ¹	Loc ²	Texture	Remarks
0-6	10YR 2/2	100					sa lo	
6-16	10YR 2/2	95	10YR 3/6	5	С	M	sa cl lo	
				,				
			-					
		-						
		-						
			/I=Reduced Matrix, (ed Sand G		cation: PL=Pore Lining, M=Matrix.
		cable to al	I LRRs, unless oth		ted.)			ors for Problematic Hydric Soils ³ :
Histosol			Sandy Redox				_	n Muck (A10)
☐ Histic Ep	pipedon (A2)		Stripped Matri: Loamy Mucky	. ,	(1) (avaan	· MI DA 4\	_	l Parent Material (TF2) y Shallow Dark Surface (TF12)
_	n Sulfide (A4)		Loamy Gleyed			LIVILKA I)	_	er (Explain in Remarks)
_ ` `	Below Dark Surfac	ce (A11)	Depleted Matr		-)			er (Explain in Nemarko)
	ark Surface (A12)	,	Redox Dark S	. ,)		³ Indicate	ors of hydrophytic vegetation and
_	lucky Mineral (S1)		Depleted Dark	,	,			and hydrology must be present,
	leyed Matrix (S4)		Redox Depres	sions (F8)			unles	ss disturbed or problematic.
	Layer (if present):							
Type:	ches):							
Deptil (iii	ciles).						Hydric Soil	I Present? Yes ✓ No
Remarks:								
minor amo	unt of redoximo	orphic fea	itures at 15" in d	lepth				
HYDROLO	GY							
	drology Indicators	<u>. </u>						
-			ed; check all that ap	nlv)			Seco	ndary Indicators (2 or more required)
	Water (A1)	One require			/es (R9) (e	xcept MLF		Vater-Stained Leaves (B9) (MLRA 1, 2,
_	ter Table (A2)			4A, and 4I	. , .	xcept mili	· п	4A, and 4B)
Saturation			Salt Crus		-,		Пр	prainage Patterns (B10)
=	arks (B1)		_	nvertebrate	es (B13)			Pry-Season Water Table (C2)
_	nt Deposits (B2)			n Sulfide C	` ′			aturation Visible on Aerial Imagery (C9)
_	oosits (B3)				` '	Living Roo		Geomorphic Position (D2)
= :	it or Crust (B4)			of Reduc	_	-	· · · —	hallow Aquitard (D3)
_	osits (B5)		Recent Ir	on Reduct	ion in Tille	d Soils (C6		AC-Neutral Test (D5)
Surface	Soil Cracks (B6)		Stunted of	or Stressed	d Plants (D	1) (LRR A)) 🔲 R	taised Ant Mounds (D6) (LRR A)
Inundati	on Visible on Aerial	Imagery (E	37) Other (Ex	kplain in R	emarks)		□F	rost-Heave Hummocks (D7)
Sparsely	Vegetated Concav	e Surface	(B8)					
Field Obser	vations:							
Surface Wat	er Present?	Yes N	lo 🗸 Depth (inch	es):				
Water Table	Present?	Yes N	lo 🗸 Depth (inche	es):				
Saturation P		Yes 🗸 N	o Depth (inche	es): <u>11</u>		Wetl	and Hydrolog	y Present? Yes ✓ No 🗌
	pillary fringe)	m aaaa m	anitaring wall agric	l nhotoo n	raviava in	anastiana)	if available:	
Describe Re	corded Data (střeai	ııı gauge, m	nonitoring well, aeria	ii priotos, ț	nevious in	spections),	ıı avallable:	
Domortica								
Remarks:								

Project/Site: 7932 Renton-Issaquah Road		City/Cour	_{nty:} Issaqual	n/King	Sampling Date: 11/19/2014
Applicant/Owner: Silverado Care				State: WA	Sampling Point: S7
Investigator(s): MK and SB			_ Section, To	ownship, Range: S29, T24	4, R06E
Landform (hillslope, terrace, etc.): depression		Local re	lief (concave	, convex, none):	Slope (%):
Subregion (LRR): LRR-A	Lat:			_ Long:	Datum:
				NWI classifica	
Are climatic / hydrologic conditions on the site typical for this		_			
Are Vegetation, Soil, or Hydrology signif	-	_		mal Circumstances" prese	
Are Vegetation , Soil , or Hydrology natura				d, explain any answers in F	<u> </u>
SUMMARY OF FINDINGS – Attach site map			ng point l	ocations, transects,	important features, etc.
Hydrophytic Vegetation Present?	1				
Hydrophytic Vegetation Present? Hydric Soil Present? Yes No Yes No			the Sampled		
Wetland Hydrology Present?		wit	thin a Wetlar	nd? Yes N	0 🗸
Remarks:	•				
VEGETATION – Use scientific names of plan	ts.				
Tree Charles (District 15v15			nt Indicator	Dominance Test works	sheet:
Tree Stratum (Plot size: 15x15 1	% Cover			Number of Dominant Sp That Are OBL, FACW, o	
2.					
3.				Total Number of Domina Species Across All Strat	
4				Percent of Dominant Sp	
Operitor (Obserts Obserts on CDistrict on 15v15	35	= Total	Cover	That Are OBL, FACW, of	
Sapling/Shrub Stratum (Plot size: 15x15	50	Υ	FAC	Prevalence Index work	rshoot:
Rubus lacinatus Corylus cornuta	25	Y	FACU		Multiply by:
3. Ilex aquifolium	15	Υ	FACU		x 1 = 0
4.					x 2 = <u>0</u>
5				FAC species	x 3 = 0
Hart Otation (District) 15v15	90	= Total	Cover		x 4 = 0
Herb Stratum (Plot size: 15x15 1. Ranunculus repens	20	Υ	FAC		x 5 = <u>0</u>
Equisetum telmateia	15	Y	FACW	Column Totals: 0	(A) <u>0</u> (B)
3. Phallaris arundinacea		Υ	FACW	Prevalence Index	= B/A =
4.		-		Hydrophytic Vegetatio	
5.				Rapid Test for Hydro	ophytic Vegetation
6				Dominance Test is >	
7				Prevalence Index is	
8				Morphological Adap	tations ¹ (Provide supporting or on a separate sheet)
9				Wetland Non-Vascu	
10					hytic Vegetation ¹ (Explain)
11				1 .	and wetland hydrology must
Woody Vine Stratum (Plot size:	45	= Total	Cover	be present, unless distu	rbed or problematic.
1				Harden a hard's	
2				Hydrophytic Vegetation	
0/ Page Cround in Harb Charburg			Cover		No 🗌
% Bare Ground in Herb Stratum					
Tomano.					

Depth	Matrix			dox Featur		_		
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture	<u>Remarks</u>
0-12	10YR 3/3	100					sa lo	
12-16	10YR 3/3	97	10YR 3/6	3	С	M	sa cl lo	
				,				
		-						
	-							
	Concentration, D=De	•				ed Sand G		ocation: PL=Pore Lining, M=Matrix.
	Indicators: (Appli	icable to al			ted.)			ors for Problematic Hydric Soils ³ :
Histosol	(A1) pipedon (A2)		Sandy Redox Stripped Matrix				_	m Muck (A10) I Parent Material (TF2)
_	istic (A3)		Loamy Mucky	. ,	1) (excep	t MLRA 1)		y Shallow Dark Surface (TF12)
	en Sulfide (A4)		Loamy Gleyed			• ,		er (Explain in Remarks)
Deplete	d Below Dark Surfac	ce (A11)	Depleted Matr		•		_	
	ark Surface (A12)		Redox Dark S	,	,			ors of hydrophytic vegetation and
_	Mucky Mineral (S1)		Depleted Dark	,	,			and hydrology must be present,
	Eleyed Matrix (S4) Layer (if present):		Redox Depres	sions (F8)			unle	ss disturbed or problematic.
Type:	Layer (II present).							
· · ·	nches):						Hydric Soi	I Present? Yes No ✔
Remarks:							nyunc 301	Triesent: TesNO
IYDROLO								
-	drology Indicators							
_	icators (minimum of	one require	_					andary Indicators (2 or more required)
	Water (A1)		· · · · · · · · · · · · · · · · · · ·			xcept MLF	RA ∐ V	Vater-Stained Leaves (B9) (MLRA 1, 2,
= -	ater Table (A2)			4A, and 4E	3)			4A, and 4B)
Saturati	, ,		Salt Crus	, ,	(D40)			Orainage Patterns (B10)
	larks (B1)			nvertebrate	` ,		_	Ory-Season Water Table (C2)
	nt Deposits (B2) posits (B3)			n Sulfide O	` '	Living Roo		Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2)
=	at or Crust (B4)			of Reduc	_	•		Shallow Aquitard (D3)
_	posits (B5)		_		•	1) d Soils (C6		FAC-Neutral Test (D5)
= '	Soil Cracks (B6)		=			1) (LRR A)		Raised Ant Mounds (D6) (LRR A)
=	on Visible on Aerial	Imagery (B	_	kplain in Re		., (=: :: : :		rost-Heave Hummocks (D7)
=	y Vegetated Concav		· —		,			, ,
Field Obse	rvations:		,					
Surface Wa	ter Present?	Yes N	o Depth (inche	es):				
Water Table	Present?		o Depth (inche					
Saturation F	Present?		o Depth (inche			Wetl	and Hydrolog	gy Present? Yes No ✓
(includes ca	pillary fringe)							<u> </u>
Describe Re	ecorded Data (stream	m gauge, m	onitoring well, aeria	ıl photos, p	revious in	spections),	if available:	
Remarks:								

Project/Site: Silverado - Renton-Issaquah Road SE	(City/Coun	_{ity:}	n/King County	Sampling Date: 6/14/2017
Applicant/Owner: Steve Burnstead Construction, LLC				State: WA	Sampling Point: S8
Investigator(s): Meryl Kamowski, Tess Amen			Section, To	ownship, Range: S29-T24	N-R06E-WM
					Slope (%): None
Subregion (LRR): LRR-A	_ Lat: <u>47.5</u>	31238		Long: <u>-122.059902</u>	Datum: NAD83
Soil Map Unit Name: Mixed Alluvial Land				NWI classificat	tion: None
Are climatic / hydrologic conditions on the site typical for this	time of yea	r? Yes	No ✓ (I	f no, explain in Remarks.)	
Are Vegetation, Soil, or Hydrology signifi	cantly distur	bed?	Are "Nori	mal Circumstances" preser	nt? Yes 🗸 No
Are Vegetation, Soil, or Hydrology natura	lly problema	ntic?	(If needed	d, explain any answers in R	emarks.)
SUMMARY OF FINDINGS - Attach site map	showing	sampli	ng point l	ocations, transects,	important features, etc.
Hydrophytic Vegetation Present? Yes ✓ No					
Hydrophytic Vegetation Present? Hydric Soil Present? Yes V No V			the Sampled	_	
Wetland Hydrology Present?		wit	hin a Wetlar	nd? Yes No	
Remarks:					
Dense equisetum hyemale area adjacent to Tib	betts Cre	ek. The	e period pri	ior to the site visit (Ma	arch-May) was wetter
than normal.					
VEGETATION – Use scientific names of plant	ts.				
Tree Stratum (Plot size: 5m^2	Absolute % Cover		nt Indicator	Dominance Test works	
1. Alnus rubra	80	Y	FAC	Number of Dominant Sp That Are OBL, FACW, o	
2					(:,)
3				Total Number of Domina Species Across All Strats	
4					
	80	= Total	Cover	Percent of Dominant Spe That Are OBL, FACW, o	
Sapling/Shrub Stratum (Plot size: 3m^2 1. Rubus armeniacus	50	Υ	FACU	Prevalence Index work	abaati
2. Rubus spectabilis	15	Y	FAC	Total % Cover of:	
3		-	1710	OBL species	
4					x 2 = 0
5		-			x 3 = 0
	65	= Total	Cover	FACU species	x 4 = 0
Herb Stratum (Plot size: 1m^2				UPL species	x 5 = 0
1. Equisetum hyemale	80	<u>Y</u>		Column Totals: 0	(A) <u>0</u> (B)
2. Polystichum munitum	15	N	FACU	Dravalance Index	- D/A -
3				Hydrophytic Vegetation	= B/A =
4				Rapid Test for Hydro	
5				Dominance Test is >	
6. 7.				Prevalence Index is	
8.				Morphological Adapt	ations ¹ (Provide supporting
9.				data in Remarks	or on a separate sheet)
10.				Wetland Non-Vascul	
11.				1 	nytic Vegetation ¹ (Explain)
	95	= Total	Cover	'Indicators of hydric soil be present, unless distur	and wetland hydrology must bed or problematic.
Woody Vine Stratum (Plot size:					
1				Hydrophytic	
2	0	= Total	Cover	Vegetation Present? Yes	✓ No
% Bare Ground in Herb Stratum _5	<u>-</u>	- I Jiai			<u> </u>
Remarks:					

Depth	Matrix			x Features				
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture	Remarks
0-6	10YR 3/2	100					Silty Loan	<u> </u>
6-16	10YR 3/4	100					Sandy Loan	n
	-	-					-	_
	-		-					
	-		-				-	
							-	
								- -
•			1=Reduced Matrix, CS			ed Sand Gr		ocation: PL=Pore Lining, M=Matrix.
		cable to al	I LRRs, unless othe		d.)			ators for Problematic Hydric Soils ³ :
Histosol			Sandy Redox (S				_	cm Muck (A10)
	oipedon (A2)		Stripped Matrix	, ,	/ -	MI DA 4\		ed Parent Material (TF2)
Black Hi	stic (A3) en Sulfide (A4)		Loamy Mucky M		(except	MLRA 1)	_	ery Shallow Dark Surface (TF12) ther (Explain in Remarks)
= ' '	d Below Dark Surfac	co (Δ11)	Depleted Matrix				Цο	ner (Explain in Remarks)
	ark Surface (A12)	ce (ATT)	Redox Dark Sui				³ Indica	ators of hydrophytic vegetation and
=	fucky Mineral (S1)		Depleted Dark S	` ,)			tland hydrology must be present,
= '	Gleyed Matrix (S4)		Redox Depress	` ,				ess disturbed or problematic.
Restrictive	Layer (if present):							
Type:								
Depth (in	ches):						Hydric So	oil Present? Yes No ✔
Remarks:								
VDBOLO	nev							
Netland Hy	drology Indicators		ed: check all that ann	(v)			Sec	condary Indicators (2 or more required)
Wetland Hy Primary Indi	drology Indicators		ed; check all that appl		(R9) (a)	veent MI F		condary Indicators (2 or more required)
Vetland Hy Primary Indi	drology Indicators cators (minimum of Water (A1)		☐ Water-Stai	ned Leaves	(B9) (e x	ccept MLF		Water-Stained Leaves (B9) (MLRA 1, 2,
Vetland Hy Primary Indi Surface High Wa	drology Indicators cators (minimum of Water (A1) ater Table (A2)		Water-Stai	ned Leaves A, and 4B)	(B9) (ex	ccept MLR		Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B)
Vetland Hy Primary Indi Surface High Wa Saturatio	drology Indicators cators (minimum of Water (A1) ater Table (A2) on (A3)		Water-Stai	ned Leaves A, and 4B) (B11)		ccept MLF		Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10)
Vetland Hy Primary Indi Surface High Wa Saturatio Water M	cators (minimum of Water (A1) ster Table (A2) on (A3) larks (B1)		Water-Stai 1, 2, 44 Salt Crust Aquatic Inv	ned Leaves A, and 4B) (B11) vertebrates ((B13)	ccept MLF		Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2)
Vetland Hy rimary Indi Surface High Wa Saturatio Water M Sedimer	cators (minimum of Water (A1) heter Table (A2) on (A3) larks (B1) nt Deposits (B2)		Water-Stai 1, 2, 4,4 Salt Crust Aquatic Inv	ned Leaves A, and 4B) (B11) vertebrates (Sulfide Odo	(B13) r (C1)		RA	Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9)
Primary Indi Surface High Wa Saturatio Water M Sedimer	drology Indicators cators (minimum of Water (A1) ater Table (A2) on (A3) larks (B1) nt Deposits (B2) posits (B3)		Water-Stai 1, 2, 4, Salt Crust Aquatic Inv Hydrogen Oxidized R	ined Leaves A, and 4B) (B11) vertebrates (Sulfide Odo Rhizosphere	(B13) r (C1) s along l	Living Roo	RA	Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2)
Primary Indi Surface High Wa Saturatio Water M Sedimer Drift Deg	drology Indicators cators (minimum of Water (A1) ater Table (A2) on (A3) larks (B1) at Deposits (B2) posits (B3) at or Crust (B4)		Water-Stai 1, 2, 4/ Salt Crust Aquatic Inv Hydrogen Oxidized R	ned Leaves A, and 4B) (B11) vertebrates (Sulfide Odo Rhizospheres of Reduced	(B13) r (C1) s along l Iron (C4	Living Roo)	RA	Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3)
Vetland Hy Primary Indi Surface High Wa Saturatic Water M Sedimer Drift Dep Algal Ma	cators (minimum of Water (A1) where Table (A2) on (A3) larks (B1) nt Deposits (B2) posits (B3) at or Crust (B4) posits (B5)		Water-Stai 1, 2, 4/ Salt Crust Aquatic Inv Hydrogen Oxidized R Presence of Recent Iro	ned Leaves A, and 4B) (B11) vertebrates (Sulfide Odo Rhizosphere: of Reduced n Reduction	(B13) r (C1) s along l Iron (C4 i in Tilled	_iving Roo) I Soils (C6	ts (C3)	Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5)
Primary Indi Surface High Wa Saturatio Water M Sedimer Drift Dep Algal Ma Iron Dep	cators (minimum of Water (A1) ther Table (A2) on (A3) darks (B1) nt Deposits (B2) posits (B3) at or Crust (B4) posits (B5) Soil Cracks (B6)	one require	Water-Stai 1, 2, 4/ Salt Crust Aquatic Inv Hydrogen Oxidized R Presence of Recent Iro	ned Leaves A, and 4B) (B11) vertebrates (Sulfide Odo Rhizosphere: of Reduced n Reduction Stressed Pi	(B13) r (C1) s along l Iron (C4 i in Tilled lants (D	_iving Roo) I Soils (C6	ts (C3)	Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A)
Vetland Hy Primary Indi Surface High Wa Saturatio Water M Sedimer Drift Dep Algal Ma Iron Dep Surface	cators (minimum of Water (A1) where Table (A2) on (A3) larks (B1) nt Deposits (B2) posits (B3) at or Crust (B4) posits (B5)	one require	Water-Stai 1, 2, 4/ Salt Crust Aquatic Inv Hydrogen Oxidized R Presence of Recent Iro Stunted or Other (Exp	ned Leaves A, and 4B) (B11) vertebrates (Sulfide Odo Rhizosphere: of Reduced n Reduction	(B13) r (C1) s along l Iron (C4 i in Tilled lants (D	_iving Roo) I Soils (C6	ts (C3)	Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5)
Primary Indi Surface High Wa Saturatio Water M Sedimer Drift Dep Algal Ma Iron Dep Surface Inundatio	drology Indicators cators (minimum of Water (A1) ater Table (A2) on (A3) larks (B1) at Deposits (B2) posits (B3) at or Crust (B4) posits (B5) Soil Cracks (B6) on Visible on Aerial of Vegetated Concave	one require	Water-Stai 1, 2, 4/ Salt Crust Aquatic Inv Hydrogen Oxidized R Presence of Recent Iro Stunted or Other (Exp	ned Leaves A, and 4B) (B11) vertebrates (Sulfide Odo Rhizosphere: of Reduced n Reduction Stressed Pi	(B13) r (C1) s along l Iron (C4 i in Tilled lants (D	_iving Roo) I Soils (C6	ts (C3)	Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A)
Primary Indi Surface High Wa Saturatic Water M Sedimer Drift Dep Algal Ma Iron Dep Surface Inundatic Sparsely	drology Indicators cators (minimum of Water (A1) ster Table (A2) on (A3) sarks (B1) nt Deposits (B2) posits (B3) at or Crust (B4) posits (B5) Soil Cracks (B6) on Visible on Aerial of Vegetated Concavervations:	one require	Water-Stai 1, 2, 4/ Salt Crust Aquatic Inv Hydrogen Oxidized R Presence of Recent Iro Stunted or Other (Exp	ned Leaves A, and 4B) (B11) vertebrates (Sulfide Odo Rhizosphere: of Reduced n Reduction Stressed Plolain in Rem.	(B13) r (C1) s along l Iron (C4 in Tilled lants (D- arks)	_iving Roo) I Soils (C6	ts (C3)	Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A)
Primary Indi Surface High Wa Saturatio Water M Sedimer Drift Dep Algal Ma Iron Dep Surface Inundatio Sparsely Field Obser	cators (minimum of Water (A1) water Table (A2) on (A3) larks (B1) on Deposits (B2) osits (B3) at or Crust (B4) osits (B5) Soil Cracks (B6) on Visible on Aerial of Vegetated Concaverations: water Present?	Imagery (B	Water-Stai 1, 2, 4/ Salt Crust Aquatic Inv Hydrogen Oxidized R Presence of Recent Iro Stunted or Other (Exp	ned Leaves A, and 4B) (B11) vertebrates (Sulfide Odo Rhizosphere: of Reduced in Reduction Stressed Plolain in Rem.	(B13) r (C1) s along l Iron (C4 i in Tillec lants (D' arks)	_iving Roo) I Soils (C6	ts (C3)	Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A)
Primary Indi Surface High Wa Saturation Water M Sedimer Drift Dep Algal Ma Iron Dep Surface Inundation Sparsely Field Obser Surface Water Table	cators (minimum of Water (A1) ater Table (A2) on (A3) larks (B1) at Deposits (B2) posits (B3) at or Crust (B4) posits (B5) Soil Cracks (B6) on Visible on Aerial of Vegetated Concaverations: ter Present?	Imagery (B	Water-Stai 1, 2, 44 Salt Crust Aquatic Inv Hydrogen Oxidized R Presence of Recent Iron Stunted or Other (Exp (B8) Depth (inches	ned Leaves A, and 4B) (B11) vertebrates (Sulfide Odo Rhizosphere: of Reduced in Reduction Stressed Pi blain in Rem.	(B13) r (C1) s along l Iron (C4 in Tilled lants (D	Living Roo) I Soils (C6 I) (LRR A)	ts (C3)	Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A) Frost-Heave Hummocks (D7)
Primary Indi Surface High Wa Saturatic Water M Sedimer Drift Dep Algal Ma Iron Dep Surface Inundatic Sparsely Field Obser Surface Water Table Saturation P (includes ca	cators (minimum of Water (A1) water Table (A2) on (A3) larks (B1) on Deposits (B2) osits (B3) at or Crust (B4) osits (B5) Soil Cracks (B6) on Visible on Aerial of Vegetated Concaverations: ther Present? Present? Present?	Imagery (B //e Surface (Yes \bigcup N Yes \bigcup N	Water-Stai 1, 2, 4/ Salt Crust Aquatic Inv Hydrogen Oxidized R Presence of Recent Iro Stunted or Other (Exp (B8) Depth (inches	ned Leaves A, and 4B) (B11) vertebrates (Sulfide Odo Rhizosphere: of Reduced in Reduction Stressed Plolain in Rem.	(B13) r (C1) s along l Iron (C4 in Tillec lants (D arks)	Living Roo) I Soils (C6 I) (LRR A) Wetl	ts (C3)	Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A)
Primary Indi Surface High Wa Saturatio Water M Sedimer Drift Dep Algal Ma Iron Dep Surface Inundatio Sparsely Field Obser Fourface Water Table Saturation P includes ca	cators (minimum of Water (A1) water Table (A2) on (A3) larks (B1) on Deposits (B2) osits (B3) at or Crust (B4) osits (B5) Soil Cracks (B6) on Visible on Aerial of Vegetated Concaverations: ther Present? Present? Present?	Imagery (B //e Surface (Yes \bigcup N Yes \bigcup N	Water-Stai 1, 2, 44 Salt Crust Aquatic Inv Hydrogen Oxidized R Presence of Recent Iron Stunted or Other (Exp (B8) Depth (inches	ned Leaves A, and 4B) (B11) vertebrates (Sulfide Odo Rhizosphere: of Reduced in Reduction Stressed Plolain in Rem.	(B13) r (C1) s along l Iron (C4 in Tillec lants (D arks)	Living Roo) I Soils (C6 I) (LRR A) Wetl	ts (C3)	Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A) Frost-Heave Hummocks (D7)
Primary Indi Surface High Water M Sedimer Drift Dep Algal Ma Iron Dep Surface Inundation Sparsely Field Obser Surface Water Table Saturation Pencludes ca	cators (minimum of Water (A1) water Table (A2) on (A3) larks (B1) on Deposits (B2) osits (B3) at or Crust (B4) osits (B5) Soil Cracks (B6) on Visible on Aerial of Vegetated Concaverations: ther Present? Present? Present?	Imagery (B //e Surface (Yes \bigcup N Yes \bigcup N	Water-Stai 1, 2, 4/ Salt Crust Aquatic Inv Hydrogen Oxidized R Presence of Recent Iro Stunted or Other (Exp (B8) Depth (inches	ned Leaves A, and 4B) (B11) vertebrates (Sulfide Odo Rhizosphere: of Reduced in Reduction Stressed Plolain in Rem.	(B13) r (C1) s along l Iron (C4 in Tillec lants (D arks)	Living Roo) I Soils (C6 I) (LRR A) Wetl	ts (C3)	Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A) Frost-Heave Hummocks (D7)
Primary Indi Surface High Wa Saturatio Water M Sedimer Drift Dep Algal Ma Iron Dep Surface Inundatio Sparsely Field Obser Surface Water Table Saturation Penciudes ca	cators (minimum of Water (A1) water Table (A2) on (A3) larks (B1) on Deposits (B2) osits (B3) at or Crust (B4) osits (B5) Soil Cracks (B6) on Visible on Aerial of Vegetated Concaverations: ther Present? Present? Present?	Imagery (B //e Surface (Yes \bigcup N Yes \bigcup N	Water-Stai 1, 2, 4/ Salt Crust Aquatic Inv Hydrogen Oxidized R Presence of Recent Iro Stunted or Other (Exp (B8) Depth (inches	ned Leaves A, and 4B) (B11) vertebrates (Sulfide Odo Rhizosphere: of Reduced in Reduction Stressed Plolain in Rem.	(B13) r (C1) s along l Iron (C4 in Tillec lants (D arks)	Living Roo) I Soils (C6 I) (LRR A) Wetl	ts (C3)	Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9) Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A) Frost-Heave Hummocks (D7)
Vetland Hy rimary Indi Surface High Wa Saturatio Water M Sedimer Drift Dep Algal Ma Iron Dep Surface Inundatio Sparsely ield Obser ourface Water Table atturation P ncludes ca	cators (minimum of Water (A1) water Table (A2) on (A3) larks (B1) on Deposits (B2) osits (B3) at or Crust (B4) osits (B5) Soil Cracks (B6) on Visible on Aerial of Vegetated Concaverations: ther Present? Present? Present?	Imagery (B //e Surface (Yes \bigcup N Yes \bigcup N	Water-Stai 1, 2, 4/ Salt Crust Aquatic Inv Hydrogen Oxidized R Presence of Recent Iro Stunted or Other (Exp (B8) Depth (inches	ned Leaves A, and 4B) (B11) vertebrates (Sulfide Odo Rhizosphere: of Reduced in Reduction Stressed Plolain in Rem.	(B13) r (C1) s along l Iron (C4 in Tillec lants (D arks)	Living Roo) I Soils (C6 I) (LRR A) Wetl	ts (C3)	Water-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C9 Geomorphic Position (D2) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A) Frost-Heave Hummocks (D7)

Project/Site: Silverado - Renton-Issaquah Road SE	(City/Cour	_{nty:} Issaquah	n/King County	Sampling Date: 6/14/	2017
Applicant/Owner: Steve Burnstead Construction, LLC				State: WA	Sampling Point: S9	
Investigator(s): Meryl Kamowski, Tess Amen			_ Section, To	ownship, Range: S29-T24	N-R06E-WM	
				convex, none): Concave): None
Subregion (LRR): LRR-A	Lat: 47.5	31238		Long: -122.059902	Datum: N	AD83
Soil Map Unit Name: Mixed Alluvial Land				NWI classifica	tion: PFOC	
Are climatic / hydrologic conditions on the site typical for this	time of yea	r? Yes	No (I			
Are Vegetation, Soil, or Hydrology signifi	•	_	`	mal Circumstances" preser	nt? Yes No	
Are Vegetation , Soil , or Hydrology natura				I, explain any answers in F		
SUMMARY OF FINDINGS – Attach site map	• •					es, etc.
Hydrophytic Vegetation Present? Yes V No						
Hydric Soil Present? Yes V No			the Sampled			
Wetland Hydrology Present? Yes V No		Wit	thin a Wetlar	nd? Yes ✓ No	٥	
Remarks:						
In Wetland D by WRD1. The period prior to the	site visit ((March-	May 2017) was wetter than nor	mal.	
VEGETATION – Use scientific names of plant	ts.					
5-40			nt Indicator	Dominance Test works	heet:	
Tree Stratum (Plot size: 5m^2 1	% Cover		Status	Number of Dominant Sp That Are OBL, FACW, o		(A)
2				Total Number of Domina	ant	
3				Species Across All Strat	a: <u>2</u>	(B)
4	0	= Total	Cover	Percent of Dominant Spo That Are OBL, FACW, o		(A/B)
1. Rubus armeniacus	80	Υ	FAC	Prevalence Index work	sheet:	
2. Salix lasiandra	25	Υ	FACW	Total % Cover of:		
3. Sambucus racemosa	15	N	FACU		x 1 = 0	
4.				FACW species 25		_
5				•	x 3 = 240	
Harts Otractions (Plateries, 1mA2	120	= Total	Cover		x 4 = 60	
Herb Stratum (Plot size: 1m^2				UPL species		
1 2				Column Totals: 120	(A) <u>350</u>	(B)
3				Prevalence Index	= B/A = 2.9	
4				Hydrophytic Vegetation	n Indicators:	
5				Rapid Test for Hydro	phytic Vegetation	
6				Dominance Test is >	·50%	
7				Prevalence Index is		
8				Morphological Adapt	tations¹ (Provide suppo or on a separate sheet	rting
9				Wetland Non-Vascul		.)
10.					hytic Vegetation ¹ (Expla	ain)
11	0			¹ Indicators of hydric soil		•
Woody Vine Stratum (Plot size:	<u>U</u>	= Total	Cover	be present, unless distur	bed or problematic.	
				Hydrophytic		
2				Vegetation	No ✓	
% Bare Ground in Herb Stratum 100	0	= Total	Cover	Present? Yes	☐ MO[♣]	
Remarks:				<u>I</u>		

Depth	Matrix			dox Featur			_	
(inches)	Color (moist)	<u>%</u>	Color (moist)	<u>%</u>	Type ¹		Texture	Remarks
0-6	10YR 3/2	95	7.5YR 4/4	5	С	M	Sandy Clay Loam	
6-16	2.5Y 5/2	75	7.5YR 5/6	25	<u>C</u>	M	Sandy Clay Loam	
T 0-0			4-Dadward Matrix				21	etion. DI –Dese Living M-Matrix
•			M=Reduced Matrix, (II LRRs, unless oth			ed Sand G		ation: PL=Pore Lining, M=Matrix. rs for Problematic Hydric Soils ³ :
Histosol			Sandy Redox		,		_	Muck (A10)
_	oipedon (A2)		Stripped Matri				_	Parent Material (TF2)
Black Hi	stic (A3)		Loamy Mucky	Mineral (F	1) (excep	t MLRA 1)	☐ Very	Shallow Dark Surface (TF12)
= ' '	n Sulfide (A4)		Loamy Gleyed		2)		Other	r (Explain in Remarks)
	Below Dark Surfa	ce (A11)	Depleted Matr				3	
_	ark Surface (A12)		Redox Dark S	,	,			rs of hydrophytic vegetation and
_	lucky Mineral (S1)		Depleted Dark	•	,			nd hydrology must be present,
	Sleyed Matrix (S4) Layer (if present):		Redox Depres	ssions (F8)			uniess	s disturbed or problematic.
Type:	Layer (ii present).							
· · ·	ches):						Usadaia Cail	Brossett No.
Remarks:	01100)		-				Hydric Soil	Present? Yes 🗸 No
YDROLO	IGY							
	drology Indicators	s:						
Primary Indi	cators (minimum of	one requir	ed; check all that ap	ply)			Secon	dary Indicators (2 or more required)
	Water (A1) Iter Table (A2)			ained Leav 4A, and 4I		except MLI	RA 🔽 Wa	ater-Stained Leaves (B9) (MLRA 1, 2, 4A, and 4B)
Saturation			Salt Crus		-,		□ Dr	ainage Patterns (B10)
	arks (B1)			nvertebrat	es (B13)			y-Season Water Table (C2)
_	nt Deposits (B2)			n Sulfide C	` ,			turation Visible on Aerial Imagery (C9)
_	posits (B3)				` '	Living Roo		eomorphic Position (D2)
=	at or Crust (B4)			of Reduc	_	_		allow Aquitard (D3)
= -	osits (B5)		=		`	d Soils (C6		C-Neutral Test (D5)
= '	Soil Cracks (B6)		_			01) (LRR A	_	aised Ant Mounds (D6) (LRR A)
=	on Visible on Aerial	Imagery (E		xplain in R		., (=:::::	_	ost-Heave Hummocks (D7)
=	Vegetated Concav			•	,		_	, ,
ield Obser	vations:		` ,					
Surface Wat	er Present?	Yes N	No Depth (inch	es):				
Vater Table			No Depth (inch					
Saturation P		=	lo Depth (inch			Wet	land Hydrology	Present? Yes 🗸 No
includes ca	pillary fringe)							
Describe Re	corded Data (strea	m gauge, n	nonitoring well, aeria	ıl photos, p	orevious in	spections),	if available:	
Remarks:								

Project/Site: Silverado - Renton-Issaquah Road SE	(City/Cour	_{nty:} <u>Issaqua</u> h	n/King County	Sampling Date: 6/14	/2017
Applicant/Owner: Steve Burnstead Construction, LLC				State: WA	Sampling Point: S10	
Investigator(s): Meryl Kamowski, Tess Amen			_ Section, To	ownship, Range: S29-T24	N-R06E-WM	
				, convex, none): None		%): <u>~6%</u>
Subregion (LRR): LRR-A	_ Lat: <u>47.5</u>	31238		Long: <u>-122.059902</u>	Datum: N	NAD83
Soil Map Unit Name: Mixed Alluvial Land				NWI classificat	tion: PFOC	
Are climatic / hydrologic conditions on the site typical for this	time of yea	r? Yes	No ✓ (l	f no, explain in Remarks.)		
Are Vegetation, Soil, or Hydrology signifi	cantly distur	bed?	Are "Norr	mal Circumstances" preser	nt? Yes ✔ No	
Are Vegetation, Soil, or Hydrology natura	lly problema	itic?	(If needed	d, explain any answers in R	temarks.)	
SUMMARY OF FINDINGS - Attach site map	showing	sampli	ing point l	ocations, transects,	important featu	res, etc.
Hydrophytic Vegetation Present? Yes ✔ No						
Hydric Soil Present? Yes No			the Sampled			
Wetland Hydrology Present? Yes V No		Wi	thin a Wetlar	na? Yes V) <u> </u>	
Remarks:						
In Wetland E. The period prior to the site visit (I	March-Ma	y) was	wetter tha	n normal.		
VEGETATION – Use scientific names of plant	ts.					
5-100			nt Indicator	Dominance Test works	heet:	
Tree Stratum (Plot size: 5m^2 1. Thuja plicata	% Cover 60	Species Y	Status FAC	Number of Dominant Spo		(4)
a Alnus rubra	35	Y	FAC	That Are OBL, FACW, or	r FAC: 4	_ (A)
3				Total Number of Domina Species Across All Strata	_	(B)
4.						_ (b)
	95	= Total	Cover	Percent of Dominant Spe That Are OBL, FACW, or		(A/B)
Sapling/Shrub Stratum (Plot size: 3m^2	20	V	540		<u></u>	_ (/
1. Rubus spectabilis	30	<u>Y</u>	FAC	Prevalence Index works Total % Cover of:		
2				OBL species		
4				FACW species		
5.				FAC species		
	30	= Total	Cover	FACU species	x 4 = 0	
Herb Stratum (Plot size: 1m^2	15	V	FAC	UPL species	x 5 = 0	<u></u>
Tolmiea menziesii Polystichum munitum	<u>15</u> 5		FAC FACU	Column Totals: 0	(A) <u>0</u>	(B)
3 Athyrium filix-femina	Trace	N	FAC	Prevalence Index	= B/A =	
4				Hydrophytic Vegetation		•
5.				Rapid Test for Hydro	phytic Vegetation	
6.				Dominance Test is >	50%	
7				Prevalence Index is :	≤3.0 ¹	
8				Morphological Adapt	tations ¹ (Provide supp	orting
9				Wetland Non-Vascul	or on a separate shee	€ ()
10					nytic Vegetation ¹ (Exp	lain)
11		-		¹ Indicators of hydric soil	, , , ,	,
Woody Vine Stratum (Plot size:	20	= Total	Cover	be present, unless distur		,
1						
2				Hydrophytic Vegetation		
	0	= Total	Cover		✓ No 🗌	
% Bare Ground in Herb Stratum 80 Remarks:						
Tremand.						


Depth	Matrix		Redo	x Features				
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture	Remarks
0-18	10YR 2/1	100					Sandy Clay Loam	
							-	
	-		-	-				
				_			-	
				_				
				_				
							. 2,	
•			=Reduced Matrix, CS LRRs, unless other			ed Sand Gi		ocation: PL=Pore Lining, M=Matrix. ors for Problematic Hydric Soils ³ :
Histosol		Cable to all	_		eu.)			· · · · · · · · · · · · · · · · · · ·
_	ipedon (A2)		Sandy Redox (S				_	m Muck (A10) I Parent Material (TF2)
Black Hi			Loamy Mucky M	. ,) (except	MLRA 1)		y Shallow Dark Surface (TF12)
=	n Sulfide (A4)		Loamy Gleyed N			,		er (Explain in Remarks)
= ' '	l Below Dark Surfac	ce (A11)	Depleted Matrix				_	,
Thick Da	rk Surface (A12)		Redox Dark Sur	face (F6)			³ Indicat	ors of hydrophytic vegetation and
= '	lucky Mineral (S1)		Depleted Dark S	Surface (F	7)		wetla	and hydrology must be present,
	leyed Matrix (S4)		Redox Depress	ions (F8)			unle	ss disturbed or problematic.
	Layer (if present):							
Type:	- I \							
Deptn (in	ches):						Hydric Soi	l Present? Yes No ✔
Remarks:								
YDROLO	GY							
Vetland Hy	drology Indicators) :						
Primary Indi	cators (minimum of	one require	d; check all that appl	y)			Seco	endary Indicators (2 or more required)
Surface	Water (A1)		☐ Water-Stai	ned Leave	es (B9) (e	xcept MLF	RA 🔲 V	Vater-Stained Leaves (B9) (MLRA 1, 2,
High Wa	ter Table (A2)		1, 2, 4/	A, and 4B))			4A, and 4B)
Saturation	on (A3)		Salt Crust	(B11)				Prainage Patterns (B10)
Water M	arks (B1)		Aquatic Inv	ertebrates	s (B13)			Ory-Season Water Table (C2)
Sedimer	it Deposits (B2)		Hydrogen :	Sulfide Od	or (C1)		□ s	Saturation Visible on Aerial Imagery (C9)
Drift Dep	oosits (B3)		Oxidized R	Rhizospher	es along	Living Roo	ts (C3) 🔲 G	Geomorphic Position (D2)
Algal Ma	t or Crust (B4)		Presence of	of Reduce	d Iron (C4	1)	∐ s	Shallow Aquitard (D3)
_	osits (B5)		Recent Iro			•	′ =	AC-Neutral Test (D5)
=	Soil Cracks (B6)		Stunted or	Stressed	Plants (D	1) (LRR A)	_	Raised Ant Mounds (D6) (LRR A)
=	on Visible on Aerial			lain in Rei	marks)		∐ F	rost-Heave Hummocks (D7)
_	Vegetated Concav	e Surface (B8)					
ield Obser		_	_					
Surface Wat			Depth (inches	, 				
Nater Table	Present?	Yes 🔽 N	Depth (inches					
Saturation P		Yes 🔽 N	Depth (inches	s): Surface	·	Wetl	and Hydrolog	gy Present? Yes 🗸 No 🗌
	oillary fringe)	m dalido m	onitoring well, aerial	nhotos pr	avious in	enections)	if available:	
pescribe Re	corucu Dala (Sifeal	ıı yauye, M	omtoring well, aerial	ρποιοέ, μπ	evious in	ρρουμοτίδ),	ıı avallable.	
Remarks:								
vemarks.								

Project/Site: Silverado - Renton-Issaquah Road SE		City/Count	_{y:} Issaqual	n/King County	Sampling Date: 6/14/2017
Applicant/Owner: Steve Burnstead Construction, LLC				State: WA	Sampling Point: S11
Investigator(s): Meryl Kamowski, Tess Amen			Section, To	ownship, Range: <u>S29-T24</u>	N-R06E-WM
					Slope (%): <u>~6%</u>
Subregion (LRR): LRR-A	_ Lat: 47.5	531238		Long: <u>-122.059902</u>	Datum: NAD83
Soil Map Unit Name: Mixed Alluvial Land				NWI classificati	on: None
Are climatic / hydrologic conditions on the site typical for this	time of yea	r? Yes] No ✓ (I	f no, explain in Remarks.)	
Are Vegetation, Soil, or Hydrology signifi	cantly distur	rbed?	Are "Nor	mal Circumstances" presen	t? Yes 🗸 No
Are Vegetation, Soil, or Hydrology natura	lly problema	atic?	(If needed	d, explain any answers in Ro	emarks.)
SUMMARY OF FINDINGS - Attach site map	showing	samplin	g point l	ocations, transects,	important features, etc.
Hydrophytic Vegetation Present?					
Hydric Soil Present? Yes No			ie Sampled		
Wetland Hydrology Present? Yes No		with	in a Wetlai	na? Yes No	
Remarks:		•			
Wetland E Out. The period prior to the site visit	(March-N	/lay) was	wetter th	nan normal.	
VEGETATION – Use scientific names of plant	te				
VEGETATION - Ose scientific flames of plant	Absolute	Dominant	Indicator	Dominance Test worksl	neet:
Tree Stratum (Plot size: 5m	% Cover			Number of Dominant Spe	
1. Thuja plicata	40	Y	FAC	That Are OBL, FACW, or	
2. Tsuga heterophylla	15	Y	FACU	Total Number of Dominar	nt
3				Species Across All Strata	_
4				Percent of Dominant Spe	cies
Sapling/Shrub Stratum (Plot size: 3m	55	= Total C	over	That Are OBL, FACW, or	
Vaccinium parvifolium	5	Υ	FACU	Prevalence Index works	sheet:
2. Rubus spectabilis	5	Υ	FAC	Total % Cover of:	
3.					x 1 = 0
4.					x 2 = 0
5.				FAC species 50	x 3 = 150
	10	= Total C	over	FACU species 35	x 4 = 140
Herb Stratum (Plot size: 1m	4.5	V	FACIL	UPL species 5	x 5 = 25
Polystichum munitum Achlys triphylla	15	<u>Y</u> Y	FACU UPL	Column Totals: 90	(A) <u>315</u> (B)
		Y	FAC	Prevalence Index =	= R/Δ = 3.5
v				Hydrophytic Vegetation	·
4. 5.				Rapid Test for Hydro	
6				Dominance Test is >5	
7				Prevalence Index is ≤	:3.0 ¹
8				Morphological Adapta	ations ¹ (Provide supporting
9					or on a separate sheet)
10				Wetland Non-Vascula	
11				-	ytic Vegetation ¹ (Explain)
	25	= Total C	over	'Indicators of hydric soil a be present, unless disturb	and wetland hydrology must
Woody Vine Stratum (Plot size:					
1				Hydrophytic	
2				Vegetation	□ Na[Z]
% Bare Ground in Herb Stratum 75	0	= Total C	over	Present? Yes	No 🗸
Remarks:				<u> </u>	

Depth	Matrix		Redo	x Features				
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc ²	Texture	Remarks
0-5	10YR 2/2	100					Sandy Clay Loam	
5-16	10YR 3/3	100					Sandy Loam	
				-				
				_	·		»	
					<u> </u>			
				_				-
•			=Reduced Matrix, CS			ed Sand G		ation: PL=Pore Lining, M=Matrix.
		cable to all	LRRs, unless othe		ed.)		_	s for Problematic Hydric Soils ³ :
Histosol	. ,		Sandy Redox (S				_	Muck (A10)
Histic Ep Black Hi	oipedon (A2)		Stripped Matrix Loamy Mucky N	. ,	\ (avaant	MI DA 1)	_	Parent Material (TF2) Shallow Dark Surface (TF12)
_	n Sulfide (A4)		Loamy Gleyed			. WILKA I)		(Explain in Remarks)
	Below Dark Surfac	ce (A11)	Depleted Matrix	, ,	,			(Explain in Remarks)
= '	ark Surface (A12)	,	Redox Dark Sur	. ,			³ Indicator	s of hydrophytic vegetation and
	lucky Mineral (S1)		Depleted Dark S	•	7)			d hydrology must be present,
	Bleyed Matrix (S4)		Redox Depress	ions (F8)			unless	disturbed or problematic.
	Layer (if present):							
Type:	ches):							
Deptil (iii	cries)						Hydric Soil F	Present? Yes No
Remarks:								
YDROLO	GY							
	drology Indicators							
-			d; check all that appl	v)			Second	dary Indicators (2 or more required)
	Water (A1)	ono roquiro	Water-Stai		es (R9) (e	xcent MI F		iter-Stained Leaves (B9) (MLRA 1, 2,
	iter Table (A2)			A, and 4B)	, , ,	Accet III E	_	4A, and 4B)
Saturation			Salt Crust		,		_	ainage Patterns (B10)
=	arks (B1)		Aquatic Inv	` '	s (B13)			y-Season Water Table (C2)
_	nt Deposits (B2)		Hydrogen					turation Visible on Aerial Imagery (C9)
_	posits (B3)		Oxidized R		` '	Living Roo		omorphic Position (D2)
= '	at or Crust (B4)		Presence of	•	-	•	· · · —	allow Aquitard (D3)
_	osits (B5)		Recent Iro	n Reductio	on in Tille	d Soils (C6	_	C-Neutral Test (D5)
Surface	Soil Cracks (B6)		Stunted or	Stressed	Plants (D	1) (LRR A)	Rai	ised Ant Mounds (D6) (LRR A)
Inundati	on Visible on Aerial	Imagery (B	7) Other (Exp	lain in Rei	marks)		☐ Fro	st-Heave Hummocks (D7)
Sparsely	Vegetated Concav	e Surface (I	38)					
ield Obser	vations:							
Surface Wat	er Present?	Yes No	Depth (inches	s):				
Nater Table	Present?	Yes No	Depth (inches	s):				
Saturation P	resent?	Yes No	Depth (inches	s):		Wetl	and Hydrology	Present? Yes No
	pillary fringe)						26	
Describe Re	corded Data (strear	m gauge, m	onitoring well, aerial	pnotos, pr	evious ins	spections),	ır avallable:	
DameI								
Remarks:								

Project/Site: Silverado - Renton-Issaquah Road SE		City/Count	_{y:} Issaqual	h/King County	Sampling Date: 6/14/2017
Applicant/Owner: Silverado Care				State: WA	Sampling Point: S12
Investigator(s): Meryl Kamowski, Tess Amen			Section, To	ownship, Range: S29-T24	N-R06E-WM
					Slope (%): None
Subregion (LRR): LRR-A	_ Lat: 47.5	31238		Long: -122.059902	Datum: NAD83
Soil Map Unit Name: Mixed Alluvial Land				NWI classifica	tion: PFOC
Are climatic / hydrologic conditions on the site typical for this	s time of yea	ır? Yes			
Are Vegetation, Soil, or Hydrology signif	cantly distu	rbed?	Are "Nor	mal Circumstances" preser	nt? Yes ✓ No
Are Vegetation, Soil, or Hydrology natura	Ily problema	atic?	(If needed	d, explain any answers in F	Remarks.)
SUMMARY OF FINDINGS - Attach site map	showing	samplir	ng point l	ocations, transects,	important features, etc.
Hydrophytic Vegetation Present? Yes ✔ No					
Hydric Soil Present? Yes V No			ne Sampled		
Wetland Hydrology Present? Yes V No		with	nin a Wetlar	nd? Yes ✓ N	0
Remarks:					
In Wetland F. The period prior to the site visit (I	March-Ma	y) was v	vetter tha	n normal.	
VECETATION I los scientific names of plan	<u> </u>				
VEGETATION – Use scientific names of plan		Dominon	t Indicator	Dominance Test works	- hoot:
Tree Stratum (Plot size: 5m^2	% Cover		t Indicator Status	Number of Dominant Sp	
1. Alnus rubra	40	Y	FAC	That Are OBL, FACW, o	
2				Total Number of Domina	ant
3				Species Across All Strat	4
4				Percent of Dominant Sp	ecies
Sapling/Shrub Stratum (Plot size: 3m^2	40	= Total C	Cover	That Are OBL, FACW, o	
1. Rubus spectabilis	40	Υ	FAC	Prevalence Index work	sheet
2					Multiply by:
3				OBL species	
4.				FACW species	
5				FAC species	x 3 = 0
	40	= Total C	Cover	FACU species	x 4 = 0
Herb Stratum (Plot size: 1m^2	00	V	EAC)4/	UPL species	x 5 = 0
Equisetum hyemale Phalaris arundinacea	60 40	<u>Y</u> Y	FACW FACW	Column Totals: 0	(A) <u>0</u> (B)
3 Tolmiea menziesii	Trace	N	FAC	Prevalence Index	= B/A =
·				Hydrophytic Vegetatio	
4. 5.				Rapid Test for Hydro	
6.				Dominance Test is >	
7				Prevalence Index is	
8				Morphological Adap	tations ¹ (Provide supporting
9.				l	or on a separate sheet)
10				Wetland Non-Vascu	
11				- 	nytic Vegetation ¹ (Explain)
	100	= Total C	Cover	be present, unless distu	and wetland hydrology must rbed or problematic.
Woody Vine Stratum (Plot size:				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
1				Hydrophytic	
2	0			Vegetation Present? Yes	₩ No
% Bare Ground in Herb Stratum 0	<u> </u>	= Total (Jover	riesent: Tes	
Remarks:					

Inches Color (moist) % Color (moist) % Type' Loc' Texture Remarks	Depth	Matrix			lox Featur		. 2		
Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Coverad or Coated Sand Grains. ^1_Location: PL=Pore Lining, M=Matrix, Vydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) Indicators for Problematic Hydric Soils*: Indicators for Hydrophytic vegetation and wetland Hydrology must be present, unless disturbed or problematic. Indicators (A1) Indicators (A2) Indicators (A3) Indicators (A4) In	(inches)	Color (moist)	<u>%</u>	Color (moist)	%			Texture	
Indicators for Problematic Hydric Soils*: Histosoi (A1))-16	10YR 3/1	95	7.5YR 3/4	5	<u>C</u>	M	Sa Cl Lo	
Indicators for Problematic Hydric Soils Indicators for Problematic Hydric Soil From Hydrology Hydrolog									
Histosol (A1)									
Indicators for Problematic Hydric Soils* Indicators for Problema									
Indicators for Problematic Hydric Soils* Indicators for Problema									
Indicators for Problematic Hydric Soils*: Histosoi (A1)			-						_
Indicators for Problematic Hydric Soils*: Histosoi (A1)									
Varic Soil Indicators: (Applicable to all LRRs, unless otherwise noted.) Indicators for Problematic Hydric Soils*: Histosoi (A1)		-		-					
Indicators for Problematic Hydric Soils*: Histosoi (A1)									
Histosol (A1) Histosol (A2) Histosol (A3) Histosol (A3) Histosol (A3) Depleted Matrix (F3) Depleted Dark Surface (F6) Sandy Gleyed Matrix (S4) Depleted Dark Surface (F6) Depleted Dark Surface (F7) Redox Depressions (F8) Hydric Soil Present? Ves V No Water-Stained Leaves (B9) (MLRA 1, 2 High Water Table (A2) Saturation (A3) Saturation (A3) Saturation (A3) Saturation (A3) Depleted Matrix (B1) Depleted Dark Surface (B1) Drainage Patterns (B10) Dry-Season Water Table (C2) Drift Deposits (B3) Dry-Season Water Table (C2) Drift Deposits (B3) Dry-Season Water Table (C2) Drift Deposits (B3) Dry-Season Water Table (C2) Drift Deposits (B4) Dry-Season Water Table (C2) Drift Deposits (B5) Surface Soil Cracks (B6) Dry-Season Water Table (C2) Dry-Season Water Table (C3) Dry-Season Water Table (C2) Dry-Season Water Table (C2) Dry-Season Water Table (C3) Recent Inon Reduction in Titled Soils (C6) Dry-Season Water Table (C2) Dr	•		•				ed Sand G		
Histic Epipedon (A2)	_		icable to all			ted.)			· · · · · · · · · · · · · · · · · · ·
Black Histic (A3)	_							_	, ,
Hydrogen Sulfide (A4) Depleted Below Dark Surface (A11) Depleted Below Dark Surface (A12) Pepleted Matrix (F3) Depleted Matrix (F3) Pedox Dark Surface (F6) Sandy Mucky Mineral (S1) Pedox Dark Surface (F6) Sandy Mucky Mineral (S1) Pepleted Dark Surface (F7) Redox Dark Surface (F8) Redox Dark S				_ ``	. ,	1) (excen	t MI RA 1)		, ,
Depleted Below Dark Surface (A11)	_			_			t in Live i		• • • • • • • • • • • • • • • • • • • •
Sandy Mucky Mineral (S1)			ce (A11)	_ · ·		,			
Sandy Gleyed Matrix (S4)	Thick Da	rk Surface (A12)		Redox Dark S	urface (F6)		³ Indica	ators of hydrophytic vegetation and
Particitive Layer (if present): Type:	= '	• , ,		_ `	,				
Type:				Redox Depres	sions (F8))		unl	ess disturbed or problematic.
Pepth (inches):		•							
Vertland Hydrology Indicators: Indicators (minimum of one required; check all that apply) Secondary Indicators (2 or more required)	· · ·							Ub salada O	- '' P
Company Comp		onco)						Hyaric So	DII Present? Yes V No
Secondary Indicators (2 or more required) Surface Water (A1)	/DROLO	GY							
Surface Water (A1)	-								
High Water Table (A2) Saturation (A3)	_ `		one require						
Saturation (A3) Satt Crust (B11) Drainage Patterns (B10) Water Marks (B1) Dry-Season Water Table (C2) Sediment Deposits (B2) Drift Deposits (B3) Aquatic Invertebrates (B13) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C3) Algal Mat or Crust (B4) Presence of Reduced Iron (C4) Shallow Aquitard (D3) Iron Deposits (B5) Recent Iron Reduction in Tilled Soils (C6) Surface Soil Cracks (B6) Inundation Visible on Aerial Imagery (B7) Sparsely Vegetated Concave Surface (B8) Selicited Observations: Frost-Heave Hummocks (D7) Depth (inches): Surface Water Present? Ves No Depth (inches): Surface Surface Surface Wetland Hydrology Present? Yes No Depth (inches): Surface Surface Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:		, ,					xcept MLF	RA 📙	
Water Marks (B1)	_					В)			
Sediment Deposits (B2)		. ,		_	• •	(D40)			• ,
Drift Deposits (B3) Oxidized Rhizospheres along Living Roots (C3) Geomorphic Position (D2) Algal Mat or Crust (B4) Presence of Reduced Iron (C4) Iron Deposits (B5) Recent Iron Reduction in Tilled Soils (C6) Surface Soil Cracks (B6) Inundation Visible on Aerial Imagery (B7) Sparsely Vegetated Concave Surface (B8) ield Observations: urface Water Present? Ves No Depth (inches): vater Table Present? Yes No Depth (inches): Surface Surface Wetland Hydrology Present? Yes No No Depth (inches): Surface Wetland Hydrology Present? Yes No No Depth (inches): Presence of Reduced Iron (C4) Shallow Aquitard (D3) FAC-Neutral Test (D5) Raised Ant Mounds (D6) (LRR A) Frost-Heave Hummocks (D7) Frost-Heave Hummocks (D7) Depth (inches): Vater Table Present? Yes No Depth (inches): Surface Wetland Hydrology Present? Yes No No Depth (inches): No Depth (inches): Vescribe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:	_					, ,			• • • • • • • • • • • • • • • • • • • •
Algal Mat or Crust (B4)	=					` '	Living Doo		
Iron Deposits (B5)	= '	` '				_	_		. ,
Surface Soil Cracks (B6) Stunted or Stressed Plants (D1) (LRR A) Raised Ant Mounds (D6) (LRR A) Inundation Visible on Aerial Imagery (B7) Other (Explain in Remarks) Frost-Heave Hummocks (D7) Sparsely Vegetated Concave Surface (B8) ield Observations: urface Water Present? Yes No Depth (inches): Ves No Depth (inches): Surface aturation Present? Yes No Depth (inches): Surface aturation Present? Yes No Depth (inches): Surface acturation Present? Yes No Depth (inches): Surface	_			=		`	,	_	, , ,
Inundation Visible on Aerial Imagery (B7) Other (Explain in Remarks) Frost-Heave Hummocks (D7) Sparsely Vegetated Concave Surface (B8) ield Observations: urface Water Present? Yes No Depth (inches): Surface aturation Present? Yes No Depth (inches): Surface mocludes capillary fringe) escribe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:	_			_			•		` '
Sparsely Vegetated Concave Surface (B8) ield Observations: urface Water Present? Yes No Depth (inches): //ater Table Present? Yes No Depth (inches): Surface aturation Present? Yes No Depth (inches): Surface mcludes capillary fringe) escribe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:	_		Imagery (B	_		•	., (=: :: : : ,	_	, , , ,
urface Water Present? Yes No Depth (inches):	=					,		_	, ,
/ater Table Present? Yes V No Depth (inches): Surface aturation Present? Yes No Depth (inches): Surface Wetland Hydrology Present? Yes No Surface No Depth (inches): Surface No Depth (ield Obser	vations:	<u> </u>						
saturation Present? Yes No Depth (inches): Surface Wetland Hydrology Present? Yes No Depth (inches): Surface No Depth (inches): S	urface Wat	er Present?	Yes No	Depth (inche	es):				
includes capillary fringe) Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:	Vater Table	Present?	Yes 🔽 No	Depth (inche	es): Surfac	e			
Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:			Yes 🔽 No	Depth (inche	es): Surfac	ce	Wetl	and Hydrolo	ogy Present? Yes ✓ No 🗌
			m gouge ==	onitoring woll so-i-	l photos :	rovious is	enoctions)	if available:	
Remarks:	escribe Re	corded Data (Strea	ın gauge, m	ontoring well, aeria	ıı priotos, ţ	nevious in	spections),	ıı avallable:	
	Remarke:								
	.omano.								



THIS PAGE IS INTENTIONALLY LEFT BLANK

WETLAND RATING FORM – WESTERN WASHINGTON

Version 2 - Updated July 2006 to increase accuracy and reproducibility among users Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Silverado -	Wetland A Date of site vi	sit: <u>11/19</u> /14				
Rated by MK	_ Trained by Ecology? Yes☑No Date	e of training 04/13				
SEC: <u>29</u> TWNSHP: <u>24</u> RNGE: <u>06</u>	Is S/T/R in Appendix D? Yes ☐ No ☑					
Map of wetland unit: F	igure Estimated size 1,200 so	quare feet				
SUMMARY OF RATING						
Category based on FUNCTIONS I	provided by wetland					
I II III IV						
Catagory I - Saara > -70	Score for Water Quality Functions	10				
Category I = Score >=70 Category II = Score 51-69	Score for Hydrologic Functions	10				
Category III = Score 30-50	Score for Habitat Functions	9				
Category IV = Score < 30	TOTAL score for Functions	29				
Category based on SPECIAL CHA	ARACTERISTICS of wetland					
I II Does not Apply	<u>, V</u>					
Final Category (choose	se the "highest" category from above)	IV				
Summary of basic i	nformation about the wetland unit					

Wetland Unit has Special		Wetland HGM Class	
Characteristics		used for Rating	
Estuarine		Depressional	
Natural Heritage Wetland		Riverine	
Bog		Lake-fringe	
Mature Forest		Slope	/
Old Growth Forest		Flats	
Coastal Lagoon		Freshwater Tidal	
Interdunal			
None of the above	~	Check if unit has multiple HGM classes present	

Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)? For the purposes of this rating system, "documented" means the wetland is on the appropriate state or federal database.		•
SP2. Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species? For the purposes of this rating system, "documented" means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		•
SP3. Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?		•
SP4. Does the wetland unit have a local significance in addition to its functions? For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		~

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. This simplifies the questions needed to answer how well the wetland functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Wetland Units in Western Washington

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

1. Are the water levels in the entire unit usually controlled by tides (i.e. except during floods)? V NO - go to 2 YES - the wetland class is Tidal Fringe
If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts pe thousand)? YES – Freshwater Tidal Fringe NO – Saltwater Tidal Fringe (Estuarine)
If your wetland can be classified as a Freshwater Tidal Fringe use the forms for Riverine wetlands. If it is Saltwater Tidal Fringe it is rated as an Estuarine wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term "Estuarine" wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).
2. The entire wetland unit is flat and precipitation is the only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit. NO – go to 3 YES – The wetland class is Flats
If your wetland can be classified as a "Flats" wetland, use the form for Depressional wetlands.
3. Does the entire wetland unit meet both of the following criteria? The vegetated part of the wetland is on the shores of a body of permanent open water (without any vegetation on the surface) at least 20 acres (8 ha) in size; At least 30% of the open water area is deeper than 6.6 ft (2 m)? VNO - go to 4 YES - The wetland class is Lake-fringe (Lacustrine Fringe)
 4. Does the entire wetland unit meet all of the following criteria? The wetland is on a slope (slope can be very gradual), The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
The water leaves the wetland without being impounded? NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than 1 foot deep). NO - go to 5 YES – The wetland class is Slope
• •

5. Does the entire wetland unit meet all of the following criteria?
The unit is in a valley, or stream channel, where it gets inundated by overbank
flooding from that stream or river
The overbank flooding occurs at least once every two years.
NOTE: The riverine unit can contain depressions that are filled with water when the river is
not flooding.
NO - go to 6 YES – The wetland class is Riverine
6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. <i>This means that any outlet, if present, is higher than the interior of the wetland.</i>
NO – go to 7 YES – The wetland class is Depressional
7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious
natural outlet. NO – go to 8 YES – The wetland class is Depressional

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM clases. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM Classes within the wetland unit being rated	HGM Class to Use in Ratin	ıg
Slope + Riverine	Riverine	
Slope + Depressional	Depressional	
Slope + Lake-fringe	Lake-fringe	
Depressional + Riverine along stream within boundary	Depressional	
Depressional + Lake-fringe	Depressional	
Salt Water Tidal Fringe and any other class of freshwater	Treat as ESTUARINE und	er
wetland	wetlands with special	
	characteristics	

If you are unable still to determine which of the above criteria apply to your wetland, or if you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

S	Slope Wetlands WATER QUALITY FUNCTIONS - Indicators that the wetland unit functions to improve water quality	Points (only 1 score per box)
S	S 1. Does the wetland unit have the <u>potential</u> to improve water quality?	(see p.64)
S	S 1.1 Characteristics of average slope of unit: Slope is 1% or less (a 1% slope has a 1 foot vertical drop in elevation for every 100 ft horizontal distance) Slope is 1% - 2% Slope is 2% - 5% Slope is greater than 5% points = 0	2
S	S 1.2 The soil 2 inches below the surface (or duff layer) is clay or organic (use NRCS definitions) YES = 3 points NO = 0 points	0
S	S 1.3 Characteristics of the vegetation in the wetland that trap sediments and pollutants: Choose the points appropriate for the description that best fits the vegetation in the	Figure
	wetland. Dense vegetation means you have trouble seeing the soil surface (>75% cover), and uncut means not grazed or mowed and plants are higher than 6 inches. □ Dense, uncut, herbaceous vegetation > 90% of the wetland area points = 6 □ Dense, uncut, herbaceous vegetation > 1/2 of area points = 3 □ Dense, woody, vegetation > 1/2 of area points = 2 □ Dense, uncut, herbaceous vegetation > 1/4 of area points = 1 □ Does not meet any of the criteria above for vegetation points = 0 Aerial photo or map with vegetation polygons	3
S	Total for S 1 Add the points in the boxes above	5
S	S 2. Does the wetland unit have the opportunity to improve water quality? Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland. Note which of the following conditions provide the sources of pollutants. A unit may have pollutants coming from several sources, but any single source would qualify as opportunity. Grazing in the wetland or within 150ft Untreated stormwater discharges to wetland Tilled fields, logging, or orchards within 150 feet of wetland Residential, urban areas, or golf courses are within 150 ft upslope of wetland Other YES multiplier is 2 NO multiplier is 1	multiplier
S	TOTAL - Water Quality Functions Multiply the score from S1 by S2	10
	Add score to table on p. 1	

Comments

S Slope Wetlands HYDROLOGIC FUNCTIONS - Indicators that the wetland unit functions to reduce flooding and stream erosion S 3. Does the wetland unit have the potential to reduce flooding and stream erosion? S 3.1 Characteristics of vegetation that reduce the velocity of surface flows during storm Choose the points appropriate for the description that best fit conditions in the wetlad (stems of plants should be thick enough (usually > 1/8in), or dense enough, to remain erect during surface flows) Dense, uncut, rigid vegetation covers > 90% of the area of the wetland. Dense, uncut, rigid vegetation > 1/2 area of wetland Dense, uncut, rigid vegetation > 1/4 area More than 1/4 of area is grazed, mowed, tilled or vegetation is not rigid S 3.2 Characteristics of slope wetland that holds back small amounts of flood flows: The slope wetland has small surface depressions that can retain water over at lead 10% of its area. S 3.4 Does the wetland have the opportunity to reduce flooding and erosion? Is the wetland in a landscape position where the reduction in water velocity it provide helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows? Note which of the following conditions apply. Wetland has surface runoff that drains to a river or stream that has flooding problems	(only 1 score per box) (see p.68)
S 3. Does the wetland unit have the potential to reduce flooding and stream erosion? S 3.1 Characteristics of vegetation that reduce the velocity of surface flows during storm Choose the points appropriate for the description that best fit conditions in the wetled (stems of plants should be thick enough (usually > 1/8in), or dense enough, to remain erect during surface flows) Dense, uncut, rigid vegetation covers > 90% of the area of the wetland. points are points of Dense, uncut, rigid vegetation > 1/2 area of wetland points of Dense, uncut, rigid vegetation > 1/4 area points of S 3.2 Characteristics of slope wetland that holds back small amounts of flood flows: The slope wetland has small surface depressions that can retain water over at least 10% of its area. YES points = 2 NO points = 0 S 4. Does the wetland have the opportunity to reduce flooding and erosion? Is the wetland in a landscape position where the reduction in water velocity it provide helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows? Note which of the following conditions apply. Wetland has surface runoff that drains to a river or stream that has flooding	
S 3.1 Characteristics of vegetation that reduce the velocity of surface flows during storm Choose the points appropriate for the description that best fit conditions in the wetler (stems of plants should be thick enough (usually > 1/8in), or dense enough, to remain erect during surface flows) Dense, uncut, rigid vegetation covers > 90% of the area of the wetland. Dense, uncut, rigid vegetation > 1/2 area of wetland Dense, uncut, rigid vegetation > 1/4 area Dense, uncut, rigid vegetation > 1/4 area points: Nor trigid S 3.2 Characteristics of slope wetland that holds back small amounts of flood flows: The slope wetland has small surface depressions that can retain water over at lead 10% of its area. PYES points = 2 NO points = 0 Add the points in the boxes about the wetland in a landscape position where the reduction in water velocity it provide helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows? Note which of the following conditions apply. Wetland has surface runoff that drains to a river or stream that has flooding	(see p.68)
S 3.1 Characteristics of vegetation that reduce the velocity of surface flows during storn Choose the points appropriate for the description that best fit conditions in the wetled (stems of plants should be thick enough (usually > 1/8in), or dense enough, to remain erect during surface flows) Dense, uncut, rigid vegetation covers > 90% of the area of the wetland. points in Dense, uncut, rigid vegetation > 1/2 area of wetland points in Dense, uncut, rigid vegetation > 1/4 area points in the story of the sto	
Choose the points appropriate for the description that best fit conditions in the wetler (stems of plants should be thick enough (usually > 1/8in), or dense enough, to remain erect during surface flows) Dense, uncut, rigid vegetation covers > 90% of the area of the wetland. Dense, uncut, rigid vegetation > 1/2 area of wetland Dense, uncut, rigid vegetation > 1/4 area More than 1/4 of area is grazed, mowed, tilled or vegetation is not rigid S 3.2 Characteristics of slope wetland that holds back small amounts of flood flows: The slope wetland has small surface depressions that can retain water over at lead 10% of its area. YES points = 2 NO points = 0 Add the points in the boxes about the wetland in a landscape position where the reduction in water velocity it provide helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows? Note which of the following conditions apply. Wetland has surface runoff that drains to a river or stream that has flooding	
Choose the points appropriate for the description that best fit conditions in the wetler (stems of plants should be thick enough (usually > 1/8in), or dense enough, to remain erect during surface flows) Dense, uncut, rigid vegetation covers > 90% of the area of the wetland. Dense, uncut, rigid vegetation > 1/2 area of wetland Dense, uncut, rigid vegetation > 1/4 area Dense, uncut, rigid vegetation > 1/2 area of wetland Dense, uncut, rigid vegetation > 1/2 area o	s.
(stems of plants should be thick enough (usually > 1/8in), or dense enough, to remain erect during surface flows) □ Dense, uncut, rigid vegetation covers > 90% of the area of the wetland. points □ Dense, uncut, rigid vegetation > 1/2 area of wetland points □ Dense, uncut, rigid vegetation > 1/4 area points □ More than 1/4 of area is grazed, mowed, tilled or vegetation is not rigid points □ S 3.2 Characteristics of slope wetland that holds back small amounts of flood flows: The slope wetland has small surface depressions that can retain water over at lea 10% of its area. □ YES points = 2 □ NO points = 0 S 4. Does the wetland have the opportunity to reduce flooding and erosion? Is the wetland in a landscape position where the reduction in water velocity it provide helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows? Note which of the following conditions apply. □ Wetland has surface runoff that drains to a river or stream that has flooding	
Pense, uncut, rigid vegetation covers > 90% of the area of the wetland. points = 1/2 Dense, uncut, rigid vegetation > 1/2 area of wetland points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/2 area of wetland points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncut, rigid vegetation > 1/4 area points = 1/4 Dense, uncu	
Dense, uncut, rigid vegetation > 1/2 area of wetland Dense, uncut, rigid vegetation > 1/4 area Dense, uncut, rigid vegetation > 1/4 area More than 1/4 of area is grazed, mowed, tilled or vegetation is not rigid S 3.2 Characteristics of slope wetland that holds back small amounts of flood flows: The slope wetland has small surface depressions that can retain water over at lead 10% of its area. YES points = 2 NO points = 0 Add the points in the boxes about the wetland have the opportunity to reduce flooding and erosion? Is the wetland in a landscape position where the reduction in water velocity it provide helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows? Note which of the following conditions apply. Wetland has surface runoff that drains to a river or stream that has flooding	
Dense, uncut, rigid vegetation > 1/4 area More than 1/4 of area is grazed, mowed, tilled or vegetation is not rigid S 3.2 Characteristics of slope wetland that holds back small amounts of flood flows: The slope wetland has small surface depressions that can retain water over at lea 10% of its area. YES points = 2 NO points = 0 Add the points in the boxes abo S 4. Does the wetland have the opportunity to reduce flooding and erosion? Is the wetland in a landscape position where the reduction in water velocity it provid helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows? Note which of the following conditions apply. Wetland has surface runoff that drains to a river or stream that has flooding	6 3
S 3.2 Characteristics of slope wetland that holds back small amounts of flood flows: The slope wetland has small surface depressions that can retain water over at lea 10% of its area. YES points = 2 NO points = 0 Add the points in the boxes abo S 4. Does the wetland have the opportunity to reduce flooding and erosion? Is the wetland in a landscape position where the reduction in water velocity it provide helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows? Note which of the following conditions apply. ✓ Wetland has surface runoff that drains to a river or stream that has flooding	
S 3.2 Characteristics of slope wetland that holds back small amounts of flood flows: The slope wetland has small surface depressions that can retain water over at lead 10% of its area. YES points = 2 NO points = 0 Add the points in the boxes about the wetland have the opportunity to reduce flooding and erosion? Is the wetland in a landscape position where the reduction in water velocity it provide helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows? Note which of the following conditions apply. Wetland has surface runoff that drains to a river or stream that has flooding	1
S 3.2 Characteristics of slope wetland that holds back small amounts of flood flows: The slope wetland has small surface depressions that can retain water over at lea 10% of its area. YES points = 2 NO points = 0 Add the points in the boxes about the points in the boxes about the wetland have the opportunity to reduce flooding and erosion? Is the wetland in a landscape position where the reduction in water velocity it provide helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows? Note which of the following conditions apply. Wetland has surface runoff that drains to a river or stream that has flooding	_
The slope wetland has small surface depressions that can retain water over at lead 10% of its area. YES points = 2 NO points = 0 Add the points in the boxes about the wetland have the opportunity to reduce flooding and erosion? Is the wetland in a landscape position where the reduction in water velocity it provide helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows? Note which of the following conditions apply. Wetland has surface runoff that drains to a river or stream that has flooding	0
S S 4. Does the wetland have the opportunity to reduce flooding and erosion? Is the wetland in a landscape position where the reduction in water velocity it provide helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows? Note which of the following conditions apply. Wetland has surface runoff that drains to a river or stream that has flooding	
S 4. Does the wetland have the opportunity to reduce flooding and erosion? Is the wetland in a landscape position where the reduction in water velocity it provide helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows? Note which of the following conditions apply. Wetland has surface runoff that drains to a river or stream that has flooding	2
S Add the points in the boxes abo S 4. Does the wetland have the opportunity to reduce flooding and erosion? Is the wetland in a landscape position where the reduction in water velocity it provide helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows? Note which of the following conditions apply. Wetland has surface runoff that drains to a river or stream that has flooding	
S 4. Does the wetland have the <u>opportunity</u> to reduce flooding and erosion? Is the wetland in a landscape position where the reduction in water velocity it provide helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows? <i>Note which of the following conditions apply.</i> Wetland has surface runoff that drains to a river or stream that has flooding	
Is the wetland in a landscape position where the reduction in water velocity it provid helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows? <i>Note which of the following conditions apply.</i> Wetland has surface runoff that drains to a river or stream that has flooding	<i>e</i> 5
Is the wetland in a landscape position where the reduction in water velocity it provid helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows? <i>Note which of the following conditions apply.</i> Wetland has surface runoff that drains to a river or stream that has flooding	(see p. 70)
and/or erosive flows? <i>Note which of the following conditions apply.</i> Wetland has surface runoff that drains to a river or stream that has flooding	S
Wetland has surface runoff that drains to a river or stream that has flooding	
problems	
^	multiplian
Other	multiplier
(Answer NO if the major source of water is controlled by a reservoir (e.g. wetland is a s	ер 2
that is on the downstream side of a dam)	
YES multiplier is 2 NO multiplier is 1	
TOTAL - Hydrologic Functions Multiply the score from S 3 by	. 1
Add score to table on p	10

12

Comments

These questions apply to wetlands of all HOHABITAT FUNCTIONS - Indicators that unit functions		t habitat	Points (only 1 score per box)
H 1. Does the wetland unit have the potential to p	provide habitat for many	y species?	
H 1.1 Vegetation structure (see p. 72) Check the types of vegetation classes present (as define class is ½ acre or more than 10% of the area if unit Aquatic bed Emergent plants Scrub/shrub (areas where shrubs have >30%)	is smaller than 2.5 acres.	hold for each	Figure
Forested (areas where trees have >30% covered the unit has a forested class check if: The forested class has 3 out of 5 strata (can moss/ground-cover) that each cover 20% Add the number of vegetation structures that qualify.	nopy, sub-canopy, shrubs, he within the forested polygon the state of the within the forested polygon the state of the state of the within the forested polygon the state of the within	on	0
Map of Cowardin vegetation classes	4 structures or more 3 structures 2 structures 1 structure	points = 4 $points = 2$ $points = 1$ $points = 0$	
H 1.2. Hydroperiods (see p. 73) Check the types of water regimes (hydroperiods) pregime has to cover more than 10% of the wetland of descriptions of hydroperiods) Permanently flooded or inundated Seasonally flooded or inundated Occasionally flooded or inundated Saturated only Permanently flowing stream or river in, or accept the seasonally flowing stream in, or adjacent to, Lake-fringe wetland = 2 points Freshwater tidal wetland = 2 points	4 or more types present 2 types present 1 type present 1 type present 2 types present 2 types present 4 type present	t points = 3 points = 2 point = 1 points = 0	Figure
H 1.3. Richness of Plant Species (see p. 75) Count the number of plant species in the wetland to of the same species can be combined to meet the standard you do not have to name the species. Do not include Eurasian Milfoil, reed canaryg If you counted: List species below if you want to:	ize threshold)	-	1

13

H 1.4. Interspersion of habitats (see p. 76) Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.	Figure
None = 0 points	
High = 3 points NOTE: If you have four or more classes or three vegetation classes and open water	0
the rating is always "high". Use map of Cowardin vegetation classes H 1.5. Special Habitat Features: (see p. 77) Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column. Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long). Standing snags (diameter at the bottom > 4 inches) in the wetland Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream (or ditch) in, or contiguous with the unit, for at least 33 ft (10m) Stable steep banks of fine material that might be used by beaver or muskrat for denning (>30 degree slope) OR signs of recent beaver activity are present (cut shrubs or trees that have not yet turned grey/brown) At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians) Invasive plants cover less than 25% of the wetland area in each stratum of plants NOTE: The 20% stated in early printings of the manual on page 78 is an error.	0
H 1. TOTAL Score - potential for providing habitat Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5	1

Comments

H 2. Does the wetland unit have the opportunity to provide habitat for many species?	
	Figure
H 2.1 <u>Buffers</u> (see p. 80) Choose the description that best represents condition of buffer of wetland unit. The highest scoring	i iguie
criterion that applies to the wetland is to be used in the rating. See text for definition of	
"undisturbed." 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% of circumference. No structures are within the undisturbed part of buffer. (relatively undisturbed also means no-grazing, no landscaping, no daily human use) Points = 5 100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 50% circumference. Points = 4 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95% circumference. Points = 4 100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference, . Points = 3 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference. Points = 3 If buffer does not meet any of the criteria above No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95% circumference. Light to moderate grazing, or lawns are OK. Points = 2 No paved areas or buildings within 50m of wetland for >50% circumference. Light to moderate grazing, or lawns are OK. Points = 2	2
Heavy grazing in buffer. Points = 1	
Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled	
fields, paving, basalt bedrock extend to edge of wetland $\mathbf{Points} = 0$.	
Buffer does not meet any of the criteria above. Points = 1	
Aerial photo showing buffers	
H 2.2 Corridors and Connections (see p. 81) H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor). YES = 4 points (go to H 2.3) NO = go to H 2.2.2 H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor (either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25 acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in the question above? YES = 2 points (go to H 2.3) NO = H 2.2.3 H 2.2.3 Is the wetland: within 5 mi (8km) of a brackish or salt water estuary OR within 1 mi of a lake greater than 20 acres? VES = 1 points	0
YES = 1 point $VO = 0 points$	

15

Total for page 2

H 2.3 Near or adjacent to other priority habitats listed by WDFW (see new and complete	
descriptions of WDFW priority habitats, and the counties in which they can be found, in	
the PHS report http://wdfw.wa.gov/hab/phslist.htm)	
Which of the following priority habitats are within 330ft (100m) of the wetland unit? NOTE: the	
<u>co</u> nnections do not have to be relatively undisturbed.	
Aspen Stands: Pure or mixed stands of aspen greater than 0.4 ha (1 acre).	
Biodiversity Areas and Corridors : Areas of habitat that are relatively important to various	
species of native fish and wildlife (full descriptions in WDFW PHS report p. 152).	
Herbaceous Balds: Variable size patches of grass and forbs on shallow soils over bedrock.	
Old-growth/Mature forests: (Old-growth west of Cascade crest) Stands of at least 2 tree	
species, forming a multi-layered canopy with occasional small openings; with at least 20	
trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age. (Mature forests) Stands	
with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less that 100%;	
crown cover may be less that 100%; decay, decadence, numbers of snags, and quantity of	
large downed material is generally less than that found in old-growth; 80 - 200 years old	
west of the Cascade crest.	
Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where	
canopy coverage of the oak component is important (full descriptions in WDFW PHS	
report p. 158).	
Riparian : The area adjacent to aquatic systems with flowing water that contains elements of	
both aquatic and terrestrial ecosystems which mutually influence each other.	
Westside Prairies: Herbaceous, non-forested plant communities that can either take the	
form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161).	
Instream: The combination of physical, biological, and chemical processes and conditions	
that interact to provide functional life history requirements for instream fish and wildlife	
resources.	
Nearshore: Relatively undisturbed nearshore habitats. These include Coastal Nearshore,	
Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the	
definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in	
<i>Appendix A).</i>	
Caves: A naturally occurring cavity, recess, void, or system of interconnected passages under	
the earth in soils, rock, ice, or other geological formations and is large enough to contain a	
human.	
Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft.	
Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft),	
composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine	
tailings. May be associated with cliffs.	
Snags and Logs: Trees are considered snags if they are dead or dying and exhibit sufficient	
decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a	
diameter at breast height of > 51 cm (20 in) in western Washington and are > 2 m (6.5 ft) in	
height. Priority logs are > 30 cm (12 in) in diameter at the largest end, and > 6 m (20 ft)	
long.	3
If wetland has 3 or more priority habitats = 4 points	
If wetland has 2 priority habitats = 3 points	
If wetland has 1 priority habitat = 1 point No habitats = 0 points	
Note: All vegetated wetlands are by definition a priority habitat but are not included in this	
list. Nearby wetlands are addressed in question H 2.4)	

H 2.4 Wetland Landscape (choose the one description of the landscape around the wetland that best fits) (see p. 84) There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development. points = 5 The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile points = 5 ✓ There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3 The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile points = 3 There is at least 1 wetland within ½ mile. points = 2 There are no wetlands within ½ mile. points = 0	3
H 2 . TOTAL Score - opportunity for providing habitat <i>Add the scores from H2.1,H2.2, H2.3, H2.4</i>	8
TOTAL for H 1 from page 14	1
Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1	9

CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS

Please determine if the wetland meets the attributes described below and circle the appropriate answers and Category.

Wetland Type	Category	
Check off any criteria that apply to the wetland. Circle the Category when the		
appropriate criteria are met.		
SC 1.0 Estuarine wetlands (see p. 86)		
Does the wetland unit meet the following criteria for Estuarine wetlands?		
The dominant water regime is tidal,		
Vegetated, and		
With a salinity greater than 0.5 ppt. YES = Go to SC 1.1 NO =Go to SC 2.0		
SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-30-151?	Cat. I	
SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the	Cat. I	
following three conditions? \(\subseteq YES = \text{Category I} \subseteq NO = \text{Category II} \)		
The wetland is relatively undisturbed (has no diking, ditching, filling,		
cultivation, grazing, and has less than 10% cover of non-native plant		
species. If the non-native <i>Spartina</i> spp. are the only species that cover		
more than 10% of the wetland, then the wetland should be given a dual rating (I/II). The area of Spartina would be rated a Category II while the		
relatively undisturbed upper marsh with native species would be a		
Category I. Do not, however, exclude the area of Spartina in		
determining the size threshold of 1 acre.		
At least ¾ of the landward edge of the wetland has a 100 ft buffer of		
shrub, forest, or un-grazed or un-mowed grassland.		
The wetland has at least 2 of the following features: tidal channels,		
depressions with open water, or contiguous freshwater wetlands.		

SC 2.0 Natural Heritage Wetlands (see p. 87) Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species. SC 2.1 Is the wetland unit being rated in a Section/Township/Range that contains a Natural Heritage wetland? (this question is used to screen out most sites before you need to contact WNHP/DNR) S/T/R information from Appendix D v or accessed from WNHP/DNR web site	□Cat. I
YES contact WNHP/DNR (see p. 79) and go to SC 2.2 NO SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as	
or as a site with state threatened or endangered plant species? YES = Category I NO not a Heritage Wetland	
SC 3.0 Bogs (see p. 87) Does the wetland unit (or any part of the unit) meet both the criteria for soils and vegetation in bogs? Use the key below to identify if the wetland is a bog. If you answer yes you will still need to rate the wetland based on its functions.	
1. Does the unit have organic soil horizons (i.e. layers of organic soil), either peats or mucks, that compose 16 inches or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils)? Yes - go to Q. 3 No - go to Q. 2	
2. Does the unit have organic soils, either peats or mucks that are less than 16 inches deep over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on a lake or pond?	
Yes - go to Q. 3 •• No - Is not a bog for purpose of rating	
3. Does the unit have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the "bog" species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists of species in Table 3)?	
Yes – Is a bog for purpose of rating No - go to Q. 4	
NOTE: If you are uncertain about the extent of mosses in the understory you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16" deep. If the pH is less than 5.0 and the "bog" plant species in Table 3 are present, the wetland is a bog.	
1. Is the unit forested (> 30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann's spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (> 30% coverage of the total shrub/herbaceous cover)?	
2. YES = Category I No. Is not a bog for purpose of rating	□Cat. I

19

SC 4.0 Forested Wetlands (see p. 90) Does the wetland unit have at least 1 acre of forest that meet one of these criteria for the Department of Fish and Wildlife's forests as priority habitats? If you answer yes you will still need to rate the wetland based on its functions. Old-growth forests: (west of Cascade crest) Stands of at least two tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/acre (20 trees/hectare) that are at least 200 years of age OR have a diameter at breast height (dbh) of 32 inches (81 cm) or more. NOTE: The criterion for dbh is based on measurements for upland forests. Two-hundred year old trees in wetlands will often have a smaller dbh because their growth rates are often slower. The DFW criterion is and "OR" so old-growth forests do not necessarily have to have trees of this diameter.	
Mature forests: (west of the Cascade Crest) Stands where the largest trees are 80 – 200 years old OR have average diameters (dbh) exceeding 21 inches (53cm); crown cover may be less that 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth.	
YES = Category I NO not a forested wetland with special characteristics	Cat. I
SC 5.0 Wetlands in Coastal Lagoons (see p. 91)	
Does the wetland meet all of the following criteria of a wetland in a coastal lagoon? The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks The lagoon in which the wetland is located contains surface water that is saline or brackish (> 0.5 ppt) during most of the year in at least a portion of the lagoon (needs to be measured near the bottom) YES = Go to SC 5.1 NO very not a wetland in a coastal lagoon	
SC 5.1 Does the wetland meets all of the following three conditions? The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less than 20% cover of invasive plant species (see list of invasive species on p. 74). At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed grassland. The wetland is larger than 1/10 acre (4350 square feet)	☐ Cat. I
YES = Category I NO = Category II	Cat. II

SC 6.0 Interdunal Wetlands (see p. 93)	
Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland	
Ownership or WBUO)?	
YES - go to SC 6.1 NO ✓ not an interdunal wetland for rating	
If you answer yes you will still need to rate the wetland based on its	
functions.	
In practical terms that means the following geographic areas:	
Long Beach Peninsula- lands west of SR 103	
Grayland-Westport- lands west of SR 105	
Ocean Shores-Copalis- lands west of SR 115 and SR 109	
SC 6.1 Is the wetland one acre or larger, or is it in a mosaic of wetlands that is	
once acre or larger?	
	Cat. II
SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is	
between 0.1 and 1 acre?	
TYES = Category III	Cat. III
Category of wetland based on Special Characteristics	Cat. I
Choose the "highest" rating if wetland falls into several categories, and record on	Cat. II
p. 1.	Cat. III
If you answered NO for all types enter "Not Applicable" on p.1	✓ N/A

WETLAND RATING FORM – WESTERN WASHINGTON

Version 2 - Updated July 2006 to increase accuracy and reproducibility among users Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Silverado	- Wetland B Da	te of site visit: <u>11/19</u> /14	
Rated by MK	Trained by Ecology? Yes ✓ N	o ☐ Date of training 04/13	
SEC: <u>29</u> TWNSHP: <u>24</u> RNGE: <u>06E</u>	Is S/T/R in Appendix D? Yes_] No.☑	
Map of wetland unit:	Figure Estimated size	• <u>~1 acre</u>	
SUM	MARY OF RATING		
Category based on FUNCTIONS	provided by wetland		
I II III V IV			
Category I = Score >=70	Score for Water Quality F	Sunctions 14	
Category II = Score 51-69	Score for Hydrologic F	Functions 10	
Category III = Score 30-50	Score for Habitat F	Functions 17	
Category IV = Score < 30	TOTAL score for F	unctions 41	
Category based on SPECIAL CH	HARACTERISTICS of wetl	and	
I II Does not App			
	oose the "highest" category from	above)	

Summary of basic information about the wetland unit

Wetland Unit has Special		Wetland HGM Class	
Characteristics		used for Rating	
Estuarine		Depressional	'
Natural Heritage Wetland		Riverine	
Bog		Lake-fringe	
Mature Forest		Slope	
Old Growth Forest		Flats	
Coastal Lagoon		Freshwater Tidal	
Interdunal			
None of the above	'	Check if unit has multiple HGM classes present	/

1

Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)? For the purposes of this rating system, "documented" means the wetland is on the appropriate state or federal database.		~
SP2. Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species? For the purposes of this rating system, "documented" means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		~
SP3. Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?		•
SP4. Does the wetland unit have a local significance in addition to its functions? For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		~

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. This simplifies the questions needed to answer how well the wetland functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Wetland Units in Western Washington

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

Are the water levels in the entire unit usually controlled by tides (i.e. except during floods)? $ V = V $
If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts pe thousand)? YES – Freshwater Tidal Fringe NO – Saltwater Tidal Fringe (Estuarine)
If your wetland can be classified as a Freshwater Tidal Fringe use the forms for Riverine wetlands. If it is Saltwater Tidal Fringe it is rated as an Estuarine wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term "Estuarine" wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).
2. The entire wetland unit is flat and precipitation is the only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit. NO – go to 3 YES – The wetland class is Flats
If your wetland can be classified as a "Flats" wetland, use the form for Depressional wetlands.
2. Does the entire wetland unit meet both of the following criteria? The vegetated part of the wetland is on the shores of a body of permanent open water (without any vegetation on the surface) at least 20 acres (8 ha) in size; At least 30% of the open water area is deeper than 6.6 ft (2 m)? VO - go to 4 YES - The wetland class is Lake-fringe (Lacustrine Fringe)
 4. Does the entire wetland unit meet all of the following criteria? The wetland is on a slope (slope can be very gradual), The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
The water leaves the wetland without being impounded? NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than 1 foot deep). NO - go to 5 YES - The wetland class is Slope

5. Does the entire wetland unit meet all of the following criteria?
The unit is in a valley, or stream channel, where it gets inundated by overbank
flooding from that stream or river
The overbank flooding occurs at least once every two years.
NOTE: The riverine unit can contain depressions that are filled with water when the river is
not flooding.
NO - go to 6 YES – The wetland class is Riverine
6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. This means that any outlet, if present, is higher than the interior of the wetland.
\square NO – go to 7 \bigvee YES – The wetland class is Depressional
7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.
NO – go to 8 YES – The wetland class is Depressional

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM clases. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM Classes within the wetland unit being rated	HGM Class to Use in Ratio	ng
Slope + Riverine	Riverine	
Slope + Depressional	Depressional	'
Slope + Lake-fringe	Lake-fringe	
Depressional + Riverine along stream within boundary	Depressional	
Depressional + Lake-fringe	Depressional	
Salt Water Tidal Fringe and any other class of freshwater	Treat as ESTUARINE und	ler
wetland	wetlands with special	
	characteristics	

If you are unable still to determine which of the above criteria apply to your wetland, or if you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

D	Depressional and Flats Wetlands WATER QUALITY FUNCTIONS - Indicators that the wetland unit functions to improve water quality	Points (only 1 score per box)	
D	D 1. Does the wetland unit have the <u>potential</u> to improve water quality?	(see p.38)	
D	D 1.1 Characteristics of surface water flows out of the wetland: Unit is a depression with no surface water leaving it (no outlet) Unit has an intermittently flowing, OR highly constricted permanently flowing outlet points = 2 Unit has an unconstricted, or slightly constricted, surface outlet (permanently flowing) points = 1 Unit is a "flat" depression (Q. 7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet and/or outlet is a man-made ditch points = 1 (If ditch is not permanently flowing treat unit as "intermittently flowing") Provide photo or drawing	Figure	
D	S 1.2 The soil 2 inches below the surface (or duff layer) is clay or organic (use NRCS definitions) YES NO points = 4 points = 0	0	
D	D 1.3 Characteristics of persistent vegetation (emergent, shrub, and/or forest Cowardin class) Wetland has persistent, ungrazed, vegetation > = 95% of area points = 5 Wetland has persistent, ungrazed, vegetation > = 1/2 of area points = 3 Wetland has persistent, ungrazed vegetation > = 1/10 of area points = 1 Wetland has persistent, ungrazed vegetation <1/10 of area points = 0 Map of Cowardin vegetation classes	5	
D	D1.4 Characteristics of seasonal ponding or inundation. This is the area of the wetland unit that is ponded for at least 2 months, but dries out		
	Area seasonally ponded is $> \frac{1}{2}$ total area of wetland Area seasonally ponded is $> \frac{1}{4}$ total area of wetland Area seasonally ponded is $< \frac{1}{4}$ total area of wetland Points = 2 Points = 0 Map of Hydroperiods	0	
D	Total for D 1 Add the points in the boxes above	7	
D	Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland. Note which of the following conditions provide the sources of pollutants. A unit may have pollutants coming from several sources, but any single source would qualify as opportunity. Grazing in the wetland or within 150 ft Untreated stormwater discharges to wetland Tilled fields or orchards within 150 ft of wetland A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging Residential, urban areas, golf courses are within 150 ft of wetland Wetland is fed by groundwater high in phosphorus or nitrogen Other VYES multiplier is 2 NO multiplier is 1 TOTAL - Water Quality Functions Multiply the score from D1 by D2	multiplier	
D	Add score to table on p. 1	14	

D	Depressional and Flats Wetlands HYDROLOGIC FUNCTIONS - Indicators that the wetland unit functions to reduce flooding and stream degradation	Points (only 1 score per box)
	D 3. Does the wetland unit have the <u>potential</u> to reduce flooding and erosion?	(see p.46)
D	D 3.1 Characteristics of surface water flows out of the wetland unit Unit is a depression with no surface water leaving it (no outlet) Points = 4 Unit has an intermittently flowing, OR highly constricted permanently flowing outlet points = 2 Unit is a "flat" depression (Q. 7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet and/or outlet is a man-made ditch Points = 1 (If ditch is not permanently flowing treat unit as "intermittently flowing") Unit has an unconstricted, or slightly constricted, surface outlet (permanently flowing) points = 0	2
D	D 3.2 Depth of storage during wet periods Estimate the height of ponding above the bottom of the outlet. For units with no outlet measure from the surface of permanent water or deepest part (if dry). Marks of ponding are 3 ft or more above the surface or bottom of outlet points = 7 The wetland is a "headwater" wetland" points = 5 Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet points = 5 Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet points = 3 Unit is flat (yes to Q. 2 or Q. 7 on key) but has small depressions on the surface that trap water points = 1 ✓ Marks of ponding less than 0.5 ft points = 0	0
D	D 3.3 Contribution of wetland unit to storage in the watershed Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself. The area of the basin is less than 10 times the area of unit points = 5 The area of the basin is 10 to 100 times the area of the unit points = 3 The area of the basin is more than 100 times the area of the unit points = 0 Entire unit is in the FLATS class points = 5	3
D	Total for D 3 Add the points in the boxes above	5
D	Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Answer NO if the water coming into the wetland is controlled by a structure such as flood gate, tide gate, flap valve, reservoir etc. OR you estimate that more than 90% of the water in the wetland is from groundwater in areas where damaging groundwater flooding does not occur. **Note which of the following indicators of opportunity apply.** Wetland is in a headwater of a river or stream that has flooding problems Wetland drains to a river or stream that has flooding problems Other Other	(see p. 49) multiplier
D	✓ YES multiplier is 2 NO multiplier is 1 TOTAL - Hydrologic Functions Multiply the score from D 3 by D 4	
D	Add score to table on p. 1	10

These questions apply to wetlands of all HGM classes. HABITAT FUNCTIONS - Indicators that unit functions to provide important habitat	Points (only 1 score per box)
H 1. Does the wetland unit have the <u>potential</u> to provide habitat for many species?	
Check the types of vegetation classes present (as defined by Cowardin)- Size threshold for each class is ¼ acre or more than 10% of the area if unit is smaller than 2.5 acres. Aquatic bed Emergent plants Scrub/shrub (areas where shrubs have >30% cover)	Figure
Forested (areas where trees have >30% cover) If the unit has a forested class check if: The forested class has 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon Add the number of vegetation structures that qualify. If you have:	2
Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods) Permanently flooded or inundated Seasonally flooded or inundated Occasionally flooded or inundated Saturated only Permanently flowing stream or river in, or adjacent to, the wetland Lake-fringe wetland = 2 points	Figure
Freshwater tidal wetland = 2 points Map of hydroperiods H 1.3. Richness of Plant Species (see p. 75) Count the number of plant species in the wetland that cover at least 10 ft². (different patches of the same species can be combined to meet the size threshold) You do not have to name the species. Do not include Eurasian Milfoil, reed canarygrass, purple loosestrife, Canadian Thistle If you counted: > 19 species points = 2 List species below if you want to:	1

H 1.4. Interspersion of habitats (see p. 76)	Figure
Decide from the diagrams below whether interspersion between Cowardin vegetation	
classes (described in H 1.1), or the classes and unvegetated areas (can include open water or	
mudflats) is high, medium, low, or none.	
None = 0 points $Low = 1$ point $Moderate = 2$ points	
	2
Tiparian braided channels High = 3 points NOTE: If you have four or more classes or three vegetation classes and open water the rating is always "high". Use map of Cowardin vegetation classes	
H 1.5. Special Habitat Features: (see p. 77)	
Check the habitat features that are present in the wetland. The number of checks is the	
number of points you put into the next column. Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long).	
Standing snags (diameter at the bottom > 4 inches) in the wetland	
Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at	
least 3.3 ft (1m) over a stream (or ditch) in, or contiguous with the unit, for at least 33 ft	
(10m)	2
Stable steep banks of fine material that might be used by beaver or muskrat for denning	
(>30degree slope) OR signs of recent beaver activity are present (cut shrubs or trees that	
have not yet turned grey/brown) At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas	
that are permanently or seasonally inundated.(structures for egg-laying by amphibians)	
Invasive plants cover less than 25% of the wetland area in each stratum of plants	
NOTE: The 20% stated in early printings of the manual on page 78 is an error.	
H 1. TOTAL Score - potential for providing habitat	9
Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5	, y

Comments

H 2. Does the wetland unit have the opportunity to provide habitat for many species?	
H 2.1 Buffers (see p. 80)	Figure
Choose the description that best represents condition of buffer of wetland unit. The highest scoring	
criterion that applies to the wetland is to be used in the rating. See text for definition of	
"undisturbed."	
100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95%	
of circumference. No structures are within the undisturbed part of buffer. (relatively	
undisturbed also means no-grazing, no landscaping, no daily human use) Points = 5	
100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water >	
50% circumference. Points = 4	
50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95%	
circumference. Points = 4	
100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25%	1
circumference, . Points = 3	
50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference. Points = 3	
If buffer does not meet any of the criteria above	
No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95%	
circumference. Light to moderate grazing, or lawns are OK. Points = 2	
No paved areas or buildings within 50m of wetland for >50% circumference.	
Light to moderate grazing, or lawns are OK. Points = 2	
Heavy grazing in buffer. Points = 1	
Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled	
fields, paving, basalt bedrock extend to edge of wetland $\mathbf{Points} = 0$.	
Buffer does not meet any of the criteria above. Points = 1	
Aerial photo showing buffers	
H 2.2 Corridors and Connections (see p. 81)	
H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor	
(either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest	
or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed	
uplands that are at least 250 acres in size? (dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor).	
YES = 4 points (go to H 2.3) NO = go to H 2.2.2	
H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor	
(either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or	0
forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25	
acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in	
the question above?	
YES = 2 points (go to H 2.3) $NO = H 2.2.3$	
H 2.2.3 Is the wetland:	
within 5 mi (8km) of a brackish or salt water estuary OR	
within 3 mi of a large field or pasture (>40 acres) OR	
within 1 mi of a lake greater than 20 acres?	
YES = 1 point $VO = 0 points$	

15

Total for page 1

H 2.3 Near or adjacent to other priority habitats listed by WDFW (see new and complete	
descriptions of WDFW priority habitats, and the counties in which they can be found, in	
the PHS report http://wdfw.wa.gov/hab/phslist.htm)	
Which of the following priority habitats are within 330ft (100m) of the wetland unit? NOTE: the	
<u>co</u> nnections do not have to be relatively undisturbed.	
Aspen Stands: Pure or mixed stands of aspen greater than 0.4 ha (1 acre).	
Biodiversity Areas and Corridors : Areas of habitat that are relatively important to various	
species of native fish and wildlife (full descriptions in WDFW PHS report p. 152).	
Herbaceous Balds: Variable size patches of grass and forbs on shallow soils over bedrock.	
Old-growth/Mature forests: (Old-growth west of Cascade crest) Stands of at least 2 tree	
species, forming a multi-layered canopy with occasional small openings; with at least 20	
trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age. (Mature forests) Stands	
with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less that 100%;	
crown cover may be less that 100%; decay, decadence, numbers of snags, and quantity of	
large downed material is generally less than that found in old-growth; 80 - 200 years old	
west of the Cascade crest.	
Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where	
canopy coverage of the oak component is important (full descriptions in WDFW PHS	
report p. 158).	
Riparian : The area adjacent to aquatic systems with flowing water that contains elements of	
both aquatic and terrestrial ecosystems which mutually influence each other.	
Westside Prairies: Herbaceous, non-forested plant communities that can either take the	
form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161).	
Instream: The combination of physical, biological, and chemical processes and conditions	
that interact to provide functional life history requirements for instream fish and wildlife	
resources.	
Nearshore: Relatively undisturbed nearshore habitats. These include Coastal Nearshore,	
Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the	
definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in	
Appendix A).	
Caves: A naturally occurring cavity, recess, void, or system of interconnected passages under	
the earth in soils, rock, ice, or other geological formations and is large enough to contain a	
human.	
Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft.	
Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft),	
composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine	
tailings. May be associated with cliffs.	
Snags and Logs: Trees are considered snags if they are dead or dying and exhibit sufficient	
decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a	
diameter at breast height of > 51 cm (20 in) in western Washington and are > 2 m (6.5 ft) in	
height. Priority logs are > 30 cm (12 in) in diameter at the largest end, and > 6 m (20 ft)	
long.	4
If wetland has 3 or more priority habitats = 4 points	
If wetland has 2 priority habitats = 3 points	
If wetland has 1 priority habitat = 1 point No habitats = 0 points	
Note: All vegetated wetlands are by definition a priority habitat but are not included in this	
list. Nearby wetlands are addressed in question H 2.4)	

H 2.4 Wetland Landscape (choose the one description of the landscape around the wetland that best fits) (see p. 84) There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development. points = 5 The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile points = 5 ✓ There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3 The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile points = 3 There is at least 1 wetland within ½ mile. points = 2 There are no wetlands within ½ mile. points = 0	3
H 2 . TOTAL Score - opportunity for providing habitat <i>Add the scores from H2.1,H2.2, H2.3, H2.4</i>	8
TOTAL for H 1 from page 14	9
Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1	17

CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS

Please determine if the wetland meets the attributes described below and circle the appropriate answers and Category.

Wetland Type	Category
Check off any criteria that apply to the wetland. Circle the Category when the	
appropriate criteria are met.	
SC 1.0 Estuarine wetlands (see p. 86)	
Does the wetland unit meet the following criteria for Estuarine wetlands?	
The dominant water regime is tidal,	
Vegetated, and	
With a salinity greater than 0.5 ppt.	
VES = Go to SC 1.1 NO Go to SC 2.0	
SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational,	Cat. I
Environmental, or Scientific Reserve designated under WAC 332-30-151?	
SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the	
following three conditions? \square YES = Category I \square NO = Category II	☐ Cat. I
The wetland is relatively undisturbed (has no diking, ditching, filling,	☐Cat. II
cultivation, grazing, and has less than 10% cover of non-native plant	
species. If the non-native <i>Spartina</i> spp. are the only species that cover	
more than 10% of the wetland, then the wetland should be given a dual	□ Dual
rating (I/II). The area of Spartina would be rated a Category II while the	rating
relatively undisturbed upper marsh with native species would be a	I/II
Category I. Do not, however, exclude the area of Spartina in determining the size threshold of 1 acre.	
At least ¾ of the landward edge of the wetland has a 100 ft buffer of	
shrub, forest, or un-grazed or un-mowed grassland.	
The wetland has at least 2 of the following features: tidal channels,	
depressions with open water, or contiguous freshwater wetlands.	
1	

SC 2.0 Natural Heritage Wetlands (see p. 87) Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species. SC 2.1 Is the wetland unit being rated in a Section/Township/Range that contains a Natural Heritage wetland? (this question is used to screen out most sites before you need to contact WNHP/DNR) S/T/R information from Appendix D v or accessed from WNHP/DNR web site YES contact WNHP/DNR (see p. 79) and go to SC 2.2 NO v	□Cat. I
SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species? [YES = Category I NO vertical No vertic	
SC 3.0 Bogs (see p. 87) Does the wetland unit (or any part of the unit) meet both the criteria for soils and vegetation in bogs? Use the key below to identify if the wetland is a bog. If you answer yes you will still need to rate the wetland based on its functions.	
1. Does the unit have organic soil horizons (i.e. layers of organic soil), either peats or mucks, that compose 16 inches or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils)? Yes - go to Q. 3 No - go to Q. 2	
2. Does the unit have organic soils, either peats or mucks that are less than 16 inches deep over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on a lake or pond?	
Yes - go to Q. 3 •• No - Is not a bog for purpose of rating	
3. Does the unit have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the "bog" species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists of species in Table 3)?	
☐ Yes – Is a bog for purpose of rating ☐ No - go to Q. 4	
NOTE: If you are uncertain about the extent of mosses in the understory you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16" deep. If the pH is less than 5.0 and the "bog" plant species in Table 3 are present, the wetland is a bog.	
1. Is the unit forested (> 30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann's spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (> 30% coverage of the total shrub/herbaceous cover)?	
2. YES = Category I No Is not a bog for purpose of rating	□Cat. I

SC 4.0 Forested Wetlands (see p. 90) Does the wetland unit have at least 1 acre of forest that meet one of these criteria for the Department of Fish and Wildlife's forests as priority habitats? If you answer yes you will still need to rate the wetland based on its functions. Old-growth forests: (west of Cascade crest) Stands of at least two tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/acre (20 trees/hectare) that are at least 200 years of age OR have a diameter at breast height (dbh) of 32 inches (81 cm) or more. NOTE: The criterion for dbh is based on measurements for upland forests. Two-hundred year old trees in wetlands will often have a smaller dbh because their growth rates are often slower. The DFW criterion is and "OR" so old-growth forests do not necessarily have to have trees of this diameter.				
Mature forests: (west of the Cascade Crest) Stands where the largest trees are 80 – 200 years old OR have average diameters (dbh) exceeding 21 inches (53cm); crown cover may be less that 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth.	Cat. I			
YES = Category I NO not a forested wetland with special characteristics				
SC 5.0 Wetlands in Coastal Lagoons (see p. 91)				
Does the wetland meet all of the following criteria of a wetland in a coastal lagoon? The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks The lagoon in which the wetland is located contains surface water that is saline or brackish (> 0.5 ppt) during most of the year in at least a portion of the lagoon (needs to be measured near the bottom) YES = Go to SC 5.1 NO very not a wetland in a coastal lagoon				
SC 5.1 Does the wetland meets all of the following three conditions? The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less than 20% cover of invasive plant species (see list of invasive species on p. 74). At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed grassland. The wetland is larger than 1/10 acre (4350 square feet)	☐ Cat. I			
YES = Category I NO = Category II	Cat. II			

SC 6.0 Interdunal Wetlands (see p. 93)	
Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland	
Ownership or WBUO)?	
■ YES - go to SC 6.1 NO not an interdunal wetland for rating	
If you answer yes you will still need to rate the wetland based on its	
functions.	
In practical terms that means the following geographic areas:	
Long Beach Peninsula- lands west of SR 103	
Grayland-Westport- lands west of SR 105	
Ocean Shores-Copalis- lands west of SR 115 and SR 109	
SC 6.1 Is the wetland one acre or larger, or is it in a mosaic of wetlands that is	
once acre or larger?	
	Cat. II
SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is	
between 0.1 and 1 acre?	
☐YES = Category III	Cat. III
Category of wetland based on Special Characteristics	Cat. I
Choose the "highest" rating if wetland falls into several categories, and record on	Cat. II
p. 1.	Cat. III
If you answered NO for all types enter "Not Applicable" on p.1	✓ N/A

WETLAND RATING FORM – WESTERN WASHINGTON

Version 2 - Updated July 2006 to increase accuracy and reproducibility among users Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Silverade	o - Wetland C Date of site	visit: <u>11/19</u> /14
Rated by MK	Trained by Ecology? Yes☑No.□_ Da	te of training 04/13
SEC: <u>29</u> TWNSHP: <u>24</u> RNGE: <u>06E</u>	_ Is S/T/R in Appendix D? Yes No_✓	L
Map of wetland unit	: Figure Estimated size3,200	square feet
SUN	MARY OF RATING	
Category based on FUNCTION	S provided by wetland	
I II III IV	•	
Category I = Score >=70	Score for Water Quality Functions	10
Category II = Score 51-69	Score for Hydrologic Functions	10
Category III = Score 30-50	Score for Habitat Functions	18
Category IV = Score < 30	TOTAL score for Functions	38
Category based on SPECIAL C	HARACTERISTICS of wetland	
I II Does not Ap		
Final Category (ch	noose the "highest" category from above)	III

Summary of basic information about the wetland unit

Wetland Unit has Special		Wetland HGM Class	
Characteristics		used for Rating	
Estuarine		Depressional	'
Natural Heritage Wetland		Riverine	
Bog		Lake-fringe	
Mature Forest		Slope	
Old Growth Forest		Flats	
Coastal Lagoon		Freshwater Tidal	
Interdunal			
None of the above	/	Check if unit has multiple HGM classes present	/

1

Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)? For the purposes of this rating system, "documented" means the wetland is on the appropriate state or federal database.		~
SP2. Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species? For the purposes of this rating system, "documented" means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		~
SP3. Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?		•
SP4. Does the wetland unit have a local significance in addition to its functions? For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		~

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. This simplifies the questions needed to answer how well the wetland functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Wetland Units in Western Washington

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

1. Are the water levels in the entire unit usually controlled by tides (i.e. except during floods)? ✓ NO – go to 2 ✓ YES – the wetland class is Tidal Fringe
If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? YES – Freshwater Tidal Fringe NO – Saltwater Tidal Fringe (Estuarine)
If your wetland can be classified as a Freshwater Tidal Fringe use the forms for Riverine wetlands. If it is Saltwater Tidal Fringe it is rated as an Estuarine wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term "Estuarine" wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).
2. The entire wetland unit is flat and precipitation is the only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit. NO – go to 3 YES – The wetland class is Flats
If your wetland can be classified as a "Flats" wetland, use the form for Depressional wetlands.
3. Does the entire wetland unit meet both of the following criteria? The vegetated part of the wetland is on the shores of a body of permanent open water (without any vegetation on the surface) at least 20 acres (8 ha) in size; At least 30% of the open water area is deeper than 6.6 ft (2 m)? VNO – go to 4 YES – The wetland class is Lake-fringe (Lacustrine Fringe)
4. Does the entire wetland unit meet all of the following criteria? The wetland is on a slope (<i>slope can be very gradual</i>), The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
The water leaves the wetland without being impounded? NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than 1 foot deep). NO - go to 5 YES – The wetland class is Slope

5. Does the entire wetland unit meet all of the following criteria?
The unit is in a valley, or stream channel, where it gets inundated by overbank
flooding from that stream or river
The overbank flooding occurs at least once every two years.
NOTE: The riverine unit can contain depressions that are filled with water when the river is
not flooding.
NO - go to 6 YES – The wetland class is Riverine
6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. This means that any outlet, if present, is higher than the interior of the wetland.
\square NO – go to 7 \bigvee YES – The wetland class is Depressional
7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.
NO – go to 8 YES – The wetland class is Depressional

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM clases. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM Classes within the wetland unit being rated		HGM Class to Use in Ratio	ng
Slope + Riverine		Riverine	
Slope + Depressional		Depressional	
Slope + Lake-fringe		Lake-fringe	
Depressional + Riverine along stream within boundary		Depressional	~
Depressional + Lake-fringe		Depressional	
Salt Water Tidal Fringe and any other class of freshwater		Treat as ESTUARINE und	ler
wetland		wetlands with special	
		characteristics	

If you are unable still to determine which of the above criteria apply to your wetland, or if you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

D	Depressional and Flats Wetlands WATER QUALITY FUNCTIONS - Indicators that the wetland unit functions to	Points (only 1 score per box)			
D	improve water quality D 1. Does the wetland unit have the potential to improve water quality?	(see p.38)			
D	D 1.1 Characteristics of surface water flows out of the wetland: Unit is a depression with no surface water leaving it (no outlet) points = 3				
	Unit has an intermittently flowing, OR highly constricted permanently flowing outlet points = 2 Unit has an unconstricted, or slightly constricted, surface outlet (permanently flowing) points = 1 Unit is a "flat" depression (Q. 7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet and/or outlet is a man-made ditch points = 1 (If ditch is not permanently flowing treat unit as "intermittently flowing") Provide photo or drawing	2			
	S 1.2 The soil 2 inches below the surface (or duff layer) is clay or organic (use NRCS				
D	definitions)	0			
	D 1.3 Characteristics of persistent vegetation (emergent, shrub, and/or forest Cowardin class)	Figure			
D	Wetland has persistent, ungrazed, vegetation $> = 95\%$ of area points $= 5$ Wetland has persistent, ungrazed, vegetation $> = 1/2$ of area points $= 3$ Wetland has persistent, ungrazed vegetation $> = 1/10$ of area points $= 1$	3			
	Wetland has persistent, ungrazed vegetation <1/10 of area points = 0 Map of Cowardin vegetation classes D1.4 Characteristics of seasonal ponding or inundation.	Figure			
D	This is the area of the wetland unit that is ponded for at least 2 months, but dries out sometime during the year. Do not count the area that is permanently ponded. Estimate area as the average condition 5 out of 10 yrs. Area seasonally ponded is > ½ total area of wetland Area seasonally ponded is > ½ total area of wetland Area seasonally ponded is < ¼ total area of wetland Area seasonally ponded is < ¼ total area of wetland Map of Hydroperiods	0			
D	Total for D 1 Add the points in the boxes above	5			
D	D 2. Does the wetland unit have the opportunity to improve water quality? Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland. Note which of the following conditions provide the sources of pollutants. A unit may have pollutants coming from several sources, but any single source would qualify as opportunity. Grazing in the wetland or within 150 ft Untreated stormwater discharges to wetland Tilled fields or orchards within 150 ft of wetland A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging Residential, urban areas, golf courses are within 150 ft of wetland Wetland is fed by groundwater high in phosphorus or nitrogen Other				
D	YES multiplier is 2 NO multiplier is 1 TOTAL - Water Quality Functions Multiply the score from D1 by D2 Add score to table on p. 1	10			

D	Depressional and Flats Wetlands HYDROLOGIC FUNCTIONS - Indicators that the wetland unit functions to reduce flooding and stream degradation	Points (only 1 score per box)
	D 3. Does the wetland unit have the <u>potential</u> to reduce flooding and erosion?	(see p.46)
D	D 3.1 Characteristics of surface water flows out of the wetland unit Unit is a depression with no surface water leaving it (no outlet) Points = 4 Unit has an intermittently flowing, OR highly constricted permanently flowing outlet points = 2 Unit is a "flat" depression (Q. 7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet and/or outlet is a man-made ditch Points = 1 (If ditch is not permanently flowing treat unit as "intermittently flowing") Unit has an unconstricted, or slightly constricted, surface outlet (permanently flowing) points = 0	2
D	D 3.2 Depth of storage during wet periods Estimate the height of ponding above the bottom of the outlet. For units with no outlet measure from the surface of permanent water or deepest part (if dry). Marks of ponding are 3 ft or more above the surface or bottom of outlet points = 7 The wetland is a "headwater" wetland" points = 5 Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet points = 5 Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet points = 3 Unit is flat (yes to Q. 2 or Q. 7 on key) but has small depressions on the surface that trap water points = 1 ✓ Marks of ponding less than 0.5 ft points = 0	0
D	D 3.3 Contribution of wetland unit to storage in the watershed Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself. The area of the basin is less than 10 times the area of unit points = 5 The area of the basin is 10 to 100 times the area of the unit points = 3 The area of the basin is more than 100 times the area of the unit points = 0 Entire unit is in the FLATS class points = 5	3
D	Total for D 3 Add the points in the boxes above	5
D	Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Answer NO if the water coming into the wetland is controlled by a structure such as flood gate, tide gate, flap valve, reservoir etc. OR you estimate that more than 90% of the water in the wetland is from groundwater in areas where damaging groundwater flooding does not occur. **Note which of the following indicators of opportunity apply.** Wetland is in a headwater of a river or stream that has flooding problems Wetland drains to a river or stream that has flooding problems Other Other	(see p. 49) multiplier
D	✓ YES multiplier is 2 NO multiplier is 1 TOTAL - Hydrologic Functions Multiply the score from D 3 by D 4	
D	Add score to table on p. 1	10

These questions apply to wetlands of all HO HABITAT FUNCTIONS - Indicators that unit fund		nt habitat	Points (only 1 score per box)
H 1. Does the wetland unit have the <u>potential</u> to	provide habitat for man	y species?	
H 1.1 Vegetation structure (see p. 72) Check the types of vegetation classes present (as defined class is 1/4 acre or more than 10% of the area if unity and Aquatic bed Emergent plants Scrub/shrub (areas where shrubs have >30% conditions of the unit has a forested class check if:	it is smaller than 2.5 acres. % cover)	shold for each	Figure
The forested class has 3 out of 5 strata (ca moss/ground-cover) that each cover 20 Add the number of vegetation structures that qualify. Map of Cowardin vegetation classes	% within the forested polyg		
	1 structure	points = 0	
H 1.2. Hydroperiods (see p. 73) Check the types of water regimes (hydroperiods) regime has to cover more than 10% of the wetland descriptions of hydroperiods) Permanently flooded or inundated Seasonally flooded or inundated Cocasionally flooded or inundated Permanently flowing stream or river in, or a seasonally flowing stream in, or adjacent to Lake-fringe wetland = 2 points Freshwater tidal wetland = 2 points	4 or more types presen 2 types presen 1 type present djacent to, the wetland 4, the wetland	nt points = 3 t points = 2 t point = 1	Figure
H 1.3. Richness of Plant Species (see p. 75) Count the number of plant species in the wetland of the same species can be combined to meet the syou do not have to name the species. Do not include Eurasian Milfoil, reed canarys. If you counted: List species below if you want to:	that cover at least 10 ft ² . (disize threshold)	ifferent patches	1

H 1.4. Interspersion of habitats (see p. 76)	Figure		
Decide from the diagrams below whether interspersion between Cowardin vegetation			
classes (described in H 1.1), or the classes and unvegetated areas (can include open water or			
mudflats) is high, medium, low, or none.			
None = 0 points Low = 1 point Moderate = 2 points			
	1		
Tiparian braided channels High = 3 points NOTE: If you have four or more classes or three vegetation classes and open water the rating is always "high". Use map of Cowardin vegetation classes			
H 1.5. Special Habitat Features: (see p. 77)			
Check the habitat features that are present in the wetland. The number of checks is the			
number of points you put into the next column. Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long).			
Standing snags (diameter at the bottom > 4 inches) in the wetland			
Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream (or ditch) in, or contiguous with the unit, for at least 33 ft			
(10m)	2		
Stable steep banks of fine material that might be used by beaver or muskrat for denning			
(>30degree slope) OR signs of recent beaver activity are present (cut shrubs or trees that			
have not yet turned grey/brown) At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas			
that are permanently or seasonally inundated.(structures for egg-laying by amphibians)			
Invasive plants cover less than 25% of the wetland area in each stratum of plants			
NOTE: The 20% stated in early printings of the manual on page 78 is an error.			
H 1. TOTAL Score - potential for providing habitat			
Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5	8 L		

Comments

H 2. Does the wetland unit have the opportunity to provide habitat for many species?			
H 2.1 Buffers (see p. 80)	Figure		
Choose the description that best represents condition of buffer of wetland unit. The highest scoring			
criterion that applies to the wetland is to be used in the rating. See text for definition of			
"un <u>dist</u> urbed."			
100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95%			
of circumference. No structures are within the undisturbed part of buffer. (relatively			
undisturbed also means no-grazing, no landscaping, no daily human use) Points = 5			
100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water >			
50% circumference. Points = 4			
50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95%			
circumference. Points = 4			
100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference. Points = 3	3		
circumference, . Points = 3 50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for >			
50% circumference. Points = 3			
If buffer does not meet any of the criteria above			
No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95%			
circumference. Light to moderate grazing, or lawns are OK. Points = 2			
No paved areas or buildings within 50m of wetland for >50% circumference.			
Light to moderate grazing, or lawns are OK. Points = 2			
Heavy grazing in buffer. Points = 1			
Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled			
fields, paving, basalt bedrock extend to edge of wetland $\mathbf{Points} = 0$.			
Buffer does not meet any of the criteria above. Points = 1			
Aerial photo showing buffers			
H 2.2 Corridors and Connections (see p. 81)			
H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor			
(either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest			
or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed uplands that are at least 250 acres in size? (dams in riparian corridors, heavily used gravel			
roads, paved roads, are considered breaks in the corridor).			
YES = 4 points (go to $H 2.3$) NO = go to $H 2.2.2$			
H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor			
(either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or	0		
forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25			
acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in			
the question above?			
YES = 2 points (go to H 2.3) $NO = H 2.2.3$			
H 2.2.3 Is the wetland:			
within 5 mi (8km) of a brackish or salt water estuary OR			
within 3 mi of a large field or pasture (>40 acres) OR			
within 1 mi of a lake greater than 20 acres? YES = 1 point NO = 0 points			

15

Total for page 3

H 2.3 Near or adjacent to other priority habitats listed by WDFW (see new and complete	
descriptions of WDFW priority habitats, and the counties in which they can be found, in	
the PHS report http://wdfw.wa.gov/hab/phslist.htm)	
Which of the following priority habitats are within 330ft (100m) of the wetland unit? <i>NOTE: the</i>	
connections do not have to be relatively undisturbed.	
Aspen Stands: Pure or mixed stands of aspen greater than 0.4 ha (1 acre).	
Biodiversity Areas and Corridors: Areas of habitat that are relatively important to various	
species of native fish and wildlife (full descriptions in WDFW PHS report p. 152).	
Herbaceous Balds: Variable size patches of grass and forbs on shallow soils over bedrock.	
Old-growth/Mature forests: (Old-growth west of Cascade crest) Stands of at least 2 tree	
species, forming a multi-layered canopy with occasional small openings; with at least 20	
trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age. (Mature forests) Stands	
with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less that 100%;	
crown cover may be less that 100%; decay, decadence, numbers of snags, and quantity of	
large downed material is generally less than that found in old-growth; 80 - 200 years old	
west of the Cascade crest.	
Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where	
canopy coverage of the oak component is important (full descriptions in WDFW PHS	
report p. 158).	
Riparian : The area adjacent to aquatic systems with flowing water that contains elements of	
both aquatic and terrestrial ecosystems which mutually influence each other.	
Westside Prairies: Herbaceous, non-forested plant communities that can either take the	
form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161).	
Instream: The combination of physical, biological, and chemical processes and conditions	
that interact to provide functional life history requirements for instream fish and wildlife	
resources.	
Nearshore: Relatively undisturbed nearshore habitats. These include Coastal Nearshore,	
Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the	
definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in	
Appendix A).	
Caves: A naturally occurring cavity, recess, void, or system of interconnected passages under	
the earth in soils, rock, ice, or other geological formations and is large enough to contain a	
human.	
Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft.	
Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft),	
composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine	
tailings. May be associated with cliffs.	
Snags and Logs: Trees are considered snags if they are dead or dying and exhibit sufficient	
decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a	
diameter at breast height of > 51 cm (20 in) in western Washington and are > 2 m (6.5 ft) in	
height. Priority logs are > 30 cm (12 in) in diameter at the largest end, and > 6 m (20 ft)	
long.	4
If wetland has 3 or more priority habitats = 4 points	
If wetland has 2 priority habitats = 3 points	
If wetland has 1 priority habitat = 1 point No habitats = 0 points	
Note: All vegetated wetlands are by definition a priority habitat but are not included in this	
list. Nearby wetlands are addressed in question H 2.4)	

H 2.4 Wetland Landscape (choose the one description of the landscape around the wetland that best fits) (see p. 84) There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development. points = 5 The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile points = 5 ▼ There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3 The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile points = 3 There is at least 1 wetland within ½ mile. points = 2 There are no wetlands within ½ mile. points = 0	3
H 2 . TOTAL Score - opportunity for providing habitat <i>Add the scores from H2.1,H2.2, H2.3, H2.4</i>	10
TOTAL for H 1 from page 14	8
Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1	18

CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS

Please determine if the wetland meets the attributes described below and circle the appropriate answers and Category.

Wetland Type	Category
Check off any criteria that apply to the wetland. Circle the Category when the	
appropriate criteria are met.	
SC 1.0 Estuarine wetlands (see p. 86)	
Does the wetland unit meet the following criteria for Estuarine wetlands?	
The dominant water regime is tidal,	
Vegetated, and	
With a salinity greater than 0.5 ppt.	
VES = Go to SC 1.1 NO Go to SC 2.0	
SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park,	
National Estuary Reserve, Natural Area Preserve, State Park or Educational,	Cat. I
Environmental, or Scientific Reserve designated under WAC 332-30-151?	
SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the	
following three conditions? \square YES = Category I \square NO = Category II	_ Cat. I
The wetland is relatively undisturbed (has no diking, ditching, filling,	☐Cat. II
cultivation, grazing, and has less than 10% cover of non-native plant	
species. If the non-native <i>Spartina</i> spp. are the only species that cover	
more than 10% of the wetland, then the wetland should be given a dual	□ Dual
rating (I/II). The area of Spartina would be rated a Category II while the relatively undisturbed upper marsh with native species would be a	rating
Category I. Do not, however, exclude the area of Spartina in	I/II
determining the size threshold of 1 acre.	
At least ³ / ₄ of the landward edge of the wetland has a 100 ft buffer of	
shrub, forest, or un-grazed or un-mowed grassland.	
The wetland has at least 2 of the following features: tidal channels,	
depressions with open water, or contiguous freshwater wetlands.	

SC 2.0 Natural Heritage Wetlands (see p. 87) Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species. SC 2.1 Is the wetland unit being rated in a Section/Township/Range that contains a Natural Heritage wetland? (this question is used to screen out most sites before you need to contact WNHP/DNR) S/T/R information from Appendix D v or accessed from WNHP/DNR web site YES contact WNHP/DNR (see p. 79) and go to SC 2.2 NO v	□Cat. I
SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species? [YES = Category I NO vertical No vertic	
SC 3.0 Bogs (see p. 87) Does the wetland unit (or any part of the unit) meet both the criteria for soils and vegetation in bogs? Use the key below to identify if the wetland is a bog. If you answer yes you will still need to rate the wetland based on its functions.	
1. Does the unit have organic soil horizons (i.e. layers of organic soil), either peats or mucks, that compose 16 inches or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils)? Yes - go to Q. 3 No - go to Q. 2	
2. Does the unit have organic soils, either peats or mucks that are less than 16 inches deep over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on a lake or pond?	
Yes - go to Q. 3 •• No - Is not a bog for purpose of rating	
3. Does the unit have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the "bog" species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists of species in Table 3)?	
☐ Yes – Is a bog for purpose of rating ☐ No - go to Q. 4	
NOTE: If you are uncertain about the extent of mosses in the understory you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16" deep. If the pH is less than 5.0 and the "bog" plant species in Table 3 are present, the wetland is a bog.	
1. Is the unit forested (> 30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann's spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (> 30% coverage of the total shrub/herbaceous cover)?	
2. YES = Category I No Is not a bog for purpose of rating	□Cat. I

SC 4.0 Forested Wetlands (see p. 90) Does the wetland unit have at least 1 acre of forest that meet one of these criteria for the Department of Fish and Wildlife's forests as priority habitats? If you answer yes you will still need to rate the wetland based on its functions. Old-growth forests: (west of Cascade crest) Stands of at least two tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/acre (20 trees/hectare) that are at least 200 years of age OR have a diameter at breast height (dbh) of 32 inches (81 cm) or more. NOTE: The criterion for dbh is based on measurements for upland forests. Two-hundred year old trees in wetlands will often have a smaller dbh because their growth rates are often slower. The DFW criterion is and "OR" so old-growth forests do not necessarily have to have trees of this diameter.	
Mature forests: (west of the Cascade Crest) Stands where the largest trees are 80 – 200 years old OR have average diameters (dbh) exceeding 21 inches (53cm); crown cover may be less that 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth.	Cat. I
YES = Category I NO not a forested wetland with special characteristics	
SC 5.0 Wetlands in Coastal Lagoons (see p. 91)	
Does the wetland meet all of the following criteria of a wetland in a coastal lagoon? The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks The lagoon in which the wetland is located contains surface water that is saline or brackish (> 0.5 ppt) during most of the year in at least a portion of the lagoon (needs to be measured near the bottom) YES = Go to SC 5.1 NO not a wetland in a coastal lagoon	
SC 5.1 Does the wetland meets all of the following three conditions? The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less than 20% cover of invasive plant species (see list of invasive species on p. 74). At least 3/4 of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed grassland. The wetland is larger than 1/10 acre (4350 square feet) YES = Category I NO = Category II	☐ Cat. I ☐Cat. II

SC 6.0 Interdunal Wetlands (see p. 93)	
Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland	
Ownership or WBUO)?	
YES - go to SC 6.1 NO ✓ not an interdunal wetland for rating	
If you answer yes you will still need to rate the wetland based on its	
functions.	
In practical terms that means the following geographic areas:	
Long Beach Peninsula- lands west of SR 103	
Grayland-Westport- lands west of SR 105	
Ocean Shores-Copalis- lands west of SR 115 and SR 109	
SC 6.1 Is the wetland one acre or larger, or is it in a mosaic of wetlands that is	
once acre or larger?	
	Cat. II
SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is	
between 0.1 and 1 acre?	
TYES = Category III	Cat. III
Category of wetland based on Special Characteristics	Cat. I
Choose the "highest" rating if wetland falls into several categories, and record on	Cat. II
p. 1.	Cat. III
If you answered NO for all types enter "Not Applicable" on p.1	✓ N/A

WETLAND RATING FORM – WESTERN WASHINGTON

Version 2 - Updated July 2006 to increase accuracy and reproducibility among users Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Silverado	- Wetland D Date of site	e visit: <u>06/21</u> /17
Rated by MK	Trained by Ecology? Yes☑No D	Date of training 04/13
SEC: <u>29</u> TWNSHP: <u>24</u> RNGE: <u>06E</u>	Is S/T/R in Appendix D? Yes No_	<u>v</u> _
Map of wetland unit: I	Figure Estimated size <u>0.007</u>	<u>/ A</u> C
SUM	MARY OF RATING	
Category based on FUNCTIONS	provided by wetland	
I II III V IV		
Category I = Score >=70	Score for Water Quality Function	ns 10
Category II = Score 51-69	Score for Hydrologic Function	ns 10
Category III = Score 30-50	Score for Habitat Function	ns 16
Category IV = Score < 30	TOTAL score for Function	as 36
Category based on SPECIAL CH	ARACTERISTICS of wetland	
I II Does not Appl	y	
Final Category (choo	ose the "highest" category from above)	III

Summary of basic information about the wetland unit

Wetland Unit has Special		Wetland HGM Class	
Characteristics		used for Rating	
Estuarine		Depressional	~
Natural Heritage Wetland		Riverine	
Bog		Lake-fringe	
Mature Forest		Slope	
Old Growth Forest		Flats	
Coastal Lagoon		Freshwater Tidal	
Interdunal			
None of the above	/	Check if unit has multiple HGM classes present	/

Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)? For the purposes of this rating system, "documented" means the wetland is on the appropriate state or federal database.		~
SP2. Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species? For the purposes of this rating system, "documented" means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		~
SP3. Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?		~
SP4. Does the wetland unit have a local significance in addition to its functions? For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		/

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. This simplifies the questions needed to answer how well the wetland functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Wetland Units in Western Washington

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

1. Are the water levels in the entire unit usually controlled by tides (i.e. except during floods)? V NO – go to 2 YES – the wetland class is Tidal Fringe
If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? YES – Freshwater Tidal Fringe NO – Saltwater Tidal Fringe (Estuarine)
If your wetland can be classified as a Freshwater Tidal Fringe use the forms for Riverine wetlands. If it is Saltwater Tidal Fringe it is rated as an Estuarine wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term "Estuarine" wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).
2. The entire wetland unit is flat and precipitation is the only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit. NO – go to 3 YES – The wetland class is Flats
If your wetland can be classified as a "Flats" wetland, use the form for Depressional wetlands.
Does the entire wetland unit meet both of the following criteria? The vegetated part of the wetland is on the shores of a body of permanent open water (without any vegetation on the surface) at least 20 acres (8 ha) in size; At least 30% of the open water area is deeper than 6.6 ft (2 m)? VNO − go to 4 YES − The wetland class is Lake-fringe (Lacustrine Fringe)
4. Does the entire wetland unit meet all of the following criteria? The wetland is on a slope (<i>slope can be very gradual</i>), The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
The water leaves the wetland without being impounded? NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than 1 foot deep). NO - go to 5 YES - The wetland class is Slope

5. Does the entire wetland unit meet all of the following criteria?
The unit is in a valley, or stream channel, where it gets inundated by overbank
flooding from that stream or river
The overbank flooding occurs at least once every two years.
NOTE: The riverine unit can contain depressions that are filled with water when the river is
not flooding.
NO - go to 6 YES – The wetland class is Riverine
6 . Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. <i>This means that any outlet, if present, is higher than the</i> <u>interior of the wetland</u> .
\square NO – go to 7 \square YES – The wetland class is Depressional
7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.
NO – go to 8 YES – The wetland class is Depressional

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM clases. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM Classes within the wetland unit being rated		HGM Class to Use in Rating	
Slope + Riverine		Riverine	
Slope + Depressional		Depressional	
Slope + Lake-fringe		Lake-fringe	
Depressional + Riverine along stream within boundary	'	Depressional	~
Depressional + Lake-fringe		Depressional	
Salt Water Tidal Fringe and any other class of freshwater		Treat as ESTUARINE under	
wetland		wetlands with special	
		characteristics	

If you are unable still to determine which of the above criteria apply to your wetland, or if you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

D	Depressional and Flats Wetlands WATER QUALITY FUNCTIONS - Indicators that the wetland unit functions to	Points (only 1 score per box)
	improve water quality D.1. Does the wetland unit have the notential to improve water quality?	•
D	D 1. Does the wetland unit have the <u>potential</u> to improve water quality?	(see p.38)
D	D 1.1 Characteristics of surface water flows out of the wetland: Unit is a depression with no surface water leaving it (no outlet) Unit has an intermittently flowing, OR highly constricted permanently flowing outlet points = 2 Unit has an unconstricted, or slightly constricted, surface outlet (permanently flowing) points = 1 Unit is a "flat" depression (Q. 7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet and/or outlet is a man-made ditch [If ditch is not permanently flowing treat unit as "intermittently flowing"] Provide photo or drawing	Figure
	S 1.2 The soil 2 inches below the surface (or duff layer) is clay or organic (use NRCS	
D		0
D	D 1.3 Characteristics of persistent vegetation (emergent, shrub, and/or forest Cowardin class) Wetland has persistent, ungrazed, vegetation > = 95% of area Wetland has persistent, ungrazed, vegetation > = 1/2 of area Wetland has persistent, ungrazed vegetation > = 1/10 of area points = 3 points = 1	Figure
D	Wetland has persistent, ungrazed vegetation <1/10 of area points = 0 Map of Cowardin vegetation classes D1.4 Characteristics of seasonal ponding or inundation. This is the area of the wetland unit that is ponded for at least 2 months, but dries out sometime during the year. Do not count the area that is permanently ponded. Estimate area as the average condition 5 out of 10 yrs. Area seasonally ponded is > ½ total area of wetland points = 4 Area seasonally ponded is > ¼ total area of wetland points = 2 Area seasonally ponded is < ¼ total area of wetland points = 0	Figure
\mathbf{D}	Total for D 1 Add the points in the boxes above	5
D	Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland. Note which of the following conditions provide the sources of pollutants. A unit may have pollutants coming from several sources, but any single source would qualify as opportunity. Grazing in the wetland or within 150 ft Untreated stormwater discharges to wetland Tilled fields or orchards within 150 ft of wetland A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging Residential, urban areas, golf courses are within 150 ft of wetland Wetland is fed by groundwater high in phosphorus or nitrogen Other VYES multiplier is 2 NO multiplier is 1	(see p. 44) multiplier
D	TOTAL - Water Quality Functions Multiply the score from D1 by D2 Add score to table on p. 1	10

D	Depressional and Flats Wetlands HYDROLOGIC FUNCTIONS - Indicators that the wetland unit functions to reduce flooding and stream degradation	Points (only 1 score per box)
	D 3. Does the wetland unit have the <u>potential</u> to reduce flooding and erosion?	(see p.46)
D	D 3.1 Characteristics of surface water flows out of the wetland unit Unit is a depression with no surface water leaving it (no outlet) Unit has an intermittently flowing, OR highly constricted permanently flowing outlet points = 2 Unit is a "flat" depression (Q. 7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet and/or outlet is a man-made ditch (If ditch is not permanently flowing treat unit as "intermittently flowing") Unit has an unconstricted, or slightly constricted, surface outlet (permanently flowing) points = 0	2
D	D 3.2 Depth of storage during wet periods Estimate the height of ponding above the bottom of the outlet. For units with no outlet measure from the surface of permanent water or deepest part (if dry). Marks of ponding are 3 ft or more above the surface or bottom of outlet points = 7 The wetland is a "headwater" wetland" points = 5 Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet points = 5 Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet points = 3 Unit is flat (yes to Q. 2 or Q. 7 on key) but has small depressions on the surface that trap water points = 1 ✓ Marks of ponding less than 0.5 ft points = 0	0
D	D 3.3 Contribution of wetland unit to storage in the watershed Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself. The area of the basin is less than 10 times the area of unit points = 5 The area of the basin is 10 to 100 times the area of the unit points = 3 The area of the basin is more than 100 times the area of the unit points = 0 Entire unit is in the FLATS class points = 5	3
D	Total for D 3 Add the points in the boxes above	5
D	Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Answer NO if the water coming into the wetland is controlled by a structure such as flood gate, tide gate, flap valve, reservoir etc. OR you estimate that more than 90% of the water in the wetland is from groundwater in areas where damaging groundwater flooding does not occur. **Note which of the following indicators of opportunity apply.** Wetland is in a headwater of a river or stream that has flooding problems Wetland drains to a river or stream that has flooding problems Wetland has no outlet and impounds surface runoff water that might otherwise flow into a river or stream that has flooding problems	(see p. 49)
	Other	2
	✓YES multiplier is 2 NO multiplier is 1	
D	TOTAL - Hydrologic Functions Multiply the score from D 3 by D 4 <i>Add score to table on p. 1</i>	10

These questions apply to wetlands of all HGM classes. HABITAT FUNCTIONS - Indicators that unit functions to provide important habitat				
H 1. Does the wetland unit have the <u>potential</u> to provide habitat for many species?				
H 1.1 Vegetation structure (see p. 72) Check the types of vegetation classes present (as defined by Cowardin)- Size threshold for each class is ½ acre or more than 10% of the area if unit is smaller than 2.5 acres. Aquatic bed Emergent plants Scrub/shrub (areas where shrubs have >30% cover) Forested (areas where trees have >30% cover) If the unit has a forested class check if:	Figure			
The forested class has 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon Add the number of vegetation structures that qualify. If you have: 4 structures or more points = 4 Map of Cowardin vegetation classes 3 structures points = 2				
$ \begin{array}{c ccc} & 2 & \text{structures} & \text{points} = 1 \\ \hline & 1 & \text{structure} & \text{points} = 0 \end{array} $				
H 1.2. Hydroperiods (see p. 73)	Figure			
Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods) Permanently flooded or inundated Seasonally flooded or inundated Occasionally flooded or inundated Saturated only Permanently flowing stream or river in, or adjacent to, the wetland Seasonally flowing stream in, or adjacent to, the wetland Lake-fringe wetland = 2 points	3			
Freshwater tidal wetland = 2 points Map of hydroperiods				
Count the number of plant species in the wetland that cover at least 10 ft ² . (different patches of the same species can be combined to meet the size threshold) You do not have to name the species. Do not include Eurasian Milfoil, reed canarygrass, purple loosestrife, Canadian Thistle If you counted: > 19 species points = 2	1			

H 1.4. <u>Interspersion of habitats (see p. 76)</u> Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.	Figure
None = 0 points	
High = 3 points NOTE: If you have four or more classes or three vegetation classes and open water	1
the rating is always "high". Use map of Cowardin vegetation classes H 1.5. Special Habitat Features: (see p. 77) Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column. Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long). Standing snags (diameter at the bottom > 4 inches) in the wetland Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream (or ditch) in, or contiguous with the unit, for at least 33 ft (10m) Stable steep banks of fine material that might be used by beaver or muskrat for denning (>30degree slope) OR signs of recent beaver activity are present (cut shrubs or trees that have not yet turned grey/brown) At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians) Invasive plants cover less than 25% of the wetland area in each stratum of plants NOTE: The 20% stated in early printings of the manual on page 78 is an error.	2
H 1. TOTAL Score - potential for providing habitat Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5	8

Comments

H 2. Does the wetland unit have the opportunity to provide habitat for many species?			
H 2.1 <u>Buffers</u> (see p. 80)	Figure		
Choose the description that best represents condition of buffer of wetland unit. The highest scoring			
criterion that applies to the wetland is to be used in the rating. See text for definition of			
"undisturbed."			
100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95%			
of circumference. No structures are within the undisturbed part of buffer. (relatively			
undisturbed also means no-grazing, no landscaping, no daily human use) Points = 5			
100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water >			
50% circumference. Points = 4			
50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95%			
circumference. Points = 4			
100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25%	1		
circumference, . Points = 3	•		
50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for >			
50% circumference. Points = 3			
If buffer does not meet any of the criteria above			
No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95%			
circumference. Light to moderate grazing, or lawns are OK. Points = 2			
No paved areas or buildings within 50m of wetland for >50% circumference.			
Light to moderate grazing, or lawns are OK. Points = 2			
Heavy grazing in buffer. Points = 1			
Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled			
fields, paving, basalt bedrock extend to edge of wetland $\mathbf{Points} = 0$.			
Buffer does not meet any of the criteria above. Points = 1			
Aerial photo showing buffers			
H 2.2 Corridors and Connections (see p. 81)			
H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor			
(either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed			
uplands that are at least 250 acres in size? (dams in riparian corridors, heavily used gravel			
roads, paved roads, are considered breaks in the corridor).			
YES = 4 points (go to $H 2.3$) NO = go to $H 2.2.2$			
H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor			
(either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or	0		
forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25			
acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in			
the question above?			
YES = 2 points (go to $H 2.3$) NO = $H 2.2.3$			
H 2.2.3 Is the wetland:			
within 5 mi (8km) of a brackish or salt water estuary OR within 3 mi of a large field or pasture (>40 acres) OR within 1 mi of a lake greater than 20 acres?			
		YES = 1 point $VO = 0 points$	

Total for page 1

H 2.3 Near or adjacent to other priority habitats listed by WDFW (see new and complete	
descriptions of WDFW priority habitats, and the counties in which they can be found, in	
the PHS report http://wdfw.wa.gov/hab/phslist.htm)	
Which of the following priority habitats are within 330ft (100m) of the wetland unit? NOTE: the	
<u>co</u> nnections do not have to be relatively undisturbed.	
Aspen Stands: Pure or mixed stands of aspen greater than 0.4 ha (1 acre).	
Biodiversity Areas and Corridors: Areas of habitat that are relatively important to various	
species of native fish and wildlife (full descriptions in WDFW PHS report p. 152).	
Herbaceous Balds: Variable size patches of grass and forbs on shallow soils over bedrock.	
Old-growth/Mature forests: (Old-growth west of Cascade crest) Stands of at least 2 tree	
species, forming a multi-layered canopy with occasional small openings; with at least 20	
trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age. (Mature forests) Stands	
with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less that 100%;	
crown cover may be less that 100%; decay, decadence, numbers of snags, and quantity of	
large downed material is generally less than that found in old-growth; 80 - 200 years old	
west of the Cascade crest.	
Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where	
canopy coverage of the oak component is important (full descriptions in WDFW PHS	
report p. 158).	
Riparian : The area adjacent to aquatic systems with flowing water that contains elements of	
both aquatic and terrestrial ecosystems which mutually influence each other.	
Westside Prairies: Herbaceous, non-forested plant communities that can either take the	
form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161).	
Instream: The combination of physical, biological, and chemical processes and conditions	
that interact to provide functional life history requirements for instream fish and wildlife	
resources.	
Nearshore: Relatively undisturbed nearshore habitats. These include Coastal Nearshore,	
Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the	
definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in	
Appendix A).	
Caves: A naturally occurring cavity, recess, void, or system of interconnected passages under	
the earth in soils, rock, ice, or other geological formations and is large enough to contain a	
human.	
Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft.	
Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft),	
composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine	
tailings. May be associated with cliffs.	
Snags and Logs: Trees are considered snags if they are dead or dying and exhibit sufficient	
decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a	
diameter at breast height of > 51 cm (20 in) in western Washington and are > 2 m (6.5 ft) in	
height. Priority logs are > 30 cm (12 in) in diameter at the largest end, and > 6 m (20 ft)	
long.	4
If wetland has 3 or more priority habitats = 4 points	
If wetland has 2 priority habitats = 3 points	
If wetland has 1 priority habitat = 1 point No habitats = 0 points	
Note: All vegetated wetlands are by definition a priority habitat but are not included in this	
list. Nearby wetlands are addressed in question H 2.4)	

H 2.4 Wetland Landscape (choose the one description of the landscape around the wetland that best fits) (see p. 84) There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development. The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile There is at least 1 wetland within ½ mile. There are no wetlands within ½ mile. points = 0	3
H 2 . TOTAL Score - opportunity for providing habitat <i>Add the scores from H2.1,H2.2, H2.3, H2.4</i>	8
TOTAL for H 1 from page 14	8
Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1	16

CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS

Please determine if the wetland meets the attributes described below and circle the appropriate answers and Category.

Wetland Type	Category
Check off any criteria that apply to the wetland. Circle the Category when the	
appropriate criteria are met.	
SC 1.0 Estuarine wetlands (see p. 86)	
Does the wetland unit meet the following criteria for Estuarine wetlands?	
The dominant water regime is tidal,	
Vegetated, and	
With a salinity greater than 0.5 ppt.	
$YES = Go \text{ to SC } 1.1 \qquad NO \checkmark = Go \text{ to SC } 2.0$	
SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational,	Cat. I
Environmental, or Scientific Reserve designated under WAC 332-30-151?	
YES = Category I NO go to SC 1.2	
SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the	☐ Cat. I
following three conditions? TES = Category I NO = Category II	
The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant	□Cat. II
species. If the non-native <i>Spartina</i> spp. are the only species that cover	
more than 10% of the wetland, then the wetland should be given a dual	☐ Dual
rating (I/II). The area of Spartina would be rated a Category II while the	rating
relatively undisturbed upper marsh with native species would be a	I/II
Category I. Do not, however, exclude the area of Spartina in	1/11
determining the size threshold of 1 acre.	
At least ¾ of the landward edge of the wetland has a 100 ft buffer of	
shrub, forest, or un-grazed or un-mowed grassland.	
The wetland has at least 2 of the following features: tidal channels,	
depressions with open water, or contiguous freshwater wetlands.	

SC 2.0 Natural Heritage Wetlands (see p. 87) Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species. SC 2.1 Is the wetland unit being rated in a Section/Township/Range that contains a Natural Heritage wetland? (this question is used to screen out most sites before you need to contact WNHP/DNR) S/T/R information from Appendix D v or accessed from WNHP/DNR web site YES contact WNHP/DNR (see p. 79) and go to SC 2.2 NO v	□Cat. I
SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species? [YES = Category I NO vertical No vertic	
SC 3.0 Bogs (see p. 87) Does the wetland unit (or any part of the unit) meet both the criteria for soils and vegetation in bogs? Use the key below to identify if the wetland is a bog. If you answer yes you will still need to rate the wetland based on its functions.	
1. Does the unit have organic soil horizons (i.e. layers of organic soil), either peats or mucks, that compose 16 inches or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils)? Yes go to Q. 3 No - go to Q. 2	
2. Does the unit have organic soils, either peats or mucks that are less than 16 inches deep over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on a lake or pond?	
Yes - go to Q. 3 •• No - Is not a bog for purpose of rating	
3. Does the unit have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the "bog" species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists of species in Table 3)?	
☐ Yes – Is a bog for purpose of rating ☐ No - go to Q. 4	
NOTE: If you are uncertain about the extent of mosses in the understory you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16" deep. If the pH is less than 5.0 and the "bog" plant species in Table 3 are present, the wetland is a bog.	
1. Is the unit forested (> 30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann's spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (> 30% coverage of the total shrub/herbaceous cover)?	
2. YES = Category I No Is not a bog for purpose of rating	□Cat. I

SC 4.0 Forested Wetlands (see p. 90) Does the wetland unit have at least 1 acre of forest that meet one of these criteria for the Department of Fish and Wildlife's forests as priority habitats? If you answer yes you will still need to rate the wetland based on its functions. Old-growth forests: (west of Cascade crest) Stands of at least two tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/acre (20 trees/hectare) that are at least 200 years of age OR have a diameter at breast height (dbh) of 32 inches (81 cm) or more. NOTE: The criterion for dbh is based on measurements for upland forests. Two-hundred year old trees in wetlands will often have a smaller dbh because their growth rates are often slower. The DFW criterion is and "OR" so old-growth forests do not necessarily have to have trees of this diameter.	
Mature forests: (west of the Cascade Crest) Stands where the largest trees are 80 – 200 years old OR have average diameters (dbh) exceeding 21 inches (53cm); crown cover may be less that 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth.	
YES = Category I NO not a forested wetland with special characteristics	Cat. I
SC 5.0 Wetlands in Coastal Lagoons (see p. 91)	
Does the wetland meet all of the following criteria of a wetland in a coastal lagoon? The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks The lagoon in which the wetland is located contains surface water that is saline or brackish (> 0.5 ppt) during most of the year in at least a portion of the lagoon (needs to be measured near the bottom) YES = Go to SC 5.1 NO not a wetland in a coastal lagoon	
SC 5.1 Does the wetland meets all of the following three conditions? The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less than 20% cover of invasive plant species (see list of invasive species on p. 74). At least ¾ of the landward edge of the wetland has a 100 ft buffer of	
shrub, forest, or un-grazed or un-mowed grassland. The wetland is larger than 1/10 acre (4350 square feet) YES = Category I NO = Category II	☐ Cat. I

SC 6.0 Interdunal Wetlands (see p. 93)		
Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland		
Ownership or WBUO)?		
YES - go to SC 6.1 NO ✓ not an interdunal wetland for rating		
If you answer yes you will still need to rate the wetland based on its		
functions.		
In practical terms that means the following geographic areas:		
Long Beach Peninsula- lands west of SR 103		
Grayland-Westport- lands west of SR 105		
Ocean Shores-Copalis- lands west of SR 115 and SR 109		
SC 6.1 Is the wetland one acre or larger, or is it in a mosaic of wetlands that is		
once acre or larger?		
	Cat. II	
SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is		
between 0.1 and 1 acre?		
☐YES = Category III	Cat. III	
Category of wetland based on Special Characteristics	Cat. I	
Choose the "highest" rating if wetland falls into several categories, and record on	Cat. II	
p. 1.	Cat. III	
If you answered NO for all types enter "Not Applicable" on p.1	✓ N/A	

WETLAND RATING FORM – WESTERN WASHINGTON

Version 2 - Updated July 2006 to increase accuracy and reproducibility among users Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Silverado	- Wetland E Date of site vis	sit: <u>06/21</u> /17
Rated by MK	Trained by Ecology? Yes No Date	of training 04/13
SEC: <u>29</u> TWNSHP: <u>24</u> RNGE: <u>06</u>	Is S/T/R in Appendix D? Yes No V	
Map of wetland unit:	Figure Estimated size 0.186 AC	
SUM	MARY OF RATING	
Category based on FUNCTIONS	S provided by wetland	
I II IV	-	
Category I = Score >=70	Score for Water Quality Functions	6
Category II = Score 51-69	Score for Hydrologic Functions	10
Category IV Scare (20)	Score for Habitat Functions	16
Category IV = Score < 30	TOTAL score for Functions	32
Category based on SPECIAL CH I II Does not App Final Category (cho	_	III

Summary of basic information about the wetland unit

Wetland Unit has Special		Wetland HGM Class	
Characteristics		used for Rating	
Estuarine		Depressional	
Natural Heritage Wetland		Riverine	
Bog		Lake-fringe	
Mature Forest		Slope	/
Old Growth Forest		Flats	
Coastal Lagoon		Freshwater Tidal	
Interdunal			
None of the above	'	Check if unit has multiple HGM classes present	

Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)? For the purposes of this rating system, "documented" means the wetland is on the appropriate state or federal database.		•
SP2. Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species? For the purposes of this rating system, "documented" means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		~
SP3. Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?		•
SP4. Does the wetland unit have a local significance in addition to its functions? For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		~

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. This simplifies the questions needed to answer how well the wetland functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Wetland Units in Western Washington

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

1. Are the water levels in the entire unit usually controlled by tides (i.e. except during floods)? ✓ NO – go to 2 ✓ YES – the wetland class is Tidal Fringe
If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? YES – Freshwater Tidal Fringe NO – Saltwater Tidal Fringe (Estuarine)
If your wetland can be classified as a Freshwater Tidal Fringe use the forms for Riverine wetlands. If it is Saltwater Tidal Fringe it is rated as an Estuarine wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term "Estuarine" wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).
2. The entire wetland unit is flat and precipitation is the only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit. NO – go to 3 YES – The wetland class is Flats
If your wetland can be classified as a "Flats" wetland, use the form for Depressional wetlands.
2. Does the entire wetland unit meet both of the following criteria? The vegetated part of the wetland is on the shores of a body of permanent open water (without any vegetation on the surface) at least 20 acres (8 ha) in size; At least 30% of the open water area is deeper than 6.6 ft (2 m)? NO – go to 4 YES – The wetland class is Lake-fringe (Lacustrine Fringe)
4. Does the entire wetland unit meet all of the following criteria? The wetland is on a slope (<i>slope can be very gradual</i>), The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
The water leaves the wetland without being impounded? NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than 1 foot deep). NO - go to 5 YES – The wetland class is Slope

5. Does the entire wetland unit meet all of the following criteria?
The unit is in a valley, or stream channel, where it gets inundated by overbank
flooding from that stream or river
The overbank flooding occurs at least once every two years.
NOTE: The riverine unit can contain depressions that are filled with water when the river is
not flooding.
NO - go to 6 YES – The wetland class is Riverine
6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. This means that any outlet, if present, is higher than the interior of the wetland.
\square NO – go to 7 \square YES – The wetland class is Depressional
7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.
NO – go to 8 YES – The wetland class is Depressional

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM clases. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM Classes within the wetland unit being rated HGM Class to Use in R		HGM Class to Use in Ratin	ng
Slope + Riverine		Riverine	
Slope + Depressional		Depressional	
Slope + Lake-fringe		Lake-fringe	
Depressional + Riverine along stream within boundary		Depressional	
Depressional + Lake-fringe		Depressional	
Salt Water Tidal Fringe and any other class of freshwater		Treat as ESTUARINE under	
wetland		wetlands with special	
		characteristics	

If you are unable still to determine which of the above criteria apply to your wetland, or if you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

Slope Wetlands WATER QUALITY FUNCTIONS - Indicators that the wetland unit functions to improve water quality	Points (only 1 score per box)
S 1. Does the wetland unit have the <u>potential</u> to improve water quality?	(see p.64)
S 1.1 Characteristics of average slope of unit: Slope is 1% or less (a 1% slope has a 1 foot vertical drop in elevation for every 100 ft horizontal distance) Slope is 1% - 2% Slope is 2% - 5% Points = 2 points = 1 Slope is greater than 5% points = 0	0
S 1.2 The soil 2 inches below the surface (or duff layer) is clay or organic (use NRCS definitions) YES = 3 points NO = 0 points	0
S 1.3 Characteristics of the vegetation in the wetland that trap sediments and pollutants: Choose the points appropriate for the description that best fits the vegetation in the wetland. Dense vegetation means you have trouble seeing the soil surface (>75% cover), and uncut means not grazed or mowed and plants are higher than 6 inches. Dense, uncut, herbaceous vegetation > 90% of the wetland area points = 6 Dense, uncut, herbaceous vegetation > 1/2 of area points = 3 Dense, woody, vegetation > 1/2 of area points = 2 Dense, uncut, herbaceous vegetation > 1/4 of area points = 1 Does not meet any of the criteria above for vegetation points = 0 Aerial photo or map with vegetation polygons	Figure
Total for S 1 Add the points in the boxes above	3
S 2. Does the wetland unit have the opportunity to improve water quality? Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland. Note which of the following conditions provide the sources of pollutants. A unit may have pollutants coming from several sources, but any single source would qualify as opportunity. Grazing in the wetland or within 150ft Untreated stormwater discharges to wetland Tilled fields, logging, or orchards within 150 feet of wetland Residential, urban areas, or golf courses are within 150 ft upslope of wetland Other VYES multiplier is 2 NO multiplier is 1	(see p.67) multiplier 2
TOTAL - Water Quality Functions Multiply the score from S1 by S2 Add score to table on p. 1	6
	WATER QUALITY FUNCTIONS - Indicators that the wetland unit functions to improve water quality S 1. Does the wetland unit have the potential to improve water quality? S 1.1 Characteristics of average slope of unit: Slope is 1% or less (a 1% slope has a 1 foot vertical drop in elevation for every 100 ft horizontal distance) Slope is 1% - 2% Slope is 1% - 2% Slope is 2% - 5% Points = 2 Slope is 2% - 5% Points = 0 S 1.2 The soil 2 inches below the surface (or duff layer) is clay or organic (use NRCS definitions) YES = 3 points V NO = 0 points S 1.3 Characteristics of the vegetation in the wetland that trap sediments and pollutants: Choose the points appropriate for the description that best fits the vegetation in the wetland. Dense vegetation means you have trouble seeing the soil surface (>75% cover), and uncut means not grazed or mowed and plants are higher than 6 inches. Dense, uncut, herbaceous vegetation > 90% of the wetland area points = 6 Dense, uncut, herbaceous vegetation > 1/2 of area points = 2 Dense, uncut, herbaceous vegetation > 1/2 of area points = 2 Dense, uncut, herbaceous vegetation > 1/4 of area points = 1 Does not meet any of the criteria above for vegetation polygons Total for S 1 Add the points in the boxes above S 2. Does the wetland unit have the opportunity to improve water quality? Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland. Note which of the following conditions provide the sources of pollutants. A unit may have pollutants coming from several sources, but any single source would qualify as opportunity. Grazing in the wetland or within 150ft Untreated stormwater discharges to wetland Tilled fields, logging, or orchards within 150 fect of wetland Residential, urban areas, or golf courses are within 150 ft upslope of wetland Other VYES multiplier is 2 NO multiplier is 1

Comments

S	Slope Wetlands	Points
	HYDROLOGIC FUNCTIONS - Indicators that the wetland unit functions to reduce flooding and stream erosion	(only 1 score per box)
	S 3. Does the wetland unit have the <u>potential</u> to reduce flooding and stream erosion?	(see p.68)
S	S 3.1 Characteristics of vegetation that reduce the velocity of surface flows during storms. Choose the points appropriate for the description that best fit conditions in the wetland. (stems of plants should be thick enough (usually > 1/8in), or dense enough, to remain erect during surface flows) Dense, uncut, rigid vegetation covers > 90% of the area of the wetland. Dense, uncut, rigid vegetation > 1/2 area of wetland Dense, uncut, rigid vegetation > 1/4 area Dense, uncut, rigid vegetation > 1/4 area points = 1 More than 1/4 of area is grazed, mowed, tilled or vegetation is not rigid points = 0	3
S	S 3.2 Characteristics of slope wetland that holds back small amounts of flood flows: The slope wetland has small surface depressions that can retain water over at least 10% of its area. YES points = 2 NO points = 0	2
S	Add the points in the boxes above	5
S	S 4. Does the wetland have the <u>opportunity</u> to reduce flooding and erosion? Is the wetland in a landscape position where the reduction in water velocity it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows? <i>Note which of the following conditions apply</i> . Wetland has surface runoff that drains to a river or stream that has flooding problems	(see p. 70)
	Other	multiplier
	(Answer NO if the major source of water is controlled by a reservoir (e.g. wetland is a seep that is on the downstream side of a dam) VYES multiplier is 2 NO multiplier is 1	_2_
S	TOTAL - Hydrologic Functions Multiply the score from S 3 by S 4 <i>Add score to table on p. 1</i>	10

Comments

These questions apply to wetlands of all HGM classes. HABITAT FUNCTIONS - Indicators that unit functions to provide important habitat	Points (only 1 score per box)
H 1. Does the wetland unit have the <u>potential</u> to provide habitat for many species?	
Check the types of vegetation classes present (as defined by Cowardin)- Size threshold for each class is ½ acre or more than 10% of the area if unit is smaller than 2.5 acres. Aquatic bed Emergent plants Scrub/shrub (areas where shrubs have >30% cover) Forested (areas where trees have >30% cover)	Figure
If the unit has a forested class check if: The forested class has 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon Add the number of vegetation structures that qualify. If you have: 4 structures or more points = 4	1
Map of Cowardin vegetation classes	
H 1.2. <u>Hydroperiods (see p. 73)</u> Check the types of water regimes (hydroperiods) present within the wetland. The water	Figure
regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods) Permanently flooded or inundated Seasonally flooded or inundated Occasionally flooded or inundated Saturated only Permanently flowing stream or river in, or adjacent to, the wetland Seasonally flowing stream in, or adjacent to, the wetland Lake-fringe wetland = 2 points	0
Freshwater tidal wetland = 2 points Map of hydroperiods	
Count the number of plant species in the wetland that cover at least 10 ft ² . (different patches of the same species can be combined to meet the size threshold) You do not have to name the species. Do not include Eurasian Milfoil, reed canarygrass, purple loosestrife, Canadian Thistle If you counted: > 19	1

H 1.4. Interspersion of habitats (see p. 76)	Figure
Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none. None = 0 points	0
 H 1.5. Special Habitat Features: (see p. 77)	3
H 1. TOTAL Score - potential for providing habitat Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5	5

Comments

H 2. Does the wetland unit have the opportunity to provide habitat for many species?	
H 2.1 <u>Buffers</u> (see p. 80)	Figure
Choose the description that best represents condition of buffer of wetland unit. The highest scoring	
criterion that applies to the wetland is to be used in the rating. See text for definition of	
"un <u>dist</u> urbed."	
100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95%	
of circumference. No structures are within the undisturbed part of buffer. (relatively	
undisturbed also means no-grazing, no landscaping, no daily human use) Points = 5	
100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water >	
50% circumference. Points = 4	
50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95%	
circumference. Points = 4	
100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference, . Points = 3	4
50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference. Points = 3	
If buffer does not meet any of the criteria above	
No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95%	
circumference. Light to moderate grazing, or lawns are OK. Points = 2	
No paved areas or buildings within 50m of wetland for >50% circumference.	
Light to moderate grazing, or lawns are OK. Points = 2	
Heavy grazing in buffer. Points = 1	
Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled	
fields, paving, basalt bedrock extend to edge of wetland $\mathbf{Points} = 0$.	
Buffer does not meet any of the criteria above. Points = 1	
Aerial photo showing buffers	
H 2.2 Corridors and Connections (see p. 81)	
H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor	
(either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest	
or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed	
uplands that are at least 250 acres in size? (dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor).	
YES = 4 points (go to $H 2.3$) \bigvee NO = go to $H 2.2.2$	
H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor	
(either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or	0
forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25	
acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in	
the question above?	
YES = 2 points (go to H 2.3) $V NO = H 2.2.3$	
H 2.2.3 Is the wetland:	
within 5 mi (8km) of a brackish or salt water estuary OR	
within 3 mi of a large field or pasture (>40 acres) OR	
within 1 mi of a lake greater than 20 acres?	
YES = 1 point $VO = 0 points$	

Total for page 4

H 2.3 Near or adjacent to other priority habitats listed by WDFW (see new and complete	
descriptions of WDFW priority habitats, and the counties in which they can be found, in	
the PHS report http://wdfw.wa.gov/hab/phslist.htm)	
Which of the following priority habitats are within 330ft (100m) of the wetland unit? NOTE: the	
<u>co</u> nnections do not have to be relatively undisturbed.	
Aspen Stands: Pure or mixed stands of aspen greater than 0.4 ha (1 acre).	
Biodiversity Areas and Corridors: Areas of habitat that are relatively important to various	
species of native fish and wildlife (full descriptions in WDFW PHS report p. 152).	
Herbaceous Balds: Variable size patches of grass and forbs on shallow soils over bedrock.	
Old-growth/Mature forests: (Old-growth west of Cascade crest) Stands of at least 2 tree	
species, forming a multi-layered canopy with occasional small openings; with at least 20	
trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age. (Mature forests) Stands	
with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less that 100%;	
crown cover may be less that 100%; decay, decadence, numbers of snags, and quantity of	
large downed material is generally less than that found in old-growth; 80 - 200 years old	
west of the Cascade crest.	
Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where	
canopy coverage of the oak component is important (full descriptions in WDFW PHS	
report p. 158).	
Riparian : The area adjacent to aquatic systems with flowing water that contains elements of	
both aquatic and terrestrial ecosystems which mutually influence each other.	
Westside Prairies: Herbaceous, non-forested plant communities that can either take the	
form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161).	
Instream: The combination of physical, biological, and chemical processes and conditions	
that interact to provide functional life history requirements for instream fish and wildlife	
resources.	
Nearshore: Relatively undisturbed nearshore habitats. These include Coastal Nearshore,	
Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the	
definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in	
Appendix A).	
Caves: A naturally occurring cavity, recess, void, or system of interconnected passages under	
the earth in soils, rock, ice, or other geological formations and is large enough to contain a	
human.	
Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft.	
Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft),	
composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine	
tailings. May be associated with cliffs.	
Snags and Logs: Trees are considered snags if they are dead or dying and exhibit sufficient	
decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a	
diameter at breast height of > 51 cm (20 in) in western Washington and are > 2 m (6.5 ft) in	
height. Priority logs are > 30 cm (12 in) in diameter at the largest end, and > 6 m (20 ft)	
long.	4
If wetland has 3 or more priority habitats = 4 points	
If wetland has 2 priority habitats = 3 points	
If wetland has 1 priority habitat = 1 point No habitats = 0 points	
Note: All vegetated wetlands are by definition a priority habitat but are not included in this	
list. Nearby wetlands are addressed in question H 2.4)	

H 2.4 Wetland Landscape (choose the one description of the landscape around the wetland that best fits) (see p. 84) There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development. The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile vetlands within ½ mile There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3 The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile There is at least 1 wetland within ½ mile. points = 2 There are no wetlands within ½ mile.	3
H 2 . TOTAL Score - opportunity for providing habitat <i>Add the scores from H2.1,H2.2, H2.3, H2.4</i>	11
TOTAL for H 1 from page 14	5
Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1	16

CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS

Please determine if the wetland meets the attributes described below and circle the appropriate answers and Category.

Wetland Type	Category
Check off any criteria that apply to the wetland. Circle the Category when the	
appropriate criteria are met.	
SC 1.0 Estuarine wetlands (see p. 86)	
Does the wetland unit meet the following criteria for Estuarine wetlands?	
The dominant water regime is tidal,	
Vegetated, and	
With a salinity greater than 0.5 ppt. ☐ YES = Go to SC 1.1 NO ✓ =Go to SC 2.0	
SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-30-151?	Cat. I
YES = Category I NO go to SC 1.2	
SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions? ☐YES = Category I ☐NO = Category II	☐ Cat. I
The wetland is relatively undisturbed (has no diking, ditching, filling,	
cultivation, grazing, and has less than 10% cover of non-native plant	□Cat. II
species. If the non-native <i>Spartina</i> spp. are the only species that cover	
more than 10% of the wetland, then the wetland should be given a dual	□ Dual
rating (I/II). The area of Spartina would be rated a Category II while the	rating
relatively undisturbed upper marsh with native species would be a	I/II
Category I. Do not, however, exclude the area of Spartina in	1/11
determining the size threshold of 1 acre.	
At least ¾ of the landward edge of the wetland has a 100 ft buffer of	
shrub, forest, or un-grazed or un-mowed grassland.	
The wetland has at least 2 of the following features: tidal channels,	
depressions with open water, or contiguous freshwater wetlands.	

SC 2.0 Natural Heritage Wetlands (see p. 87) Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species. SC 2.1 Is the wetland unit being rated in a Section/Township/Range that contains a Natural Heritage wetland? (this question is used to screen out most sites before you need to contact WNHP/DNR) S/T/R information from Appendix D v or accessed from WNHP/DNR web site	□Cat. I
YES contact WNHP/DNR (see p. 79) and go to SC 2.2 NO SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as or as a site with state threatened or endangered plant species?	
YES = Category I NO not a Heritage Wetland	
SC 3.0 Bogs (see p. 87) Does the wetland unit (or any part of the unit) meet both the criteria for soils and vegetation in bogs? Use the key below to identify if the wetland is a bog. If you answer yes you will still need to rate the wetland based on its functions.	
1. Does the unit have organic soil horizons (i.e. layers of organic soil), either peats or mucks, that compose 16 inches or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils)? Yes go to Q. 3 No - go to Q. 2	
2. Does the unit have organic soils, either peats or mucks that are less than 16 inches deep over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on a lake or pond?	
Yes - go to Q. 3 •• No - Is not a bog for purpose of rating	
3. Does the unit have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the "bog" species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists of species in Table 3)?	
Yes – Is a bog for purpose of rating No - go to Q. 4	
NOTE: If you are uncertain about the extent of mosses in the understory you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16" deep. If the pH is less than 5.0 and the "bog" plant species in Table 3 are present, the wetland is a bog.	
1. Is the unit forested (> 30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann's spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (> 30% coverage of the total shrub/herbaceous cover)?	
2. YES = Category I No Is not a bog for purpose of rating	□Cat. I

SC 4.0 Forested Wetlands (see p. 90) Does the wetland unit have at least 1 acre of forest that meet one of these criteria for the Department of Fish and Wildlife's forests as priority habitats? If you answer yes you will still need to rate the wetland based on its functions. □ Old-growth forests: (west of Cascade crest) Stands of at least two tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/acre (20 trees/hectare) that are at least 200 years of age OR have a diameter at breast height (dbh) of 32 inches (81 cm) or more. NOTE: The criterion for dbh is based on measurements for upland forests. Two-hundred year old trees in wetlands will often have a smaller dbh because their growth rates are often slower. The DFW criterion is and "OR" so old-growth forests do not necessarily have to have trees of this diameter. □ Mature forests: (west of the Cascade Crest) Stands where the largest trees are 80 − 200 years old OR have average diameters (dbh) exceeding 21 inches (53cm); crown cover may be less that 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth. □ YES = Category I NO □ not a forested wetland with special characteristics SC 5.0 Wetlands in Coastal Lagoons (see p. 91) Does the wetland meet all of the following criteria of a wetland in a coastal lagoon? □ The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks □ The lagoon in which the wetland is located contains surface water that is saline or brackish (> 0.5 ppt) during most of the year in at least a portion of the lagoon (needs to be measured near the bottom) □ YES = Go to SC 5.1 NO □ not a wetland in a coastal lagoon SC 5.1 Does the wetland meets all of the following three conditions? □ The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less than 20%		
Two-hundred year old trees in wetlands will often have a smaller dbh because their growth rates are often slower. The DFW criterion is and "OR" so old-growth forests do not necessarily have to have trees of this diameter. Mature forests: (west of the Cascade Crest) Stands where the largest trees are 80 – 200 years old OR have average diameters (dbh) exceeding 21 inches (53cm); crown cover may be less that 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth. YES = Category I	Does the wetland unit have at least 1 acre of forest that meet one of these criteria for the Department of Fish and Wildlife's forests as priority habitats? <i>If you answer yes you will still need to rate the wetland based on its functions.</i> Old-growth forests: (west of Cascade crest) Stands of at least two tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/acre (20 trees/hectare) that are at least 200 years of age OR have a	
80 – 200 years old OR have average diameters (dbh) exceeding 21 inches (53cm); crown cover may be less that 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth. YES = Category I NO not a forested wetland with special characteristics SC 5.0 Wetlands in Coastal Lagoons (see p. 91) Does the wetland meet all of the following criteria of a wetland in a coastal lagoon? The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks The lagoon in which the wetland is located contains surface water that is saline or brackish (> 0.5 ppt) during most of the year in at least a portion of the lagoon (needs to be measured near the bottom) YES = Go to SC 5.1 No not a wetland in a coastal lagoon SC 5.1 Does the wetland meets all of the following three conditions? The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less than 20% cover of invasive plant species (see list of invasive species on p. 74). At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed grassland. The wetland is larger than 1/10 acre (4350 square feet)	Two-hundred year old trees in wetlands will often have a smaller dbh because their growth rates are often slower. The DFW criterion is and "OR"	
YES = Category I NO ✓ not a forested wetland with special characteristics SC 5.0 Wetlands in Coastal Lagoons (see p. 91) Does the wetland meet all of the following criteria of a wetland in a coastal lagoon? The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks The lagoon in which the wetland is located contains surface water that is saline or brackish (> 0.5 ppt) during most of the year in at least a portion of the lagoon (needs to be measured near the bottom) YES = Go to SC 5.1 NO ✓ not a wetland in a coastal lagoon SC 5.1 Does the wetland meets all of the following three conditions? The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less than 20% cover of invasive plant species (see list of invasive species on p. 74). At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed grassland. The wetland is larger than 1/10 acre (4350 square feet)	80 – 200 years old OR have average diameters (dbh) exceeding 21 inches (53cm); crown cover may be less that 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found	
Does the wetland meet all of the following criteria of a wetland in a coastal lagoon? ☐ The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks ☐ The lagoon in which the wetland is located contains surface water that is saline or brackish (> 0.5 ppt) during most of the year in at least a portion of the lagoon (needs to be measured near the bottom) ☐ YES = Go to SC 5.1 NO not a wetland in a coastal lagoon SC 5.1 Does the wetland meets all of the following three conditions? ☐ The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less than 20% cover of invasive plant species (see list of invasive species on p. 74). ☐ At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed grassland. ☐ Cat. I ☐ The wetland is larger than 1/10 acre (4350 square feet)	_	Cat. I
The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks The lagoon in which the wetland is located contains surface water that is saline or brackish (> 0.5 ppt) during most of the year in at least a portion of the lagoon (needs to be measured near the bottom) YES = Go to SC 5.1 NO ✓ not a wetland in a coastal lagoon SC 5.1 Does the wetland meets all of the following three conditions? The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less than 20% cover of invasive plant species (see list of invasive species on p. 74). At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed grassland. The wetland is larger than 1/10 acre (4350 square feet)	SC 5.0 Wetlands in Coastal Lagoons (see p. 91)	
 ☐ The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less than 20% cover of invasive plant species (see list of invasive species on p. 74). ☐ At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed grassland. ☐ The wetland is larger than 1/10 acre (4350 square feet) 	Does the wetland meet all of the following criteria of a wetland in a coastal lagoon? The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks The lagoon in which the wetland is located contains surface water that is saline or brackish (> 0.5 ppt) during most of the year in at least a portion of the lagoon (needs to be measured near the bottom)	
shrub, forest, or un-grazed or un-mowed grassland. The wetland is larger than 1/10 acre (4350 square feet)	The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less than 20% cover of invasive plant species (see list of invasive species on p. 74).	
	shrub, forest, or un-grazed or un-mowed grassland.	Cat. I
		Cat. II

SC 6.0 Interdunal Wetlands (see p. 93)	
Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland	
Ownership or WBUO)?	
YES - go to SC 6.1 NO ✓ not an interdunal wetland for rating	
If you answer yes you will still need to rate the wetland based on its	
functions.	
In practical terms that means the following geographic areas:	
Long Beach Peninsula- lands west of SR 103	
Grayland-Westport- lands west of SR 105	
Ocean Shores-Copalis- lands west of SR 115 and SR 109	
SC 6.1 Is the wetland one acre or larger, or is it in a mosaic of wetlands that is	
once acre or larger?	
	Cat. II
SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is	
between 0.1 and 1 acre?	
☐YES = Category III	Cat. III
Category of wetland based on Special Characteristics	Cat. I
Choose the "highest" rating if wetland falls into several categories, and record on	Cat. II
p. 1.	Cat. III
If you answered NO for all types enter "Not Applicable" on p.1	✓ N/A

WETLAND RATING FORM – WESTERN WASHINGTON

Version 2 - Updated July 2006 to increase accuracy and reproducibility among users Updated Oct 2008 with the new WDFW definitions for priority habitats

Name of wetland (if known): Silverado	- Wetland F Date	e of site visit: <u>06/21</u> /2017
Rated by MK	Trained by Ecology? Yes No	Date of training 04/13
SEC: <u>29</u> TWNSHP: <u>24</u> RNGE: <u>6E</u>	Is S/T/R in Appendix D? Yes	No 🔽
Map of wetland unit:	Figure Estimated size	<u>0.375 A</u> C
SUM	MARY OF RATING	
Category based on FUNCTIONS	provided by wetland	
I II V III IV	-	
Cotogomy I - Sooms > -70	Score for Water Quality Fu	unctions 18
Category I = Score >=70 Category II = Score 51-69	Score for Hydrologic Fu	inctions 16
Category III = Score 30-50	Score for Habitat Fu	inctions 19
Category IV = Score < 30	TOTAL score for Fu	nctions 53
Category based on SPECIAL CH	IARACTERISTICS of wetla	nd
I II Does not App		
	ose the "highest" category from a	above)

$\label{eq:continuous} \textbf{Summary of basic information about the wetland unit}$

Wetland Unit has Special Characteristics	Wetland HGM Class used for Rating
Estuarine	Depressional
Natural Heritage Wetland	Riverine
Bog	Lake-fringe
Mature Forest	Slope
Old Growth Forest	Flats
Coastal Lagoon	Freshwater Tidal
Interdunal	
None of the above	Check if unit has multiple HGM classes present

Does the wetland unit being rated meet any of the criteria below?

If you answer YES to any of the questions below you will need to protect the wetland according to the regulations regarding the special characteristics found in the wetland.

Check List for Wetlands That May Need Additional Protection (in addition to the protection recommended for its category)	YES	NO
SP1. Has the wetland unit been documented as a habitat for any Federally listed Threatened or Endangered animal or plant species (T/E species)? For the purposes of this rating system, "documented" means the wetland is on the appropriate state or federal database.		\
SP2. Has the wetland unit been documented as habitat for any State listed Threatened or Endangered animal species? For the purposes of this rating system, "documented" means the wetland is on the appropriate state database. Note: Wetlands with State listed plant species are categorized as Category I Natural Heritage Wetlands (see p. 19 of data form).		>
SP3. Does the wetland unit contain individuals of Priority species listed by the WDFW for the state?		•
SP4. Does the wetland unit have a local significance in addition to its functions? For example, the wetland has been identified in the Shoreline Master Program, the Critical Areas Ordinance, or in a local management plan as having special significance.		/

To complete the next part of the data sheet you will need to determine the Hydrogeomorphic Class of the wetland being rated.

The hydrogeomorphic classification groups wetlands into those that function in similar ways. This simplifies the questions needed to answer how well the wetland functions. The Hydrogeomorphic Class of a wetland can be determined using the key below. See p. 24 for more detailed instructions on classifying wetlands.

Classification of Wetland Units in Western Washington

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

1. Are the water levels in the entire unit usually controlled by tides (i.e. except during floods)? ✓ NO – go to 2 ✓ YES – the wetland class is Tidal Fringe
If yes, is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)? YES – Freshwater Tidal Fringe NO – Saltwater Tidal Fringe (Estuarine)
If your wetland can be classified as a Freshwater Tidal Fringe use the forms for Riverine wetlands. If it is Saltwater Tidal Fringe it is rated as an Estuarine wetland. Wetlands that were called estuarine in the first and second editions of the rating system are called Salt Water Tidal Fringe in the Hydrogeomorphic Classification. Estuarine wetlands were categorized separately in the earlier editions, and this separation is being kept in this revision. To maintain consistency between editions, the term "Estuarine" wetland is kept. Please note, however, that the characteristics that define Category I and II estuarine wetlands have changed (see p.).
2. The entire wetland unit is flat and precipitation is the only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit. NO – go to 3 YES – The wetland class is Flats
If your wetland can be classified as a "Flats" wetland, use the form for Depressional wetlands.
2. Does the entire wetland unit meet both of the following criteria? The vegetated part of the wetland is on the shores of a body of permanent open water (without any vegetation on the surface) at least 20 acres (8 ha) in size; At least 30% of the open water area is deeper than 6.6 ft (2 m)? VO - go to 4 YES - The wetland class is Lake-fringe (Lacustrine Fringe)
4. Does the entire wetland unit meet all of the following criteria? The wetland is on a slope (<i>slope can be very gradual</i>), The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks.
The water leaves the wetland without being impounded ? NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3ft diameter and less than 1 foot deep).
NO - go to 5 YES – The wetland class is Slope

5. Does the entire wetland unit meet all of the following criteria?
The unit is in a valley, or stream channel, where it gets inundated by overbank
flooding from that stream or river
The overbank flooding occurs at least once every two years.
NOTE: The riverine unit can contain depressions that are filled with water when the river is
not flooding.
NO - go to 6 YES – The wetland class is Riverine
6 . Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year. <i>This means that any outlet, if present, is higher than the interior of the wetland.</i>
\square NO – go to 7 \bigvee YES – The wetland class is Depressional
7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding. The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.
NO – go to 8 YES – The wetland class is Depressional

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM clases. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within your wetland. NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM Classes within the wetland unit being rated		HGM Class to Use in Ratin	ng
Slope + Riverine		Riverine	
Slope + Depressional		Depressional	
Slope + Lake-fringe		Lake-fringe	
Depressional + Riverine along stream within boundary		Depressional	
Depressional + Lake-fringe		Depressional	
Salt Water Tidal Fringe and any other class of freshwater		Treat as ESTUARINE under	
wetland		wetlands with special	
		characteristics	

If you are unable still to determine which of the above criteria apply to your wetland, or if you have more than 2 HGM classes within a wetland boundary, classify the wetland as **Depressional** for the rating.

D	Depressional and Flats Wetlands WATER QUALITY FUNCTIONS - Indicators that the wetland unit functions to improve water quality	Points (only 1 score per box)	
D	D 1. Does the wetland unit have the <u>potential</u> to improve water quality?	(see p.38)	
D	D 1.1 Characteristics of surface water flows out of the wetland: Unit is a depression with no surface water leaving it (no outlet) Unit has an intermittently flowing, OR highly constricted permanently flowing outlet points = 2 Unit has an unconstricted, or slightly constricted, surface outlet (permanently flowing) points = 1 Unit is a "flat" depression (Q. 7 on key), or in the Flats class, with permanent surface outflow and		
	no obvious natural outlet and/or outlet is a man-made ditch (If ditch is not permanently flowing treat unit as "intermittently flowing") Provide photo or drawing S 1.2 The soil 2 inches below the surface (or duff layer) is clay or organic (use NRCS	2	
D	definitions) □ YES □ NO □ points = 4 □ points = 0	0	
D	D 1.3 Characteristics of persistent vegetation (emergent, shrub, and/or forest Cowardin class) Wetland has persistent, ungrazed, vegetation > = 95% of area Wetland has persistent, ungrazed, vegetation > = 1/2 of area Wetland has persistent, ungrazed vegetation > = 1/10 of area Points = 1 Wetland has persistent ungrazed vegetation > = 1/10 of area Points = 0	Figure	
D	Wetland has persistent, ungrazed vegetation <1/10 of area points = 0 Map of Cowardin vegetation classes D1.4 Characteristics of seasonal ponding or inundation. This is the area of the wetland unit that is ponded for at least 2 months, but dries out	Figure	
D	sometime during the year. Do not count the area that is permanently ponded. Estimate area as the average condition 5 out of 10 yrs. Area seasonally ponded is $> \frac{1}{2}$ total area of wetland points = 4 Area seasonally ponded is $< \frac{1}{4}$ total area of wetland points = 0 Area seasonally ponded is $< \frac{1}{4}$ total area of wetland points = 0 Map of Hydroperiods	2	
D	Total for D 1 Add the points in the boxes above	9	
D	D 2. Does the wetland unit have the opportunity to improve water quality? Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland. Note which of the following conditions provide the sources of pollutants. A unit may have pollutants coming from several sources, but any single source would qualify as opportunity. Grazing in the wetland or within 150 ft Untreated stormwater discharges to wetland Tilled fields or orchards within 150 ft of wetland A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging Residential, urban areas, golf courses are within 150 ft of wetland Wetland is fed by groundwater high in phosphorus or nitrogen Other VYES multiplier is 2 NO multiplier is 1	(see p. 44) multiplier	
D	TOTAL - Water Quality Functions Multiply the score from D1 by D2	18	
	Answer YES if you know or believe there are pollutants in groundwater or surface water coming into the wetland that would otherwise reduce water quality in streams, lakes or groundwater downgradient from the wetland. Note which of the following conditions provide the sources of pollutants. A unit may have pollutants coming from several sources, but any single source would qualify as opportunity. Grazing in the wetland or within 150 ft Untreated stormwater discharges to wetland Tilled fields or orchards within 150 ft of wetland A stream or culvert discharges into wetland that drains developed areas, residential areas, farmed fields, roads, or clear-cut logging Residential, urban areas, golf courses are within 150 ft of wetland Wetland is fed by groundwater high in phosphorus or nitrogen Other Other NO multiplier is 1	multip	

D	Depressional and Flats Wetlands HYDROLOGIC FUNCTIONS - Indicators that the wetland unit functions to reduce flooding and stream degradation	Points (only 1 score per box)
	D 3. Does the wetland unit have the <u>potential</u> to reduce flooding and erosion?	(see p.46)
D	D 3.1 Characteristics of surface water flows out of the wetland unit Unit is a depression with no surface water leaving it (no outlet) Points = 4 Unit has an intermittently flowing, OR highly constricted permanently flowing outlet points = 2 Unit is a "flat" depression (Q. 7 on key), or in the Flats class, with permanent surface outflow and no obvious natural outlet and/or outlet is a man-made ditch [If ditch is not permanently flowing treat unit as "intermittently flowing"] Unit has an unconstricted, or slightly constricted, surface outlet (permanently flowing) points = 0	2
D	D 3.2 Depth of storage during wet periods Estimate the height of ponding above the bottom of the outlet. For units with no outlet measure from the surface of permanent water or deepest part (if dry). Marks of ponding are 3 ft or more above the surface or bottom of outlet points = 7 The wetland is a "headwater" wetland" points = 5 Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet points = 5 Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet points = 3 Unit is flat (yes to Q. 2 or Q. 7 on key) but has small depressions on the surface that trap water points = 1 Marks of ponding less than 0.5 ft points = 0	3
D	D 3.3 Contribution of wetland unit to storage in the watershed Estimate the ratio of the area of upstream basin contributing surface water to the wetland to the area of the wetland unit itself. The area of the basin is less than 10 times the area of unit points = 5 The area of the basin is 10 to 100 times the area of the unit points = 3 The area of the basin is more than 100 times the area of the unit points = 0 Entire unit is in the FLATS class points = 5	3
D	Total for D 3 Add the points in the boxes above	8
D	Answer YES if the unit is in a location in the watershed where the flood storage, or reduction in water velocity, it provides helps protect downstream property and aquatic resources from flooding or excessive and/or erosive flows. Answer NO if the water coming into the wetland is controlled by a structure such as flood gate, tide gate, flap valve, reservoir etc. OR you estimate that more than 90% of the water in the wetland is from groundwater in areas where damaging groundwater flooding does not occur. Note which of the following indicators of opportunity apply. Wetland is in a headwater of a river or stream that has flooding problems Wetland drains to a river or stream that has flooding problems Other Other	multiplier
	YES multiplier is 2 NO multiplier is 1	
D	TOTAL - Hydrologic Functions Multiply the score from D 3 by D 4 <i>Add score to table on p. 1</i>	16

These questions apply to wetlands of all HGM classes. HABITAT FUNCTIONS - Indicators that unit functions to provide important habitat	Points (only 1 score per box)
H 1. Does the wetland unit have the <u>potential</u> to provide habitat for many species?	
Check the types of vegetation classes present (as defined by Cowardin)- Size threshold for each class is ¼ acre or more than 10% of the area if unit is smaller than 2.5 acres. Aquatic bed Emergent plants Scrub/shrub (areas where shrubs have >30% cover) Forested (areas where trees have >30% cover) If the unit has a forested class check if:	Figure
The forested class has 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the forested polygon Add the number of vegetation structures that qualify. If you have: 4 structures or more points = 4 Map of Cowardin vegetation classes 3 structures points = 2	
Map of Cowardin vegetation classes Map of Cowardin vegetation classes 2 structures points = 2 points = 1 1 structure points = 0	
H 1.2. Hydroperiods (see p. 73)	Figure
Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ acre to count. (see text for descriptions of hydroperiods) Permanently flooded or inundated Seasonally flooded or inundated Occasionally flooded or inundated Saturated only Permanently flowing stream or river in, or adjacent to, the wetland Lake-fringe wetland = 2 points	2
Freshwater tidal wetland = 2 points Map of hydroperiods	
Count the number of plant species in the wetland that cover at least 10 ft ² . (different patches of the same species can be combined to meet the size threshold) You do not have to name the species. Do not include Eurasian Milfoil, reed canarygrass, purple loosestrife, Canadian Thistle If you counted: > 19 species points = 2 List species below if you want to: 5 - 19 species points = 1 < 5 species points = 0	1

H 1.4. Interspersion of habitats (see p. 76) Decide from the diagrams below whether interspersion between Cowardin vegetation classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, medium, low, or none.	Figure
None = 0 points	
High = 3 points Iriparian braided channels NOTE: If you have four or more classes or three vegetation classes and open water the rating is always "high". Use map of Cowardin vegetation classes	1
H 1.5. Special Habitat Features: (see p. 77) Check the habitat features that are present in the wetland. The number of checks is the number of points you put into the next column. Large, downed, woody debris within the wetland (>4in. diameter and 6 ft long). Standing snags (diameter at the bottom > 4 inches) in the wetland Undercut banks are present for at least 6.6 ft (2m) and/or overhanging vegetation extends at least 3.3 ft (1m) over a stream (or ditch) in, or contiguous with the unit, for at least 33 ft (10m) Stable steep banks of fine material that might be used by beaver or muskrat for denning (>30degree slope) OR signs of recent beaver activity are present (cut shrubs or trees that have not yet turned grey/brown) At least ¼ acre of thin-stemmed persistent vegetation or woody branches are present in areas that are permanently or seasonally inundated.(structures for egg-laying by amphibians) Invasive plants cover less than 25% of the wetland area in each stratum of plants NOTE: The 20% stated in early printings of the manual on page 78 is an error.	3
H 1. TOTAL Score - potential for providing habitat Add the scores from H1.1, H1.2, H1.3, H1.4, H1.5	8

Comments

H 2. Does the wetland unit have the opportunity to provide habitat for many species?	
H 2.1 <u>Buffers</u> (see p. 80)	Figure
Choose the description that best represents condition of buffer of wetland unit. The highest scoring	
criterion that applies to the wetland is to be used in the rating. See text for definition of	
"un <u>dist</u> urbed."	
100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95%	
of circumference. No structures are within the undisturbed part of buffer. (relatively	
undisturbed also means no-grazing, no landscaping, no daily human use) Points = 5	
100 m (330 ft) of relatively undisturbed vegetated areas, rocky areas, or open water >	
50% circumference. Points = 4	
50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water >95%	
circumference. Points = 4	
100 m (330ft) of relatively undisturbed vegetated areas, rocky areas, or open water > 25% circumference, . Points = 3	4
50 m (170ft) of relatively undisturbed vegetated areas, rocky areas, or open water for > 50% circumference. Points = 3	
If buffer does not meet any of the criteria above	
No paved areas (except paved trails) or buildings within 25 m (80ft) of wetland > 95%	
circumference. Light to moderate grazing, or lawns are OK. Points = 2	
No paved areas or buildings within 50m of wetland for >50% circumference.	
Light to moderate grazing, or lawns are OK. Points = 2	
Heavy grazing in buffer. Points = 1	
Vegetated buffers are <2m wide (6.6ft) for more than 95% of the circumference (e.g. tilled	
fields, paving, basalt bedrock extend to edge of wetland $\mathbf{Points} = 0$.	
Buffer does not meet any of the criteria above. Points = 1	
Aerial photo showing buffers	
H 2.2 Corridors and Connections (see p. 81)	
H 2.2.1 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor	
(either riparian or upland) that is at least 150 ft wide, has at least 30% cover of shrubs, forest	
or native undisturbed prairie, that connects to estuaries, other wetlands or undisturbed	
uplands that are at least 250 acres in size? (dams in riparian corridors, heavily used gravel roads, paved roads, are considered breaks in the corridor).	
YES = 4 points (go to $H 2.3$) \bigvee NO = go to $H 2.2.2$	
H 2.2.2 Is the wetland part of a relatively undisturbed and unbroken vegetated corridor	
(either riparian or upland) that is at least 50ft wide, has at least 30% cover of shrubs or	0
forest, and connects to estuaries, other wetlands or undisturbed uplands that are at least 25	
acres in size? OR a Lake-fringe wetland, if it does not have an undisturbed corridor as in	
the question above?	
YES = 2 points (go to H 2.3) $V NO = H 2.2.3$	
H 2.2.3 Is the wetland:	
within 5 mi (8km) of a brackish or salt water estuary OR	
within 3 mi of a large field or pasture (>40 acres) OR	
within 1 mi of a lake greater than 20 acres?	
YES = 1 point $VO = 0 points$	

Total for page 4

H 2.3 Near or adjacent to other priority habitats listed by WDFW (see new and complete	
descriptions of WDFW priority habitats, and the counties in which they can be found, in	
the PHS report http://wdfw.wa.gov/hab/phslist.htm)	
Which of the following priority habitats are within 330ft (100m) of the wetland unit? <i>NOTE: the</i>	
connections do not have to be relatively undisturbed.	
Aspen Stands: Pure or mixed stands of aspen greater than 0.4 ha (1 acre).	
Biodiversity Areas and Corridors: Areas of habitat that are relatively important to various	
species of native fish and wildlife (full descriptions in WDFW PHS report p. 152).	
Herbaceous Balds: Variable size patches of grass and forbs on shallow soils over bedrock.	
Old-growth/Mature forests: (Old-growth west of Cascade crest) Stands of at least 2 tree	
species, forming a multi-layered canopy with occasional small openings; with at least 20	
trees/ha (8 trees/acre) > 81 cm (32 in) dbh or > 200 years of age. (Mature forests) Stands	
with average diameters exceeding 53 cm (21 in) dbh; crown cover may be less that 100%;	
crown cover may be less that 100%; decay, decadence, numbers of snags, and quantity of	
large downed material is generally less than that found in old-growth; 80 - 200 years old	
west of the Cascade crest.	
Oregon white Oak: Woodlands Stands of pure oak or oak/conifer associations where	
canopy coverage of the oak component is important (full descriptions in WDFW PHS	
report p. 158).	
Riparian : The area adjacent to aquatic systems with flowing water that contains elements of	
both aquatic and terrestrial ecosystems which mutually influence each other.	
Westside Prairies: Herbaceous, non-forested plant communities that can either take the	
form of a dry prairie or a wet prairie (full descriptions in WDFW PHS report p. 161).	
Instream: The combination of physical, biological, and chemical processes and conditions	
that interact to provide functional life history requirements for instream fish and wildlife	
resources.	
Nearshore: Relatively undisturbed nearshore habitats. These include Coastal Nearshore,	
Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the	
definition of relatively undisturbed are in WDFW report: pp. 167-169 and glossary in	
Appendix A).	
Caves: A naturally occurring cavity, recess, void, or system of interconnected passages under	
the earth in soils, rock, ice, or other geological formations and is large enough to contain a	
human.	
Cliffs: Greater than 7.6 m (25 ft) high and occurring below 5000 ft.	
Talus: Homogenous areas of rock rubble ranging in average size 0.15 - 2.0 m (0.5 - 6.5 ft),	
composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine	
tailings. May be associated with cliffs.	
Snags and Logs: Trees are considered snags if they are dead or dying and exhibit sufficient	
decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a	
diameter at breast height of > 51 cm (20 in) in western Washington and are > 2 m (6.5 ft) in	
height. Priority logs are > 30 cm (12 in) in diameter at the largest end, and > 6 m (20 ft)	
long.	4
If wetland has 3 or more priority habitats = 4 points	
If wetland has 2 priority habitats = 3 points	
If wetland has 1 priority habitat = 1 point No habitats = 0 points	
Note: All vegetated wetlands are by definition a priority habitat but are not included in this	
list. Nearby wetlands are addressed in question H 2.4)	

H 2.4 Wetland Landscape (choose the one description of the landscape around the wetland that best fits) (see p. 84) There are at least 3 other wetlands within ½ mile, and the connections between them are relatively undisturbed (light grazing between wetlands OK, as is lake shore with some boating, but connections should NOT be bisected by paved roads, fill, fields, or other development. points = 5 The wetland is Lake-fringe on a lake with little disturbance and there are 3 other lake-fringe wetlands within ½ mile points = 5 ▼ There are at least 3 other wetlands within ½ mile, BUT the connections between them are disturbed points = 3 The wetland is Lake-fringe on a lake with disturbance and there are 3 other lake-fringe wetland within ½ mile points = 3 There is at least 1 wetland within ½ mile. points = 2 There are no wetlands within ½ mile. points = 0	3
H 2 . TOTAL Score - opportunity for providing habitat <i>Add the scores from H2.1,H2.2, H2.3, H2.4</i>	11
TOTAL for H 1 from page 14	8
Total Score for Habitat Functions – add the points for H 1, H 2 and record the result on p. 1	19

CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS


Please determine if the wetland meets the attributes described below and circle the appropriate answers and Category.

Wetland Type	Category
Check off any criteria that apply to the wetland. Circle the Category when the	
appropriate criteria are met.	
SC 1.0 Estuarine wetlands (see p. 86)	
Does the wetland unit meet the following criteria for Estuarine wetlands?	
The dominant water regime is tidal,	
Vegetated, and	
With a salinity greater than 0.5 ppt. ☐ YES = Go to SC 1.1 NO ✓ =Go to SC 2.0	
SC 1.1 Is the wetland unit within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-30-151?	Cat. I
YES = Category I NO go to SC 1.2	
SC 1.2 Is the wetland unit at least 1 acre in size and meets at least two of the following three conditions? ☐YES = Category I ☐NO = Category II	☐ Cat. I
The wetland is relatively undisturbed (has no diking, ditching, filling,	
cultivation, grazing, and has less than 10% cover of non-native plant	□Cat. II
species. If the non-native <i>Spartina</i> spp. are the only species that cover	
more than 10% of the wetland, then the wetland should be given a dual	□ Dual
rating (I/II). The area of Spartina would be rated a Category II while the	rating
relatively undisturbed upper marsh with native species would be a	I/II
Category I. Do not, however, exclude the area of Spartina in	1/11
determining the size threshold of 1 acre.	
At least ¾ of the landward edge of the wetland has a 100 ft buffer of	
shrub, forest, or un-grazed or un-mowed grassland.	
The wetland has at least 2 of the following features: tidal channels,	
depressions with open water, or contiguous freshwater wetlands.	

SC 2.0 Natural Heritage Wetlands (see p. 87) Natural Heritage wetlands have been identified by the Washington Natural Heritage Program/DNR as either high quality undisturbed wetlands or wetlands that support state Threatened, Endangered, or Sensitive plant species. SC 2.1 Is the wetland unit being rated in a Section/Township/Range that contains a Natural Heritage wetland? (this question is used to screen out most sites before you need to contact WNHP/DNR) S/T/R information from Appendix D v or accessed from WNHP/DNR web site	□Cat. I
YES – contact WNHP/DNR (see p. 79) and go to SC 2.2 NO SC 2.2 Has DNR identified the wetland as a high quality undisturbed wetland or as	
or as a site with state threatened or endangered plant species? YES = Category I NO not a Heritage Wetland	
SC 3.0 Bogs (see p. 87) Does the wetland unit (or any part of the unit) meet both the criteria for soils and vegetation in bogs? Use the key below to identify if the wetland is a bog. If you answer yes you will still need to rate the wetland based on its functions.	
1. Does the unit have organic soil horizons (i.e. layers of organic soil), either peats or mucks, that compose 16 inches or more of the first 32 inches of the soil profile? (See Appendix B for a field key to identify organic soils)? Yes - go to Q. 3 No - go to Q. 2	
2. Does the unit have organic soils, either peats or mucks that are less than 16 inches deep over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on a lake or pond?	
Yes - go to Q. 3 No - Is not a bog for purpose of rating	
3. Does the unit have more than 70% cover of mosses at ground level, AND other plants, if present, consist of the "bog" species listed in Table 3 as a significant component of the vegetation (more than 30% of the total shrub and herbaceous cover consists of species in Table 3)?	
Yes – Is a bog for purpose of rating No - go to Q. 4	
NOTE: If you are uncertain about the extent of mosses in the understory you may substitute that criterion by measuring the pH of the water that seeps into a hole dug at least 16" deep. If the pH is less than 5.0 and the "bog" plant species in Table 3 are present, the wetland is a bog.	
1. Is the unit forested (> 30% cover) with sitka spruce, subalpine fir, western red cedar, western hemlock, lodgepole pine, quaking aspen, Englemann's spruce, or western white pine, WITH any of the species (or combination of species) on the bog species plant list in Table 3 as a significant component of the ground cover (> 30% coverage of the total shrub/herbaceous cover)?	
2. YES = Category I No Is not a bog for purpose of rating	□Cat. I

SC 4.0 Forested Wetlands (see p. 90) Does the wetland unit have at least 1 acre of forest that meet one of these criteria for the Department of Fish and Wildlife's forests as priority habitats? If you answer yes you will still need to rate the wetland based on its functions. Old-growth forests: (west of Cascade crest) Stands of at least two tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/acre (20 trees/hectare) that are at least 200 years of age OR have a diameter at breast height (dbh) of 32 inches (81 cm) or more. NOTE: The criterion for dbh is based on measurements for upland forests. Two-hundred year old trees in wetlands will often have a smaller dbh because their growth rates are often slower. The DFW criterion is and "OR" so old-growth forests do not necessarily have to have trees of this diameter.	
Mature forests: (west of the Cascade Crest) Stands where the largest trees are 80 – 200 years old OR have average diameters (dbh) exceeding 21 inches (53cm); crown cover may be less that 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth.	Cat. I
YES = Category I NO not a forested wetland with special characteristics	
SC 5.0 Wetlands in Coastal Lagoons (see p. 91)	
Does the wetland meet all of the following criteria of a wetland in a coastal lagoon? The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks The lagoon in which the wetland is located contains surface water that is saline or brackish (> 0.5 ppt) during most of the year in at least a portion of the lagoon (needs to be measured near the bottom) YES = Go to SC 5.1 NO not a wetland in a coastal lagoon	
SC 5.1 Does the wetland meets all of the following three conditions? The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less than 20% cover of invasive plant species (see list of invasive species on p. 74). At least 3/4 of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-mowed grassland.	☐ Cat. I
The wetland is larger than 1/10 acre (4350 square feet) YES = Category I NO = Category II	Cat. II

SC 6.0 Interdunal Wetlands (see p. 93)	
Is the wetland unit west of the 1889 line (also called the Western Boundary of Upland	
Ownership or WBUO)?	
YES - go to SC 6.1 NO ✓ not an interdunal wetland for rating	
If you answer yes you will still need to rate the wetland based on its	
functions.	
In practical terms that means the following geographic areas:	
Long Beach Peninsula- lands west of SR 103	
Grayland-Westport- lands west of SR 105	
Ocean Shores-Copalis- lands west of SR 115 and SR 109	
SC 6.1 Is the wetland one acre or larger, or is it in a mosaic of wetlands that is	
once acre or larger?	
	Cat. II
SC 6.2 Is the unit between 0.1 and 1 acre, or is it in a mosaic of wetlands that is	
between 0.1 and 1 acre?	
☐YES = Category III	Cat. III
Category of wetland based on Special Characteristics	Cat. I
Choose the "highest" rating if wetland falls into several categories, and record on	Cat. II
p. 1.	Cat. III
If you answered NO for all types enter "Not Applicable" on p.1	✓ N/A



THIS PAGE IS INTENTIONALLY LEFT BLANK



Critical Areas Mitigation Bond Quantity Worksheet


Burnstead - Tibbetts Creek Crossing Date: 11-Jul-19 Prepared by: TA, MK

Project Number: Project Description: Buffer Enhancement

Location: 7932 Renton-Issaquah Rd SE, Is	saquah, WA	Applicant:	Steve Burns Construction		e: 425.454.	1900
PLANT MATERIALS*		4	,			
Type	Unit Price	Unit	Quantity	Description	Cost	
PLANTS: Potted, 4" diameter, medium PLANTS: Container, 1 gallon, medium soil	\$5.00 \$11.50	Each Each	41.00		S	471.50
PLANTS: Container, 1 gailon, medium soil	\$20.00	Each	41.00		S .	4/1.30
PLANTS: Container, 5 gallon, medium soil	\$36.00	Each			s	-
PLANTS: Seeding, by hand	\$0.50	SY			\$	-
PLANTS: Slips (willow, red-osier)	\$2.00	Each			\$	-
PLANTS: Stakes (willow)	\$2.00	Each			\$	-
PLANTS: Stakes (willow)	\$2.00	Each			\$	
PLANTS: Flats/plugs	\$2.00	Each			\$	-
					\$	-
* All costs include installatio		DIE (D)		TOTAL	L S	471.50
INSTALLATION COSTS (LABOR, EC	Unit Price	Unit	Ι	ı	Cost	
Compost, vegetable, delivered and spread	\$37.88	CY			\$	-
Decompacting till/hardpan, medium, to 6" depth	\$1.57	CY			\$	-
Decompacting till/hardpan, medium, to 12" depth	\$1.57	CY			S	-
Hydroseeding	\$0.51	SY			S	-
Labor, general (landscaping)	\$40.00	HR	8.00		S	320.00
Labor, general (construction)	\$40.00	HR			\$	-
Labor: Consultant, supervising	\$55.00	HR			\$	-
Labor: Consultant, on-site re-design	\$95.00	HR			s	
Rental of decompacting machinery & operator	\$70.00	HR			\$	-
Sand, coarse builder's, delivered and spread	\$42.00	CY			S	-
Staking material (set per tree) Surveying, line & grade	\$7.00	Each			S	-
Surveying, line & grade Surveying, topographical	\$250.00 \$250.00	HR HR			\$	
Watering, 1" of water, 50' soaker hose	\$3.62	MSF			S	-
Irrigation - temporary	\$3,000.00	Acre	0.02		S	66.00
Irrigation - buried	\$4,500.00	Acre			S	-
Tilling topsoil, disk harrow, 20hp tractor, 4"-6" deep	\$1.02	SY			\$	-
	\$25.00	HR			\$	-
					\$	-
				TOTAL	s	386.00
HABITAT STRUCTURES*						
ITEMS	Unit Cost	Unit			Cost	
Fascines (willow)	\$ 2.00	Each			\$	-
Logs, (cedar), w/ root wads, 16"-24" diam., 30' long	\$1,000.00	Each			\$	-
Logs (cedar) w/o root wads, 16"-24" diam., 30'	\$400.00	Each			\$	-
Logs, w/o root wads, 16"-24" diam., 30' long	\$245.00	Each			\$	-
Logs w/ root wads, 16"-24" diam., 30' long Rocks, one-man	\$460.00 \$60.00	Each			\$	-
Nous, one-man					\$	
		Each Each			9	
Rocks, two-man	\$120.00	Each			S	-
Rocks, two-man Root wads					\$ \$ \$	
Rocks, two-man	\$120.00 \$163.00	Each Each			\$	-
Rocks, two-man Rootwads Spawning gravel, type A Weir - log Weir - adjustable	\$120.00 \$163.00 \$22.00	Each Each CY			\$ \$	-
Rocks, two-man Rootwads Spawning gravel, type A Weir - log Weir - adjustable Woody debris, large	\$120.00 \$163.00 \$22.00 \$1,500.00 \$2,000.00 \$163.00	Each Each CY Each Each Each			\$ \$ \$ \$ \$	-
Rocks, two-man Root wads Spawning gravel, type A Weir - log Weir - adjustable Woody debris, large Snags - androred	\$120.00 \$163.00 \$22.00 \$1,500.00 \$2,000.00 \$163.00 \$400.00	Each Each CY Each Each Each Each			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Rocks, two-man Rootwads Spawning gravel, type A Weir- log Weir- adjustable Woody debris, large Snags - anchored Snags - on site	\$120.00 \$163.00 \$22.00 \$1,500.00 \$2,000.00 \$163.00 \$400.00 \$50.00	Each Each CY Each Each Each Each Each			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	-
Rocks, two-man Root wads Spawning gravel, type A Weir - log Weir - adjustable Woody debris, large Snags - androred	\$120.00 \$163.00 \$22.00 \$1,500.00 \$2,000.00 \$163.00 \$400.00	Each Each CY Each Each Each Each			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	-
Rocks, two-man Rootwads Spawning gravel, type A Weir- log Weir- adjustable Woody debris, large Snags - anchored Snags - on site	\$120.00 \$163.00 \$22.00 \$1,500.00 \$2,000.00 \$163.00 \$400.00 \$50.00	Each Each CY Each Each Each Each Each			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	-
Rocks, two-man Rootwads Spawning gravel, type A Weir- log Weir- adjustable Woody debris, large Snags - anchored Snags - on site	\$120.00 \$163.00 \$22.00 \$1,500.00 \$2,2000.00 \$163.00 \$400.00 \$50.00	Each Each CY Each Each Each Each Each		TOTA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	-
Rocks, two-man Root wads Spawning gravel, type A Weir - log Weir - adjustable Woody debris, large Snags - anchored Snags - imported	\$120.00 \$163.00 \$22.00 \$1,500.00 \$2,2000.00 \$163.00 \$400.00 \$50.00	Each Each CY Each Each Each Each Each		TOTA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	-
Rocks, two-man Root wads Spawning gravel, type A Weir - log Weir - adjustable Woody debris, large Snags - anchored Snags - on site Snags - imported *All costs include delivery and installation	\$120.00 \$163.00 \$22.00 \$1,500.00 \$2,2000.00 \$163.00 \$400.00 \$50.00	Each Each CY Each Each Each Each Each		TOTA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	-
Rocks, two-man Root wads Spawning gravel, type A Weir - log Weir - adjustable Woody debris, large Snags - anchored Snags - on site Snags - imported * All costs include delivery and installation EROSION CONTROL ITEMS Backfill and Compaction-embankment	\$120.00 \$163.00 \$22.00 \$1,500.00 \$2,000.00 \$163.00 \$400.00 \$50.00 \$800.00 **The control of the	Each Each CY Each Each Each Each Each Each		TOTA	S S S S S S S S S S S S S S S S S S S	
Rocks, two-man Root wads Spawning gravel, type A Weir - log Weir - adjustable Woody debris, large Snags - anchored Snags - on site Snags - imported * All costs include delivery and installation EROSION CONTROL ITEMS Backfill and Compaction-embankment Crushed surfacing, 1 1/4* minus	\$120.00 \$163.00 \$22.00 \$1,500.00 \$22,000.00 \$163.00 \$400.00 \$550.00 \$800.00 Unit Cost \$ \$ 4.89 \$33.00	Each Each CY Each Each Each Each Each Cach Each Cach Each Cach Cach Cach Cach Cach Cach Cach C		TOTA	S S S S S S S S S S S S S S S S S S S	
Rocks, two-man Rootwads Spawning gravel, type A Weir- log Weir- adjustable Woody debris, large Snags - anchored Snags - on site Snags - imported * All costs include delivery and installatio EROSION CONTROL ITEMS Backfill and Compaction-embankment Crushed surfacing, 1 1/4* minus Ditching	\$120.00 \$163.00 \$22.00 \$1,500.00 \$22,000.00 \$163.00 \$400.00 \$500.00 \$1	Each Each CY Each Each Each Each Each CH Each Each Each CH Each CH CY CY CY CY		TOTA	S S S S S S S S S S S S S S S S S S S	
Rocks, two-man Rootwads Spawning gravel, type A Weir - log Weir - adjustable Woody debris, large Snags - anchored Snags - on site Snags - imported * All costs include delivery and installation EROSION CONTROL ITEMS Backfill and Compaction-embankment Crushed surfacing, 1 1/4" minus Ditching Excavation, bulk	\$120.00 \$163.00 \$22.00 \$1,500.00 \$2,000.00 \$163.00 \$400.00 \$50.00 \$800.00 \$800.00 Unit Cost \$ \$ 4.89 \$330.00 \$7.03 \$4.00	Each Each CYY Each Each Each Each Each Cach Each Each Cach Each Cach Cach Cach Cach Cach Cach Cach C			S S S S S S S S S S S S S S S S S S S	
Rocks, wo-man Root wads Spawning gravel, type A Weir - log Weir - adjustable Woody debris, large Snags - anchored Snags - on site Snags - imported * All costs include delivery and installation EROSION CONTROL ITEMS Backfill and Compaction-embankment Crushed surfacing, 1 1/4" minus Ditching Excavation, bulk Fence, sitt	\$120.00 \$163.00 \$22.00 \$1,500.00 \$22,000.00 \$163.00 \$400.00 \$550.00 \$800.00 Unit Cost \$\$ \$\$ \$\$ \$\$30.00 \$\$7.03 \$\$4.89 \$\$30.00 \$\$1.60	Each Each CY Each Each Each Each CY Each Each CY Each CY CY CY CY LF			S S S S S S S S S S S S S S S S S S S	
Rocks, two-man Rootwads Spawning gravel, type A Weir - log Weir - adjustable Woody debris, large Snags - anchored Snags - on site Snags - imported * All costs include delivery and installatio EROSION CONTROL ITEMS Backfill and Compaction-embankment Crushed surfacing, 1 1/4* minus Dilching Excavation, bulk Fence, silt Jute Mesh	\$120.00 \$163.00 \$22.00 \$1,500.00 \$22,000.00 \$163.00 \$400.00 \$580.00 \$400.00 \$580.00 \$800.00 Unit Cost \$4.89 \$33.00 \$7.03 \$4.00 \$1.126	Each Each CY Each Each Each Each Each CY Each Each Each CY Each Each Each Each Each CY CY CY CY LF SY			S S S S S S S S S S S S S S S S S S S	
Rocks, two-man Root wads Spawning gravel, type A Weir - log Weir - adjustable Woody debris, large Snags - anchored Snags - on site Snags - imported * All costs include delivery and installation EROSION CONTROL ITEMS Backfill and Compaction-embankment Crushed surfacing, 1 1/4* minus Ditching Exoavation, bulk Fence, sitt Jute Mesh Mulch, by hand, straw, 2* deep	\$120,00 \$163,00 \$22,00 \$1,500,00 \$22,000 \$1,500,00 \$2,000,00 \$1,63,00 \$3,000,00 \$3,000,00 \$3,000,00 \$3,000,00 \$3,000,00 \$3,000 \$3,000,00 \$3,000,00 \$3,000,00 \$1,206 \$1,226 \$1,276	Each Each CYY Each Each Each Each CYY Each Each Each CY CY CY CY CY CY CY SY SY	2432.00		S S S S S S S S S S S S S S S S S S S	
Rocks, wo-man Root wads Spawning gravel, type A Weir - log Weir - adjustable Woody debris, large Snags - anchored Snags - on site Snags - imported * All costs include delivery and installation EROSION CONTROL ITEMS Backfill and Compaction-embankment Crushed surfacing, 1 1/4* minus Ditching Excavation, bulk Fence, sitt Jute Mesh Mulch, by hand, straw, 2* deep Mulch, by hand, straw, 2* deep Mulch, by hand, straw, 2* deep	\$120.00 \$163.00 \$22.00 \$1,500.00 \$22,000.00 \$163.00 \$400.00 \$500.00 \$800.00 Unit Cost \$\$ \$\$ \$\$ \$\$30.00 \$\$7.03 \$\$ \$\$4.00 \$\$1.60 \$\$1.26 \$\$ \$\$1.27 \$\$3.3.25	Each Each CY Each Each Each Each Each CY Each Each Each Each Each Each Each Each			S S S S S S S S S S S S S S S S S S S	
Rocks, two-man Root wads Spawning gravel, type A Weir - log Weir - adjustable Woody debris, large Snags - anchored Snags - on site Snags - imported * All costs include delivery and installation EROSION CONTROL ITEMS Backfill and Compaction-embankment Crushed surfacing, 1 1/4* minus Ditching Exoavation, bulk Fence, sitt Jute Mesh Mulch, by hand, straw, 2* deep	\$120.00 \$163.00 \$22.00 \$1,500.00 \$22,000.00 \$1,63.00 \$400.00 \$500.00 \$1,600.00 \$1,600.00 \$1,600.00 \$1,600.00 \$1,600.00 \$1,1,20 \$1,27 \$3,25 \$5,03	Each Each CYY Each Each Each Each CYY Each Each Each CY CY CY CY CY CY CY SY SY	2432.00		S S S S S S S S S S S S S S S S S S S	
Rocks, two-man Root wads Spawning gravel, type A Weir- log Weir- adjustable Woody debris, large Snags - anchored Snags - on site Snags - imported * All costs include delivery and installation EROSION CONTROL ITEMS Backfill and Compaction-embankment Crushed surfacing, 1 1/4* minus Ditching Excavation, bulk Fence, sitt Jute Mesh Mulch, by hand, straw, 2* deep Mulch, by hand, wood chips, 2* deep Mulch, by machine, straw, 1* deep Piping, temporary, CPP, 6** Piping, temporary, CPP, 8**	\$120.00 \$163.00 \$22.00 \$1,500.00 \$22,000.00 \$163.00 \$400.00 \$500.00 \$800.00 Unit Cost \$\$ \$\$ \$\$ \$\$30.00 \$\$7.03 \$\$ \$\$4.00 \$\$1.60 \$\$1.26 \$\$ \$\$1.27 \$\$3.3.25	Each Each CY Each Each Each Each Each CY Each Each Each Each Each Each Each Each	2432.00		S S S S S S S S S S S S S S S S S S S	
Rocks, two-man Root wads Spawning gravel, type A Weir - log Weir - adjustable Woody debris, large Snags - anchored Snags - on site Snags - imported * All costs include delivery and installation EROSION CONTROL ITEMS Backfill and Compaction-embankment Crushed surfacing, 1 1/4" minus Ditching Excavation, bulk Fence, sit Jute Mesh Mulch, by hand, sraw, 2" deep Mulch, by hand, wood chips, 2" deep Mulch, by machine, straw, 1" deep Piping, temporary, CPP, 6" Piping, temporary, CPP, 8" Piping, temporary, CPP, 8" Piping, temporary, CPP, 12"	\$120.00 \$163.00 \$22.00 \$1,500.00 \$22,000.00 \$163.00 \$400.00 \$550.00 \$800.00 \$800.00 Unit Cost \$4.89 \$53.00 \$7.03 \$4.00 \$1.26 \$1.26 \$1.27 \$3.25 \$0.32 \$9.30 \$14.00 \$18.00	Each Each CY Each Each Each Each Each Each Each Each	2432.00		S S S S S S S S S S S S S S S S S S S	3,891.20
Rocks, two-man Root wads Spawning gravel, type A Weir - log Weir - adjustable Woody debris, large Snags - anchored Snags - on site Snags - on site Snags - imported * All costs include delivery and installation EROSION CONTROL ITEMS Backfill and Compaction-embankment Crushed surfacing, 1 1/4* minus Ditching Excavation, bulk Fence, sitt Jute Mesh Mulch, by hand, straw, 2* deep Mulch, by hand, wood chips, 2* deep Mulch, by machine, straw, 1* deep Piping, temporary, CPP, 8* Piping, temporary, CPP, 8* Piping, temporary, CPP, 12* Plasts covering, 6mm thick, sandbagged	\$120,00 \$163,00 \$22,00 \$1,500,00 \$22,00 \$1,500,00 \$2,000,00 \$1,500	Each Each CYY Each Each Each Each Each Each Each Each	2432.00		S S S S S S S S S S S S S S S S S S S	3,891.20
Rocks, two-man Root wads Spawning gravel, type A Weir - log Weir - adjustable Woody debris, large Snags - anchored Snags - on site Snags - imported * All costs include delivery and installation EROSION CONTROL ITEMS Backfill and Compaction-embankment Crushed surfacing, 1 1/4* minus Ditching Excavation, bulk Fence, sitt Jute Mesh Mulch, by hand, staw, 2* deep Mulch, by hand, staw, 2* deep Mulch, by mand, staw, 2* deep Mulch, by mand, staw, 2* deep Mulch, by mand, staw, 2* deep Piping, temporary, CPP, 6* Piping, temporary, CPP, 6* Piping, temporary, CPP, 6* Piping, temporary, CPP, 12* Plastic covering, 6mm thick, sandbagged Rip Rap, machine placed, slopes	\$120.00 \$163.00 \$22.00 \$1,500.00 \$22,000.00 \$163.00 \$400.00 \$500.00 \$800.00 **The control of the control of t	Each	2432.00		S S S S S S S S S S S S S S S S S S S	
Rocks, wo-man Root wads Root wads Spawning gravel, type A Weir - log Weir - adjustable Woody debris, large Snags - anchored Snags - on site Snags - imported * All costs include delivery and installation EROSION CONTROL ITEMS Backfill and Compaction-embankment Crushed surfacing, 1 1/4" minus Ditching Excavation, bulk Fence, sitt Jute Mesh Mulch, by hand, straw, 2" deep Mulch, by hand, wood chips, 2" deep Mulch, by machine, straw, 1" deep Piping, temporary, CPP, 6" Piping, temporary, CPP, 8" Piping, temporary, CPP, 12" Plasts covering, 6mm thick, sandbagged Rip Rap, machine placed, slopes Rock Const: Entrance 100'x15'x1"	\$120.00 \$163.00 \$22.00 \$1,500.00 \$22,000.00 \$1,500.00 \$1,500.00 \$400.00 \$500.00 \$800.00 \$800.00 Unit Cost \$ \$ 4.89 \$30.00 \$7.03 \$4.00 \$1.26 \$1.26 \$1.27 \$3.25 \$0.32 \$9.30 \$11.400 \$18.00 \$2.00 \$33.00 \$33.00 \$33.00	Each	2432.00		S S S S S S S S S S S S S S S S S S S	3,891.20
Rocks, wo-man Root wads Root wads Spawning gravel, type A Weir - log Weir - adjustable Woody debris, large Snags - anchored Snags - on site Snags - imported * All costs include delivery and installatio EROSION CONTROL ITEMS Backfill and Compaction-embankment Crushed surfacing, 1 1/4" minus Ditching Excavation, bulk Fence, silt Jute Mesh Mulch, by hand, staw, 2" deep Mulch, by hand, staw, 2" deep Mulch, by machine, straw, 1" deep Piping, temporary, CPP, 8" Piping, temporary, CPP, 12" Plastic covering, 6mm thick, sandbagged Rip Rap, machine placed, slopes Rock Constr. Entrance 50'x15'x1"	\$120.00 \$163.00 \$22.00 \$1,500.00 \$22,000.00 \$1,63.00 \$400.00 \$50.00 \$800.00 \$800.00 **The control of the con	Each Each CY Each Each Each Each Each Each Each Each	2432.00		S S S S S S S S S S S S S S S S S S S	3,891.20
Rocks, two-man Root wads Spawning gravel, type A Weir - log Weir - adjustable Woody debris, large Snags - anchored Snags - anchored Snags - on site Snags - imported * All costs include delivery and installation EROSION CONTROL ITEMS Backfill and Compaction-embankment Crushed surfacing, 1 1/4* minus Ditching Excavation, bulk Fence, silt Jute Mesh Mulch, by hand, staw, 2* deep Mulch, by hand, staw, 2* deep Mulch, by mand, staw, 4* deep Plping, lemporary, CPP, 6* Piping, lemporary, CPP, 6* Piping, lemporary, CPP, 12* Plastic covering, 6mm thick, sandbagged Rip Rap, machine placet, slopes Rock Constr. Entrance 100*x15*x1* Sediment pond riser assembly	\$120.00 \$163.00 \$22.00 \$1,500.00 \$22,000.00 \$163.00 \$163.00 \$400.00 \$500.00 \$800.00 \$800.00 **Total Cost** **Total Cost**	Each	2432.00		S S S S S S S S S S S S S S S S S S S	
Rocks, two-man Root wads Spawning gravel, type A Weir - log Weir - adjustable Woody debris, large Snags - anchored Snags - on site Snags - imported * All costs include delivery and installation EROSION CONTROL ITEMS Backfill and Compaction-embankment Crushed surfacing, 1 1/4* minus Ditching Excavation, bulk Fence, sit Jute Mesh Mulch, by hand, wood chips, 2* deep Mulch, by hand, wood chips, 2* deep Mulch, by machine, straw, 1* deep Piping, temporary, CPP, 6* Piping, temporary, CPP, 8* Piping, temporary, CPP, 12* Plasts covering, 6mm thick, sandbagged Righ Rap, manhine placed, slopes Rock Constr. Entrance 100'x15'x1' Rook Constr. Entrance 50'x15'x1' Rock Constr. Entrance 50'x15'x1' Sediment type, 5* high berm	\$120.00 \$163.00 \$22.00 \$1,500.00 \$22,000.00 \$1,500.00 \$1,500.00 \$400.00 \$500.00 \$800.00 \$800.00 Unit Cost \$ \$ 4.89 \$30.00 \$7.03 \$4.00 \$1.60 \$1.26 \$1.27 \$3.25 \$0.32 \$9.33 \$1.400 \$1.800 \$2.00 \$33.98 \$3,00.00 \$1,500.00 \$1,500.00 \$1,500.00 \$1,500.11 \$51,500.00	Each	2432.00		S S S S S S S S S S S S S S S S S S S	3,891.20
Rocks, two-man Root wads Spawning gravel, type A Weir - log Weir - adjustable Woody debris, large Snags - anchored Snags - on site Snags - on site Snags - imported * All costs include delivery and installation EROSION CONTROL ITEMS Backfill and Compaction-embankment Crushed surfacing, 1 1/4* minus Ditching Excavation, bulk Fence, sitt Jute Mesh Mulch, by hand, straw, 2* deep Mulch, by hand, straw, 2* deep Mulch, by machine, straw, 1* deep Piping, temporary, CPP, 8* Piping, temporary, CPP, 12* Plaste covering, 6mm thick, sandbagged Rip Rap, machine placed, slopes Rock Constr. Entrance 50'x15'x1* Sediment pond riser assembly Sediment trap, 5* high berm wispillway incl. riprap	\$120,00 \$163,00 \$22,00 \$1,500,00 \$22,000 \$1,500,00 \$1,500,00 \$1,500,00 \$50,00 \$	Each Each CY Each Each Each Each Each Each Each Each	2432.00		S S S S S S S S S S S S S S S S S S S	3,891.20
Rocks, two-man Root wads Spawning gravel, type A Weir - log Weir - adjustable Woody debris, large Snags - anchored Snags - on site * All costs include delivery and installation EROSION CONTROL ITEMS Backfill and Compaction-embankment Crushed surfacing, 1 1/4* minus Dibching Excavation, bulk Fence, silt Jute Mesh Mulch, by hand, staw, 2* deep Mulch, by hand, staw, 2* deep Mulch, by machine, straw, 1* deep Piping, temporary, CPP, 6* Piping, temporary, CPP, 6* Piping, temporary, CPP, 6* Piping, temporary, CPP, 12* Plastic covering, fimm thick, sandbagged Rip Rap, machine placed, slopes Rook Constr. Entrance 100*x15*x1* Sediment pond riser assembly Sediment tap, 5* high berm Sediment tap, 5* high berm Sediment tap, 5* high berm wspillway incl. riprap Sodding, 1**deep, level ground	\$120.00 \$163.00 \$22.00 \$1,500.00 \$22,000.00 \$163.00 \$163.00 \$400.00 \$500.00 \$800.00 \$800.00 \$100.00	Each Each	2432.00		S S S S S S S S S S S S S S S S S S S	3,891.20
Rocks, two-man Root wads Spawning gravel, type A Weir - log Weir - adjustable Woody debris, large Snags - anchored Snags - on site Snags - on site Snags - imported * All costs include delivery and installation EROSION CONTROL ITEMS Backfill and Compaction-embankment Crushed surfacing, 1 1/4* minus Ditching Excavation, bulk Fence, sitt Jute Mesh Mulch, by hand, straw, 2* deep Mulch, by hand, straw, 2* deep Mulch, by machine, straw, 1* deep Piping, temporary, CPP, 8* Piping, temporary, CPP, 12* Plaste covering, 6mm thick, sandbagged Rip Rap, machine placed, slopes Rock Constr. Entrance 50'x15'x1* Sediment pond riser assembly Sediment trap, 5* high berm wispillway incl. riprap	\$120,00 \$163,00 \$22,00 \$1,500,00 \$22,000 \$1,500,00 \$1,500,00 \$1,500,00 \$50,00 \$	Each Each CY Each Each Each Each Each Each Each Each	2432.00		S S S S S S S S S S S S S S S S S S S	3,891.20
Rocks, wo-man Rot wads Rot wads Spawning gravel, type A Weir - log Weir - adjustable Woody debris, large Snags - anchored Snags - on site Snags - imported * All costs include delivery and installation EROSION CONTROL ITEMS Backfill and Compaction-embankment Crushed surfacing, 1 1/4" minus Ditching Excavation, bulk Fence, sitt Jute Mesh Mulch, by hand, straw, 2" deep Mulch, by hand, wood chips, 2" deep Mulch, by hand, wood chips, 2" deep Mulch, by machine, straw, 1" deep Piping, temporary, CPP, 6" Piping, temporary, CPP, 12" Pastic covering, how the cover in the cover i	\$120.00 \$163.00 \$22.00 \$1,500.00 \$22,000.00 \$1,500.00 \$1	Each	2432.00		S S S S S S S S S S S S S S S S S S S	3,891.20
Rocks, two-man Rot wads Rot wads Spawning gravel, type A Weir - log Weir - adjustable Woody debris, large Snags - anchored Snags - on site Snags - on site Snags - imported * All costs include delivery and installatio EROSION CONTROL ITEMS Backfill and Compaction-embankment Crushed surfacing, 1 1/4" minus Ditching Excavation, bulk Fence, sitt Jute Mesh Mulch, by hand, staw, 2" deep Mulch, by hand, staw, 2" deep Mulch, by hand, wood chips, 2" deep Mulch, by machine, straw, 1" deep Piping, temporary, CPP, 6" Piping, temporary, CPP, 12" Plasts covering, 6mm thick, sandbagged Rip Rap, machine placed, slopes Rock Const. Entrance 100"x15"x1" Rock Constr. Entrance 100"x15"x1" Sediment pond riser assembly Sediment trap, 5" high berm Sediment trap, 5" high berm Sodding, 1" deep, sloped ground Straw bales, place and remove	\$120,00 \$163,00 \$22,00 \$1,500,00 \$22,000 \$1,500,00 \$1,63,00 \$400,00 \$50,00 \$800,00 \$1,00 \$1,00 \$1,00 \$1,26 \$1,26 \$1,27 \$32,52 \$53,30 \$1,400 \$1,800 \$1,500,00	Each Each CY Each Each Each Each Each Each Each Each	2432.00		S S S S S S S S S S S S S S S S S S S	3,891.20
Rocks, two-man Root wads Root wads Spawning gravel, type A Weir - log Weir - adjustable Woody debris, large Snags - anchored Snags - anchored Snags - on site Snags - imported * All costs include delivery and installation EROSION CONTROL ITEMS Backfill and Compaction-embankment Crushed surfacing, 1 1/4" minus Ditching Excavation, bulk Fence, silt Jute Mesh Mulch, by hand, staw, 2" deep Mulch, by machine, straw, 1" deep Mulch, by machine, straw, 1" deep Piping, temporary, CPP, 6" Piping, temporary, CPP, 6" Piping, temporary, CPP, 6" Piping, temporary, CPP, 12" Plaste covering, 6mm thick, sandbagged Rip Rap, machine placed, slopes Rock Constr. Entrance 100"x15'x1" Rock Constr. Entrance 100"x15'x1" Sediment pond riser assembly Sediment trap, 5" high berm Sediment trap, 5" high berm Sediment trap, 5" high berm Sediment trap, 5 high berm wispillway incl. riprap Sodding, 1" deep, level ground Sodding, 1" deep, sloped ground	\$120.00 \$163.00 \$22.00 \$1,500.00 \$22,000.00 \$1,500.00 \$163.00 \$400.00 \$500.00 \$800.00 \$800.00 \$100.00 \$100.0	Each Each	2432.00		S S S S S S S S S S S S S S S S S S S	3,891.20

ITEMS	Unit Cost	Unit			Cost	
Fencing, chain link, 6' high	\$18.8	9 LF			S	
Fencing, chain link, corner posts	\$111.1				S	-
Fencing, chain link, gate	\$277.63	3 Each			S	
Fencing, split rail, 3' high (2-rail)	\$10.5	4 LF	2432.00		S	25,633.2
Fencing, temporary (NGPE)	\$1.20		2432.00		\$	2,918.4
Signs, sensitive area boundary (inc. backing, post, install)	\$28.50) Each	20.00		S	570.0
					\$	
					\$ \$	
					_	
				TOTAL	S	29,121.6
OTHER		1		(Construction Cost Subtotal)	s	33,902.8
ITEMS	Percentage of Construction Cost					
HEMS	Construction Cost	Unit			Cost	
84 1 72 P						
Mobilization	10%	1			\$	3,390.2
Contingency	30%	1			\$	10,170.8
				TOTAL	s	13,561.1
AINTENANCE AND MONITORING	monitoring and	maintenance terms plications. Monitor	. This will be e	may be required to have longer valuated on a case-by-case basis fo nce ranges may be assessed	or	
Maintenance, annual	any where nom	J to 10 years.				
Less than 1,000 sq.ft. and buffer mitigation only				(3 A SF total for 3 annual events;	1.	
Less than 1,000 sq.ft. with wetland or aquatic area	\$ 1.08	SF	955.00	Includes monitoring) (3 X SF total for 3 annual events;	\$	1,031.4
mitigation	\$ 1.35	SF		Includes monitoring)	s	
Larger than 1,000 sq. ft. but less than 5,000 sq.ft. of buffer						
mitigation Larger than 1,000 sq. ft. but less than 5,000 sq.ft. of wetland	\$ 180.00	EACH		(4hr @\$45/hr)	\$	
or aquatic area mitigation	\$ 270.00	EACH		(6hr @\$45/hr)	s	
	270.00	12.1011		(on (a) 15/11)		
Larger than 5,000 sq.ft. but < 1 acre -buffer mitigation only	\$ 360.00	EACH		(8 hrs @ 45/hr)	\$	
Larger than $5,000 \text{ sq.ft.}$ but < 1 acre with wetland or aquatic						
area mitigation	\$ 450.00	EACH		(10 hrs @ \$45/hr)	\$	
Larger than 1 acre but < 5 acres - buffer and / or wetland or						
aquatic area mitigation	\$ 1,600.00	DAY		(WEC crew)	\$	
Larger than 5 acres - buffer and / or wetland or aquatic area mitigation	\$ 2,000.00	DAY		(1.25 X WEC crew)	s	
·	\$ 2,000.00	DAI		(1.23 A WEC dew)	3	
Monitoring, annual						
Larger than 1,000 sq.ft. but less than 5,000 wetland or	\$ 720.00	EACH	6.20	(8 hrs @ 90/hr)	s	4,536.0
buffer mitigation Larger than 5,000 sq.ft. but < 1 acre with wetland or aquatic	\$ 720.00	EACH	0.30	(8 iiis (@ 70/iii)	3	4,330.0
area impacts	\$ 900.00	EACH		(10 hrs @ \$90/hr)	s	
Larger than 1 acre but < 5 acres - buffer and / or wetland or	200.00	12.1011		(10 ms (a) 570/m)		
aquatic area impacts	\$ 1,440.00	DAY		(16 hrs @ \$90/hr)	\$	
Larger than5 acres - buffer and / or wetland or aquatic						
area impacts	\$ 2,400.00	DAY		(24 hrs @ \$90/hr)	S	
Maintenance and Monitoring Inspection (DDES), annual	\$362.2	5 EACH		(2.5 hrs @ \$144.90/hr)	s	
Maintenance and Monitoring Inspection (DDES), final	\$579.6			(4 hrs @ \$144.90/hr)	s	
<u> </u>	4277.0			TOTAL		
				IOIAL	S	5,567.4

Total \$53,031.43



THIS PAGE IS INTENTIONALLY LEFT BLANK

